

RECEIVED
APR 24 1970
STATE ENGINEER
SALEM, OREGON

Permit No. 35099

***APPLICATION FOR PERMIT**

41203

To Appropriate the Public Waters of the State of Oregon

I, Edward F. Bremen Kamp
(Name of applicant)
of SAVILL CREEK RD, SLIDE 9740
(Mailing address)
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Hand-dug Spring
(Name of stream)
a tributary of Little River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cfs.
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic including 1/2 acre irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 790 ft. N and 1700 ft. E from the SW corner of Section 2 being within the SE 1/4 SW 1/4
(Section or subdivision)
Section 2, Twp 27-S - R. 3-W
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 SW 1/4 of Sec. 2, Tp. 27-S,
(Give smallest legal subdivision) (N. or S.)
R. 3-W, W. M., in the county of DOUGLAS
(E. or W.)

5. The 1" pipe line to be 600 FT
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 SW 1/4 of Sec. 2, Tp. 27-S,
(Smallest legal subdivision) (N. or S.)
R. R-3-W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam NONE feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate NONE
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description GRAVITY FLOW FROM
(Size and type of pump)
Spring to House Storage Tank
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one Family

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500⁰⁰

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Completed

Edward F. Brumberg
(Signature of applicant)

Remarks: Spring has been in use for over 10
years, pipeline & storage tank in same amount
of time.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.01..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ...a spring.....

The use to which this water is to be applied is ...for the domestic use of one family including the irrigation of lawn and garden not exceeding 1/2 acre in area.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 24, 1970

Actual construction work shall begin on or before April 26, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972..

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 26th day of April 1971.....

[Signature]
STATE ENGINEER

pc

Application No. 46916
Permit No. 35099

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of April 1970, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

..... April 26, 1971

Recorded in book No. of

Permits on page 35099

CRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 28F

Fees \$300