

RECEIVED
APR 29 1970
STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, SOUTH UMPQUA WATER ASSOCIATION (Name of applicant)

of Riddle, Oregon (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

June 20, 1968 Salem, Oregon

1. The source of the proposed appropriation is Cow Creek (Name of stream)

, a tributary of The South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.67

cubic feet per second. (If water is to be used from more than one source, give quantity from each) 11.6-1-70

**3. The use to which the water is to be applied is Domestic Supplies, Quasi-Municipal (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2140 ft. South and 2240 ft. East from the N.W. corner of Sec 24, T 30S, R6 WWM (N. or S.) (E. or W.)

(Section or subdivision)

Douglas County Oregon

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the NW 1/4 of Sec. 24, Tp. 30 S, R. 6 W, W. M., in the county of Douglas (Give smallest legal subdivision) (N. or S.)

5. The pipe line to be see attached map (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 of the NE 1/4 of Sec. 21, Tp. 30S, R. 5 W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description CENTRIFUGAL 3" X 3" (Size and type of pump)

ELECTRIC 5 H.P. TOTAL HEAD TO PLANT 45Ft. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

LOCATION OF AREA TO BE SERVED

Township	Range	Section	40 Acre
30 S	5 W	15	ALL
		16	"
		17	"
		18	"
		19	"
		20	"
		21	"
		22	"
		27	"
		28	"
		29	"
		30	"
		31	"
		32	"
30 S	6 W	13	"
		14	"
		22	"
		23	"
		24	"
		25	"
		26	"
		27	"
		28	"
		29	"
		30	"
		31	"
		32	"
		33	"
31 S	6 W	34	"
		35	"
		36	"
		1	"
		2	"
		3	"
		4	"
		5	"
		6	"

EXCEPTIONS: ALL THAT LAND CONTAINED WITHIN THE CORPORATE LIMITS OF THE CITY OF RIDDLE AND THE CITY OF CANYONVILLE.

10. (a) To supply the ~~city of~~ ^{XXXXX} South Umpqua Water Association

Douglas County, having a present population of 750
(Name of)

and an estimated population of 1500 in 19⁹⁰

(b) If for domestic use state number of families to be supplied 250

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 235,000

12. Construction work will begin on or before July 1970

13. Construction work will be completed on or before May 1972

14. The water will be completely applied to the proposed use on or before May 1976

x *David J. Handberg*
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before , 19

WITNESS my hand this day of , 19

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Cow Creek

The use to which this water is to be applied is quasi-municipal use

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

BC 8

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 29, 1970

Actual construction work shall begin on or before April 26, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 29th day of April, 1971

Chris L. Wheeler
STATE ENGINEER

BC 10-1-78

Application No. 46924
Permit No. 35103

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of April, 1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 26, 1971

Recorded in book No. of Permits on page 35103

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 53

Fees \$5.00

Extended to October 1, 1993