CERTIFICATE NO. 43008

## To Appropriate the Public Waters of the State of Oregon

State of	I, TREVOR K. Humphreys
State of Present and Appropriate the collowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Canada and place of incorporation  2. The amount of water which the applicant intends to apply to beneficial use is Cal3  which feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Caraging, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located ISS ft. Caraging, and SQ ft. Wy from the NE caraging within the WWY SW Y SW Y Of Sec. Sec. Sec. Top. Of Sec. Top. SS.  (All yearly restaults)	F.O Box 132 Colton Clack
Collowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is    College of the proposed appropriation is	(waiting address)
1. The source of the proposed appropriation is  a tributary of Miles Comment of the proposed appropriation is  a tributary of Miles Comment of the proposed appropriation is  2. The amount of water which the applicant intends to apply to beneficial use is Qe. 1.3.  **3. The use to which the water is to be applied is L. B. L. M. (Ch. or S.)  4. The point of diversion is located If M. and If M. from the .N. E. Cot. or S.)  (If preterable, give distance and bearing to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  within the (Ch. or S.)  (If yeterable, give distance and bearing to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  within the (Ch. or S.)  (If yeterable, give distance and bearing to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  within the (Ch. or S.)  (If yeterable, give distance and bearing to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  Formalist is such must be described. Use separate sheet if necessary)  (If yeterable, give distance and bearing to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section corners)  (If yeterable, give distance and bearing to section co	state ofd. A. S. J. C, do hereby make application for a permit to appropriate to
1. The source of the proposed appropriation is	ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is	If the applicant is a corporation, give date and place of incorporation
a tributary of M. Reek.  2. The amount of water which the applicant intends to apply to beneficial use is	
a tributary of M. Reek.  2. The amount of water which the applicant intends to apply to beneficial use is	B. II Anak
2. The amount of water which the applicant intends to apply to beneficial use is	(Name of stream)
white feet per second.  (If water is to be used from more than one source, five quantity from each)  **3. The use to which the water is to be applied is	, a tributary of MIK OREEK
white feet per second.  (If water is to be used from more than one source, five quantity from each)  **3. The use to which the water is to be applied is	2. The amount of water which the applicant intends to apply to beneficial use is
**3. The use to which the water is to be applied is  ((trigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located	
4. The point of diversion is located 195 ft. 10 cm ex 3 and 50 ft. 10 cm w) from the NE cm ex 5 cm ex 5. (Rection or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet it necessary)  being within the NH 15 W/H of Sec. 5, Tp. 55.  (R. or W.)  5. The Committee the subdivision)  6. (Main citch, canal or pipe line)  6. (R. or W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, concrete, sic. number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)  (Size and type of pump)	/
4. The point of diversion is located 195 ft. 10 cm ex 3 and 50 ft. 10 cm w) from the NE cm ex 5 cm ex 5. (Rection or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet it necessary)  being within the NH 15 W/H of Sec. 5, Tp. 55.  (R. or W.)  5. The Committee the subdivision)  6. (Main citch, canal or pipe line)  6. (R. or W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, concrete, sic. number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)  (Size and type of pump)	**3. The use to which the water is to be applied is
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the	(Milganous, powers, manualconing, doubland supplies, vac.
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the	A The mind of the state of the
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is no separate sheet if necessary)  (If there is no separate sheet if necessary)  (If there is no section corner.  (If there is no section corner.  (If there is necessary)  (If there is no section corner.  (If there is necessary)  (If there is necessary)  (If there is no section corner.  (If there is no section is not section corner.  (If there is no section is not section corner.  (If there is no section is not section corner.  (If there is no section is not section is not section corner.  (If there is no section is not section is not section.  (If there is no section is not section is not section.  (If there is no section.  (If there is no sect	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the	orner of Sully Swyy Sec 5
eing within the	(Section of automation)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  weing within the	W
reing within the NW/45W/4 of Sec. 5, Tp. 55 (R. or W.)  R. (Give smallest legal subdivision)  R. (E. or W.)  S. The CMain dich, canal or pipe line)  In length, terminating in the (Smallest legal subdivision)  R. (Smallest legal subdivision)  R. (Smallest legal subdivision)  OF Sec. (Miles or feet)  In length, terminating in the (Smallest legal subdivision)  OF Sec. (N. or S.)  R. (E. or W.)  DESCRIPTION OF WORKS  DIVERSION WORKS  DIVERSION Works  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	(if preferable, give distance and pearing to section corner)
S. J. W. M., in the county of Classification to be (Main dich, canal or pipe line)  5. The (Main dich, canal or pipe line)  6. (Miles or feet)  Corw.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction  Description of headgate (Tumber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  The Classification of head type of pump)  (Size and type of pump)	
S. J. W. M., in the county of Classification to be (Main dich, canal or pipe line)  5. The (Main dich, canal or pipe line)  6. (Miles or feet)  Corw.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction  Description of headgate (Tumber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  The Classification of head type of pump)  (Size and type of pump)	eing within the NW145W74 of Sec. 5, Tp. 5 3 (Give smallest legal subdivision) (N. or S.)
5. The	
n length, terminating in the	(E. or W.)
DESCRIPTION OF WORKS  DESCRIPTION OF WORKS  Oversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	5. The (Main ditch, canal or pipe line) to be (Miles or feet)
DESCRIPTION OF WORKS  DESCRIPTION OF WORKS  Oversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	a length, terminating in the
DESCRIPTION OF WORKS  Oiversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry, ook and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description feet, length at bottom (Size and type of pump)	
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, seek and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(E. or W.)
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description	
feet; material to be used and character of construction  (Loose rock, concrete, masonry, book and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	
(c) If water is to be pumped give general description  (Size and brush, timber crib, etc., wasteway over or around dam)  (Elimber, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general description  (Size and brush, timber crib, etc., wasteway over or around dam)  (Timber, concrete, etc., number and size of openings)	feet; material to be used and character of construction
(b) Description of headgate	(Loose Fock, concrete, mass
(c) If water is to be pumped give general description Elicat Bont direct 1/2	
(c) If water is to be pumped give general description Effect Bont direct 1/2	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description Efficient Contact discount 1/2	
(c) If water is to be pumped give general description (Size and type of pump)  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	Floor Rout dient
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pumped give general description (Size and type of pump)
(Size and type or engine or motor to be used, total nead water is to be litted, etc.)	1/2 H. T. 220 V
	(Size and type or engine or motor to be used, total nead water is to be inted, etc.)

Canal System or l	Pipe Line—			35204
•	-	each point of car	nal where materially change	ed in size, stating miles from
headgate. At head	lgate: width on	top (at water lir	re)	feet; width on bottom
				feet fall per one
housand feet.				,
		•	• .	r line)
•••••••••••••••••••••••••••••••••••••••	feet; width on be	ottom	feet; depth of u	oater feet;
grade	feet fall	per one thousas	nd feet.	
(c) Length	of pipe,	ft.; si	ze at intake,	. in.; size at ft
rom intake	in.;	size at place of	use in.; dif	ference in elevation between
				Estimated capacity
		························ <b>/</b> •·· 3	,	. , .
8. Locatio	sec. ji. n of area to be i	rrigated, or plac	e of use	
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Williamette Meridian		We all	a. 0
_3'`\$	35	5	xw1/45414	<u> </u>
				-
				· · · · · · · · · · · · · · · · · · ·
	<u> </u>			
		(If more space rec	quired, attach separate sheet)	
(a) Ch	aracter of soil		······································	
(b) Ki	nd of crops raise	d FRE	e form	
Power or Mining	g Purposes—		· · ·	
9. (a) To	tal amount of po	ower to be devel	oped	theoretical horsepower
(b) Qt	iantity of water	to be used for po	werse	ec. ft.
(c) To	tal fall to be util	ized	foot	•
			of which the power is to be	developed
, ,	•			•
( - ) . M	ich works to be l	ocated in	1	of Sec.
· (e) St				
	, R		:	

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served ......

Municipal or Domestic Supply—		3520
10. (a) To supply the city of		
	nt population of	
and an estimated population of	in 19	
(b) If for domestic use state number of	families to be supplied	
(Answer questions 11,	42, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$	· .	
12. Construction work will begin on or befor	·e	
13. Construction work will be completed on	or before	
14. The water will be completely applied to the	he proposed use on or before	pleted
	,	••••••
	X Muser H. Humphre (Signature of applicant)	P
	(Signature of applicant)	/ 
Remarks: LD - Swy /4 Swy	Secs & SK NW5W/4	Sec.5
	PD.	
		••••••
	,	
		*******************************
	······································	
•••••••••••••••••••••••••••••••••••••••		
		******************************
<u> </u>		
		•••••••••••
STATE OF OREGON,		
County of Marion, ss.		
This is to certify that I have examined the	foregoing application, together with the	accompanying
maps and data, and return the same for	1	
In order to retain its priority, this applicati	ion must be returned to the State Engines	r. with correc
		,
tions on or before	., 19	
		•
WITNESS my hand this day of		, 19
	s	TATE ENGINEER
	By	

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, fromBull Creek
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per
second or its equivalent for each acre irrigatedand shall be further limited to a diversion
of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation
season of each year,
······································
*
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit isJune 10, 1970
Actual construction work shall begin on or beforeMay. 26, 1972 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.
Complete application of the water to the proposed use shall be made on or before October 1, 19.74
WITNESS my hand this 26th day of May 19.71.
die Into
STATE ENGINEER

State Printing 98137

Application No. 4207/

Permit No. 35204

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

d 19.70, at ... 1. 20 o'clock

Returned to applicant:

Approved:

Recorded in book No. .. Permits on page

CHRIS L. MHEELER STATE ENGINEER

Drainage Basin No. . . . .

0

Fees

5