

To appropriate the Public Waters of the State of Oregon

I, ALPHA R. HARRISON
(Name of applicant)
of 804 5th ST., IMPERIAL BEACH,
(Mailing address)
State of CALIFORNIA 92032, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is "UNNAMED" SPRING
(Name of stream)
EIGHT-DOLLAR MOUNTAIN CREEK WHICH IN
a tributary of TURN, IS A CONTRIBUTARY OF THE TILLAMOOK RIVER.

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 0.01 CUBIC FEET PER SECOND
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is DOMESTIC SUPPLIES
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1270 ft. N and 620 ft. E from the SW
(N. or S.) (E. or W.)
corner of SECTION 15, T38S R8 WWM
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4, SW 1/4 of Sec. 15, Tp. 38S,
(Give smallest legal subdivision) (N. or S.)
R. 8W, W. M., in the county of JOSEPHINE.

5. The PIPE LINE to be 275 FEET
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 SW 1/4 of Sec. 15, Tp. 38S,
(Smallest legal subdivision) (N. or S.)
R. 8W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 175⁰⁰

12. Construction work will begin on or before WITHIN ONE YEAR AFTER APPROVAL

13. Construction work will be completed on or before ONE YEAR AFTER WORK BEGANS

14. The water will be completely applied to the proposed use on or before ONE

YEAR AFTER WORK BEGANS.

Alpha R. Harrison
(Signature of applicant)

Remarks: STATUTORY FEES PAID BY CHECK —

REF: STATE ENGINEER'S RECEIPT, STATE OF OREGON #2437
DATED AUGUST 19, 1970., (FORM #20491).

ENCLOSED: (1) DESCRIPTION OF SPRING, (2) MAP OF PROPOSED PROJECT,
(3) COPY OF LEGAL DESCRIPTION OF PROPERTY.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ...completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or beforeDecember 7th....., 19.70..

WITNESS my hand this6th... day ofOctober....., 19.70..

RECEIVED
OCT 13 1970
STATE ENGINEER B
SALEM, OREGON
CHRIS L. WHEELER
STATE ENGINEER
Larry W. Jebousek
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is domestic use for one family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 16, 1970

Actual construction work shall begin on or before August 20, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.

Complete application of the water to the proposed use shall be made on or before October 1, 1974.

WITNESS my hand this 20th day of August, 1971.

Chris L. Wheeler

STATE ENGINEER

Application No. 47526

Permit No. 35267

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of September, 1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 20, 1971

Recorded in book No. of

Permits on page 35267

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 15 page 552

Fees 25.00