*APPLICATION FOR PERMIT

TATE ENGINEER *APPLICATION FOR PERMIT FATE ENGINEER *APPLICATION FOR PERMIT SALETO Appropriate the Public Waters of the State of Oregon

(Author of the amount of water which the applicant intends to apply to beneficial use is	State of	I,	R. H. K	Padford		
State of	State of	Dt	1/ /-	(Nam	of applicant)	
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Unagend of Council of Co	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Unioned State (Name of Green) 2. The amount of water which the applicant intends to apply to beneficial use is	of	(Mailing address)	r) Errea,	Jre,	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	State of		, do her	eby make application fo	r a permit to appropriate
1. The source of the proposed appropriation is Innomed Strain Street a tributary of Ifomas Creck 2. The amount of water which the applicant intends to apply to beneficial use is I.O. cubic feet per second. (If water is to be used from more than one source, two quantity from each) **3. The use to which the water is to be applied is (triggetten, power, middle, manufacturing describe supplies, etc. 4. The point of diversion is located IO ft. Source and IO ft. (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the We corner of Section ID III (It or w.) from the Section ID II (It	1. The source of the proposed appropriation is	following descri	bed public waters	s of the State of Or	egon, SUBJECT TO EX	ISTING RIGHTS:
(Author of return) a tributary of Thomas Creek 2. The amount of water which the applicant intends to apply to beneficial use is	, a tributary of THOMAS CHECK 2. The amount of water which the applicant intends to apply to beneficial use is	If the app	licant is a corpore	ation, give date and	place of incorporation	
2. The amount of water which the applicant intends to apply to beneficial use is	2. The amount of water which the applicant intends to apply to beneficial use is				(Nan	ne of stream)
2. The amount of water which the applicant intends to apply to beneficial use is	2. The amount of water which the applicant intends to apply to beneficial use is	***************************************	•••••	, a tribu	tary of Thom	as Greck
**3. The use to which the water is to be applied is (tregation, power, minfig. manufacturing. connectic supplies, etc. 4. The point of diversion is located 10 ft. 5 and 10 ft. 4 ft. (a. or w.) from the 10 ft. (a. or w.) from the 10 ft. (b. or a.) ft. (b. or a.) ft. (b. or w.) from the 10 ft. (b. or w.) f	4. The point of diversion is located O ft. S and HO ft. E from the October of Section of Island and Section Island and	•				
**3. The use to which the water is to be applied is	4. The point of diversion is located O ft. S and HO ft. E from the October of Section of Island and Section Island and	oubic fact ner se	cond			
4. The point of diversion is located 10 ft. 5 and 10 ft. 5 (a. or w.) from the 10 ft. 5 (bection or subdivision) (If preferable, give divisions and Desting to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the 10 St (Give smallest legal subdivision) of Sec. 8 , Tp. 395 (cf. or 8.) 7. Tp. 395 (cf. or 8.) 5. The 10 (Chain dick, canal or pipe line) (Miles or feet) in length, terminating in the 10 SE (Smallest legal subdivision) of Sec. 8 , Tp. 395 (cf. or 8.) R. 20 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose reck, concrete, mass reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 10 ft. Am 15 ft	4. The point of diversion is located					,
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sthest if necessary) being within the	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW SW (Cive smallest legal subdivision) of Sec. B., Tp. 395 (R. or W.) 5. The (Main ditch, canal or pips line) (Milles or feet) in length, terminating in the SW SE (Smallest legal subdivision) R. OE (Millest or feet) (Smallest legal subdivision) R. OE (Millest or feet) (Smallest legal subdivision) (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, murrock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (C) If water is to be pumped give general description (Size and type of pump)	**3. The use	e to which the wa	iter is to be applied	is ////// (Irrigation, power, mining,	o f1 017 manufacturing, domestic supplies, etc.
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sthest if necessary) being within the	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW SW (Cive smallest legal subdivision) of Sec. B., Tp. 395 (R. or W.) 5. The (Main ditch, canal or pips line) (Milles or feet) in length, terminating in the SW SE (Smallest legal subdivision) R. OE (Millest or feet) (Smallest legal subdivision) R. OE (Millest or feet) (Smallest legal subdivision) (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, murrock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (C) If water is to be pumped give general description (Size and type of pump)	4. The po	int of diversion is	s located/O	ft. 5 and 480	ft. E. from the We
(If preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW (Give smallest legal subdivision) of Sec. B, Tp. 395 (R. or W.) 7. Tp. 395 (R. or W.) 5. The (Main alich, canal or pipe line) to be (Main alich, canal or pipe line) in length, terminating in the SW SE (Smallest legal subdivision) of Sec. B, Tp. (R. or S.) R. 20 E, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, material to be used and brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate Forth dam W SI dam W SI dam the feet of openings) (c) If water is to be pumped give general description (Size and type of pump)	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the		Section 1	10 T 200	= DIA = 10/17	₹
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW (Give smallest legal subdivision) of Sec. B, Tp. 395 (R. or N.) 7. Tp. 395 (R. or N.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW SC (Smallest legal subdivision) of Sec. B, Tp. 395 (R. or N.) R. 20 E, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, maximum to be pumped give general description (Site and type of pump) (c) If water is to be pumped give general description (Site and type of pump)	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	corner of	,	(840	tion or subdivision)	· · · · · · · · · · · · · · · · · · ·
R. 20 = , W. M., in the county of	R. 20 = W. M., in the county of 20 = 10 C C C C C C C C C					
(E. or W.) 5. The (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) R. 20 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, maximum feet) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate — [arth dam / 31/ding Matal gate (Timber, experses, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	(E. or W.) 5. The (Main ditch, canal or pipe line) in length, terminating in the (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) R. 20 E, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, material to be used and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate — (Timber; concrete, etc., number and dize of openings) (c) If water is to be pumped give general description (Size and type of pump)	being within the	(Give	smallest legal subdivision)	of Sec	(N. or 8.)
(E. or W.) 5. The (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) R. 20 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, maximum feet) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate — [arth dam / 31/ding Matal gate (Timber, experses, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	(E. or W.) 5. The (Main ditch, canal or pipe line) in length, terminating in the (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) R. 20 E, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, material to be used and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate — (Timber; concrete, etc., number and dize of openings) (c) If water is to be pumped give general description (Size and type of pump)	R. 20 E	W. M., in the cour	nty of Lat	e	
in length, terminating in the	in length, terminating in the SE (Smaller legal subdivision) of Sec. S, Tp. 39.5 R. 20 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Construction) (b) Description of headgate for the dam work, timber crib, etc., wasteway over or around dam) (c) If water is to be pumped give general description (Size and type of pump)	(E. or W.)	5	, ,	* ***	1
in length, terminating in the SW SE (Smallest legal subdivision) of Sec. 7. Tp. 7. (N. or S.) R. 20 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, master of both feet). The sec. wasteway over or around dam (Description of headgate for the sec. number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	in length, terminating in the SW SE (Smallest legal subdivision) of Sec. 9, Tp. 995 (N. or 8.) R. 20 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, maximum feet, number crib, etc., wasteway over or around dam) (b) Description of headgate for the feet, number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	5. The		dish sens or sine line)	to be	(Miles or feet)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, many feet) 7. (b) Description of headgate formula dam) (b) Description of headgate formula dam) (c) If water is to be pumped give general description (Size and type of pump)	DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate for the dam of the dam					
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, max	DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, material brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate feet, material gate (Timber, eighterest, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	in length, termin	iating in the -	(Smallest legal subdivis	Of Sec	(N. or S.)
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, mass rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Forth dam w/s/ding theta/ gate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, material brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Farth dam w/ 3/ding metal gate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	R. (E. or W.)	, W. M., the pr	roposed location bei	ng shown throughout on	the accompanying map.
6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, masterial brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Forth dam w/5/ding metal gate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction [Loose rock, concrete, material to be used and character of construction [Cloose rock, concrete, material by the fall of the fall of the concrete, material by the fall of	Diversion Works	s—	DESCRIPTIO	N OF WORKS	
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	(b) Description of headgate			feet, l	ength on top	feet, length at bot
(b) Description of headgate	(b) Description of headgate	•••••	. feet; material to	be used and charac	ter of construction	(Loose rock, concrete, mas
(b) Description of headgate	(b) Description of headgate			or around dom'	,	•
		(b) Descr	iption of headgat	e Earth	dam Walid	my Metal gate d size of openings)
•	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If was	ton is to be numn		-	,
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)		ter is to be pumpe	ed give general desc	ription '(s	lize and type of pump)

10. (a) To sup	pply the city of	
••••••	County, having a present population of	
(Name of) and an estimated po	pulation of in 19 in	•
_	domestic use state number of families to be supplied	
(0) 1) 101	domestic use state number of junities to be supplied	,
N. C.	(Answer questions 11, 42, 13, and 14 in all cases)	
/ * *	cost of proposed works, \$ 200	<u>.</u>
2. Constructi	ion work will begin on or before	
13. Constructi	ion work will be completed on or before July 15	
1	will be completely applied to the proposed use on or be	. ~
C.		
***************************************	DH /	a-01-12
	Sign X MA	ature of applicant)
.•		i'
Remarks:		

	:	
	\$	
***************************************	· · · · · · · · · · · · · · · · · · ·	
		•••••••••••••••••••••••••••••••••••••••
***************************************		······································
		•
***************************************	·	** • • • • • • • • • • • • • • • • • •
***************************************	.1	***************************************

	······································	4
•		
		······································
STATE OF OREG		
County of Mario	on,	
This is to ce	ertify that I have examined the foregoing application, t	ogether with the accompan
maps and data, and	d return the same for	
	*	
In order to	retain its priority, this application must be returned to	the State Engineer, with co
		•
tions on or before.		•
tions on or before	•	
	ry hand this day of	
	ny hand this day of	, 19
	ny hand this day of	19
		, 19

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein gro	inted is limited	to the amount o	of water which	can be applied	to beneficial use
and shall n	ot exceed0	.48 cubi	c feet per secon	nd measured at	the point of d	iversion from the
stream, or	its equivalent in	n case of rotation	n with other w	ater users, fron	an unname	d drain ditch
			The work of	h w		
· .						
· 7771				d mantistrated title		······································
The	use to which the	is water is to be	applied is	irrigation		
			,		···	•••••••••••••••••••••••••••••••••••••••
***************************************		·	•••••			
If for	r irrigation, this	appropriation sl	hall be limited t	o1/40	of	one cubic foot per
second or i	ts equivalent for	r each acre irriga	ited and shal	l be further	limited to	a diversion of
not to ex	xceed 2½ acre	feet per acr	e for each a	cre irrigate	d during the	irrigation
season of	f each year.					
	•					
	•				•••••	,
•••••	•••••••••••		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	••••••••••	
•		••••••	······································	~ .		
***************************************	••••	••••••	•••••••••	•••••	•••••	
	•••••	•••••••••••	•••••••••••		1	
•						
and shall b	e subject to suc	h reasonable rot	ation system as	may be ordered	l by the proper	state officer.
The	priority date of	this permit is	June 19,	1970		
. Actu	ial construction	work shall begi	n on or before.	August	25, 1972	and shall
thereafter	be prosecuted v	vith reasonable (diligence and be	completed on	or before Octob	er 1, 1973.
Com	plete application	n of the water to	the proposed u	se shall be mad	e on or before	October 1, 19.74
WIT	'NESS my hand	this 25th	day of	August	Z	l.
			,	ahu	,	20_
						STATE ENGINEER
				1		

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Application No. 471/2

Permit No.

office of the State Engineer at Salem, Oregon,

19.70, at 1:00 o'clock P

Returned to applicant:

State Printing 96137

STATE ENGINEER

CHRIS L. WHEELER

August 25, 1971

Approved:

Recorded in book No.

Permits on page

Drainage Basin No. 13... page 26.

Fees