47172 **CERTIFICATE NO. 64884

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

of State of Orescon	I,	Thomas O,	Weathers	(Name of	applicant)			**********************
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation in July 22, 1969 Roseburg, Oregon 1. The source of the proposed appropriation is a spring and a grackly oregon of the proposed appropriation is a spring in summer. 2. The amount of water which the applicant intends to apply to beneficial use is a025 cubic feet per second. 4. The use to which the water is to be applied is dense to sum the same than one water, are quantity from each of the same to the same than one water, are quantity from each of the same to the same than one water, are quantity from each of the same to the same than one water, are quantity from each of the same to the same than one water, are quantity from each of the same to the same than one water, are quantity from each of the same to the same than one water, are quantity from each of the same than one water than was than one water, are quantity from each of the same than the same than one water than was than one water than was than one water than one water than the same than	of	Rt. 4 Bo	x 55. Rosebur	g				,
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation in July 22, 1969 Roseburg, Oregon 1. The source of the proposed appropriation is a spring and a greak in winter the country of the proposed of the proposed of the proposed appropriation is a spring and summer than one ware, give quantity from seal of the proposed of th	State of	Oregon	iling address)	, do hereby	make appli	cation for a	permit to ap	propriate the
If the applicant is a corporation, give date and place of incorporation [NLY 22, 1969] Roseburg, Oregon 1. The source of the proposed appropriation is a spring and a speak, arock in rinterpression of the proposed appropriation is a spring and a speak, arock in rinterpression of the proposed appropriation of the proposed of						*		-
1. The source of the proposed appropriation is a spring and a greak; greak in winter, spring in summer that the spring is located the spring is located to be applied is donestic supplies (creation, power, mining, manufacturing, domestic supplies (creation, power, mining, manufacturing, domestic supplies, ste). 4. The point of diversion is located to the spring is located the spring is located to the spring and spring is located and character of construction congrete a real content in assort the spring and spring and spring and spring is located and character of construction congrete a real content in assort the spring and spring and spring and spring is located and character of construction congrete a real content in assort the spring and spring and spring is located and character of construction congrete a real content in assort the spring and spring and spring and spring is located to be used to the spring and spring is located and character of construction congrete a real content in assort the spring and spring and spring and spring is located the spring and spring is	_	_	•	, -			<i>•</i>	•
1. The source of the proposed appropriation, is a spring and a creak; excels in winter, the control of the cont			a corporation, g	ive date and pid	ice of incorp	ooration	,	,
Spring in summer 2. The amount of water which the applicant intends to apply to beneficial use is	11030041 6	, 01 05011		••••••••••••••••••		••••••	·····	·—····································
2. The amount of water which the applicant intends to apply to beneficial use is	1. T	he source of th	ie proposed appr	ropriation is: a	spring.an	l a grack	erock in	winter
cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is denoted a survey inlained manufacturing, demonstrative mapplies, etc.) 4. The point of diversion is located 4. The point of diversion is located 5. A and 100 ft.	spring	in summer	Onorwan	, a tributarı	, of	•		
**3. The use to which the water is to be applied is (triesten, power, mining, manufacturing, domastic supplies, wit.) 4. The point of diversion is located for or o	2. T	he amount of t	water which the	applicant inten	ds to apply	to beneficial	use is	5
**3. The use to which the water is to be applied is (triesten, power, mining, manufacturing, domastic supplies, wit.) 4. The point of diversion is located for or o	cubic feet 1	oer second						
4. The point of diversion is located 4. The point of diversion is located 5. Chors. 6. Chors. 6								
corner of Section 13. Creek bears north almost 800 ft. into Section 12 from this diversion point. We are also tapping two underground apprings in this area. We are tapping all of them 800 into section 12 0 central location. (If preferable, sive distance and bearing to section corner) (If preferable, sive d	**3. T	he use to whic	th the water is to	o be applied is .	(Irrigation, po	wer, mining, mar	ufacturing, domest	ic supplies, etc.)
corner of Section 13. Creek bears north almost 800 ft. into Section 12 from this diversion point. We are also tapping two underground oppings in this area. We are tapping all of them 800' into section 12 0 1 central location. (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If give malier legal subdivision) (If	***************************************	••••••••••••	•••••••••••••••••••••••••••••••••••••••	3400		200	S	
corner of Section 13. Creek bears north almost 800. ft. into Section 12 from this diversion point. We are also tapping two underground apprings in this area. We are tapping all of them 800' into section 12 0 1 central location. (If preferable, give distance and bearing to section corner) (If there is many than one point of diversion, each must be described. The perpendicular than the 100 of 100	Mnomel Cieck	he point of dir	version is locate	d 200 ft	∑ & and (N. or S.)	3400 ft.		the . NW
We are tapping all of them 800' into section 12 0 1 central location.				north almos	t 800 ft.			
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. He separate thest if necessary) (If there is more than one point of diversion, each must be described. He separate thest if necessary) (If there is more than one point of diversion, each must be described. He separate thest if necessary) (If there is more than one point of diversion, each must be described. He separate thest if necessary) (If there is more than one point of diversion, each must be described. He separate thest if necessary) (If there is more point of diversion, each must be described. He separate thest if necessary) (If there is more point of diversion, each must be described. He separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control of the separate thest if necessary) (If the control of the control	diversion	n point. W	e are also ta	,		opringo i	n this are	a.,
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. He separate sheet if necessary) (If there is more than one point of diversion, each must be described. He separate sheet if necessary) (If there is more than one point of diversion, each must be described. He separate sheet if necessary) (If there is more than one point of diversion, each must be described. He separate sheet if necessary) (If there is more than one point of diversion, each must be described. He separate sheet if necessary) (If there is more than one point of diversion, each must be described. He separate sheet if necessary) (If there is make if the separate sheet if necessary) (If there is make if the separate sheet if necessary) (If there is make if the separate sheet if necessary) (If the separate	We are t	apping all	of them 800'	into section	12 0 1 c	entral lo	cation.	
being within the North State of Nort							• .	***************************************
being within the NW of NP (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas. 5. The pipeline (Main ditch, canal or pipe line) (Allies or feet) in length, terminating in the NW of NW of NW of Of Sec. 13 , Tp. (N. or S.) R	***************	••••••	(If preferab	ole, give distance and be	earing to section	corner)	••••••••••	
R. 7 W W. M., in the county of Douglas. 5. The pipeline to be 5800 fts. (Main ditch, canal or pipe line) to be 5800 fts. (Miles or feet) in length, terminating in the Win of Nin of	*************************	7711	C3 (V)			white is a second or the second		
(E. or W.) 5. The pipeline (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NWA of NWA of NWA of Of Sec. 13 , Tp. (N. or S.) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction congrete & rock over concretile at the spring and 90,000 gal, holding tank rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (c) If water is to be pumped give general description will be using 2½ horse pump)	b ei ng withi	in the NW not	NE (Give smallest le	egal subdivision)	of S	ec13	Tp	26 S (N. or 8.)
in length, terminating in the NNA of NNA of NNA of NNA of (Smallest legal subdivision) R	R7 W	, W. M., in	the county of	Douglas	****************	,		
in length, terminating in the NNA of NNA of NNA of (Smallest legal subdivision) R	5. T	he <u>pipe</u>	line		t	o be	800 ft.	*****************
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Congrete & rock over congretive at the spring and 90,000 gal, holding tank rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (c) If water is to be pumped give general description will be using 2½ horse pump. (Size and type of pump)	in length t	erminatina in	the NW of NW	al or pipe line)	of S	er]	(Miles or fee	U
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction concrete. Took over concrete tile at the spring and 90,000 gal. holding tank rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Will be using 2½ horse pump (Size and type of pump)								
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction concrete. ** rock over concrete tile at the spring and 90,000 gal.* holding tank feet, wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Will be using 2½ horse pump (Size and type of pump)	R	, W. I or W.)	u., the proposed	location being	inown throu	gnout on th	e accompanyi	ng map.
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction concrete & rock over concrete tile at the spring and 90,000 gal, holding tank rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description will be using 2½ horse pump. (Size and type of pump)			D	ESCRIPTION (of works	}		
feet; material to be used and character of construction concrete & rock over concrete tile at the spring and 90,000 gal, holding tank rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description will be using 2½ horse pump (Size and type of pump)	•			foot laws	47		tood loo	-454 5 -44 - ·
tile at the spring and 90,000 gal. holding tank rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description will be using 2½ horse pump (Size and type of pump)		-			:			
(b) Description of headgate	***************************************	feet; ma	rterial to be used	d and character	of construct	ion concret	e & rock o	ver concret, masonry,
(c) If water is to be pumped give general description Will be using 2½ horse pump (Size and type of pump)					ank	***************************************	•••••	-
(c) If water is to be pumped give general description Will be using 2½ horse pump (Size and type of pump)	(b)	Description of	headgate		her, concrete, etc	number and six	e of observation	

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) i	If water is to b	se pumped give	general descript	ionWill.	be using (Size a	2½ horse p	ump
	****************		(Size and type of engin	e or motor to be used,	lotal head water	s to be lifted, etc		***************
•							•••••••••••	••••••••••••••••••••••••••••••

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of	River Bend West, Inc.
Douglas County, having a p	present population of
(Name of) nd an estimated population of	in 19.75.
(b) If for domestic use state number	er of families to be supplied 27 families
	ions 11, 43, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$1.	
Profes	· · · · · · · · · · · · · · · · · · ·
	before July 1, 1970
-	l on or before July 24, 1970
14. The water will be completely applied	to the proposed use on or before Aug. 1, 1970
* *	H. 011/2-A
	(Signature of applicant)
Remarks:	······································
i e.	······································
	······································
· · · · · · · · · · · · · · · · · · ·	·
,	·
STATE OF OREGON,	;
County of Marion, ss.	
This is to certify that I have examined	l the foregoing application, together with the accompanying
naps and data, and return the same for	ompletion and correction
•	- lication must be returned to the State Engineer, with correc-
ions on or before <u>January 25th</u> March 8th	71
WITNESS my hand this 24th day 7th	of November , 19 70 January 71
E C C	IVER
DEACTIFE NOVE	7 1970 CHRIS L. WHEELER
STATE EN	NGINEER STATE ENGINEER
JAN 15 1971 SALEM. C	By My Control of March 1997
SALEM. OREGON	Larry W. Jobousek Assistant

Municipal or Domestic Supply—

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		s water is to be applied is domestic use f	
If f	or irrigation, this (appropriation shall be limited to	of one cubic foot per
		each acre irrigated	•
······································	······································	······································	······································
·	·		
	be subject to such		7
The			ed by the proper state officer.
Act	priority date of t	this permit isOctober 28,	, 1970
Act Extend Ereafter Exten	e priority date of to cual construction to od to Oct. 1, 1982 Extend r be prosecuted with door to Oct. 1, 1982	work shall begin on or before	n 1970 and shall or before October 1, 19.73
Act Extend ereafter Exten Con	e priority date of to cual construction to od to Oct. 1, 1982 Extend to be prosecuted with dood to Oct. 1, 1982 mplete application	work shall begin on or before	n 1970 and shall or before October 1, 19.73
Act Extend ereafter Exten Con	e priority date of to cual construction to od to Oct. 1, 1982 Extend to be prosecuted with dood to Oct. 1, 1982 mplete application	work shall begin on or before	1970
Act Extend ereafter Exten Con	e priority date of to cual construction to od to Oct. 1, 1982 Extend to be prosecuted with dood to Oct. 1, 1982 mplete application	work shall begin on or before	1970 1st 25, 1972 and shall 1 or before October 1, 19.73