Permit No. 35337

*APPLICATION FOR PERMIT

CERTIFICATE NO. 38455

STATE ENGINEER SALEM. OREGON

To Appropriate the Public Waters of the State of Oregon

I, Mr. and Mrs	S. W. J. Dillon
General Del	livery, Wolf Creek, Oregon (City)
	•
state of	, 97526, do hereby make application for a permit to appropriate the (ZIP Code)
following described public wa	aters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corp	rporation, give date and place of incorporation
	·
1. The source of the pro	oposed appropriation is Unnamed Spring located on O & C. L.
	33S, R5 WWM, a tributary of No tributaries
	·
2. The amount of water	r which the applicant intends to apply to beneficial use is
cubic feet per second	(If water is to be used from more than one source, give quantity from each)
	e water is to be applied is Domestic Supplies
	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4 The point of diversis	ion is located. 1300 tt. No. and 900 tt. W. from the S. W.
· ·	on is located 1300 ft. No and 900 ft. Wo from the SoW.
corner of N. E. 1 Of Se	ection 21. (Section or subdivision)
	(If preferable give distance and bearing to section corner)
	(If preferable, give distance and bearing to section corner)
(If there is more the	(g
being within the SE4 NW4	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) (N. or S.)
being within the SE4 NW4	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) (N. or S.)
being within the SE ₄ NW ₄ (C) R. 5 W. W. M., in the (E. or W.) 5. The Main Ditch	nan one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 33 S.
being within the SE ₄ NW ₄ (C) R. 5 W. (E. or W.) The Main Ditch	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) e county of Josephine Pipe Line (Main ditch, canal or pipe line) Pipe Line (Miles or feet)
R. 5 W. W. M., in the SE Ditch The Main Ditch in length, terminating in the	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) e county of Josephine Pipe Line (natural channel) & Tobe
R. 5 W. W. M., in the SE Ditch The Main Ditch in length, terminating in the	of Sec. 21 , Tp. 33 S. (Give smallest legal subdivision) e county of Josephine h (natural channel) & Pipe Line (Main ditch, canal or pipe line) S. W. 4 of N. E. 4 of Sec. 21 , Tp. 33 S. (Smallest legal subdivision) (Miles or feet) (Smallest legal subdivision) he proposed location being shown throughout on the accompanying map.
being within the SE NW (CR. 5 W. W. M., in the SE The Main Ditch (I to length, terminating in the R. 5 W. M., th	of Sec. 21 , Tp. 33 S. (Give smallest legal subdivision) e county of Josephine h (natural channel) & Pipe Line (Main ditch, canal or pipe line) S. W. 4 of N. E. 4 of Sec. 21 , Tp. 33 S. (Smallest legal subdivision) (Miles or feet) (Smallest legal subdivision) he proposed location being shown throughout on the accompanying map.
being within the SE NW 1600 N. SE	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) e county of Josephine Pipe Line (Main ditch, canal or pipe line) S. W. 4 Of N. E. 4 of Sec. 21 , Tp. 33 S. (Smallest legal subdivision) (Smallest legal subdivision) he proposed location being shown throughout on the accompanying map.
being within the SE NW (CR. 5 W. W. M., in the SE The Main Ditch (Grown) 5. The Main Ditch (Grown) in length, terminating in the R 5 W W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam	of Sec. 21 , Tp. 33 S. (Give smallest legal subdivision) e county of Josephine h (natural channel) & Pipe Line (Main ditch, canal or pipe line) S. W. 4 Of N. E. 4 of Sec. 21 , Tp. 33 S. (Smallest legal subdivision) he proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Spring box 8'h / W 30" high 1+- 6-27-71
being within the SE NW NW NW, in the R. 5 W. W. M., in the SE NW NW. M., in the SE NW NW. M., in the NW. M., the N	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) e county of Josephine (No. or S.) Pipe Line (Main ditch, canal or pipe line) S. W. 4 Of N. E. 4 of Sec. 21 , Tp. 33 S. (Smallest legal subdivision) he proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Spring box 8' L / W 30" high 1+- 6-27-7/ 10 feet, length on top 1 x 30' high 1+- 6-27-7/ 11 feet, length on top 0 x 30' high 1+- 6-27-7/ 12 feet, length on top 0 x 30' high 1+- 6-27-7/ 11 feet, length on top 0 x 30' high 1+- 6-27-7/ 12 feet, length on top 0 x 30' high 1+- 6-27-7/ 13 S. (No. or S.)
being within the SE NW (CR. 5 W. W. M., in the SE NW M., in the NW M., in the Main Ditch (R. 5 W. M., the NW M., t	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) e county of Josephine has not plot line The standard channel of the second of the
being within the SE NW (CR. 5 W. W. M., in the SE NW M., in the NW M., in the Main Ditch (R. 5 W M., W. M., the SE NW M., W. M., the SE NW M., the	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) (N. or S.) e county of Josephine // o c // // // // // // // // // // // // /
being within the SE NW NW, in the R. 5 W. W. M., in the Main Ditch of in length, terminating in the R. 5 W. W. M., the E. or W.) Diversion Works— 6. (a) Height of dam . 25' X 15' feet; material rock and brush, timber crib, etc., wasteway (b) Description of head	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) e county of Josephine Pipe Line (Matural channel) & // to be 675 feet (-7) (Main ditch, canal or pipe line) S. W. 4 of N. E. 4 of Sec. 21 , Tp. 33 S. (Smallest legal subdivision) the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Spring box 8' L / W 30" high 1+- 6-27-7/ 10 feet, length on to 50' x 30' high 1+- 6-27-7/ feet, length on to 50' x 30' feet, length at bottom of the used and character of construction Concrete (Loose rock, boncrete, masonred) dgate (Timber, concrete, etc., number and size of openings)
being within the SE NW NW, in the R. 5 W. W. M., in the Main Ditch of in length, terminating in the R. 5 W. W. M., the E. or W.) Diversion Works— 6. (a) Height of dam . 25' X 15' feet; material rock and brush, timber crib, etc., wasteway (b) Description of head	of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) of Sec. 21 , Tp. 33 S. Give smallest legal subdivision) (N. or S.) e county of Josephine // o c // // // // // // // // // // // // /
being within the SE NW NW, in the R. 5 W. W. M., in the Main Ditch on length, terminating in the R. 5 W. W. M., the E. or W.) Diversion Works— 6. (a) Height of dam 25' X 15' feet; material rock and brush, timber crib, etc., wasteway (b) Description of head	of Sec. 21, Tp. 33 S. Give smallest legal subdivision) e county of Josephine Pipe Line (Matural channel) & // to be 675 feet (-7) (Main ditch, canal or pipe line) S. W. 4 of N. E. 4 of Sec. 21, Tp. 33 S. (Smallest legal subdivision) he proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Spring box 8' L / w 30' high 1+ 6-27-7/ 10 feet, length on to 10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

tagate. At he	aagaie: wiain on i	op (at water	· line)	jeet, wiath on oottom
	. feet; depth of w	ıter	feet; grade	feet fall per one
ousand feet. (b) At	n	niles from h	eadgate: width on top (at wat	er line)
	Spat: width on h	x###x ern	feet;; deptih off t	arritter fisati-
			'	
ade	feet fall 1	per one thou	sand feet.	
(c) Lengt	th of pipe,	ft.;	size at intake,	in.; size at ft.
om intake	in.; s	ize at place (of use in.; diff	ereńce in elevation between
take and plac	e of use,	ft.	Is grade uniform?	Estimated capacity,
	_	• •	•	1
8. Locati	on of area to be in	rigated, or p	lace of use Use in Home	- Domestic Only
Township	Range E. or W. of			
North or South	Willamette Meridian	Section	SW2 of the NE2 of	Number Acres To Be Brigated
33 S.	5 W.	21	SW% of the NE% of Section 21	Domestic Use Only
				•
				
·				
			<u> </u>	
			il (ve	
			(3)	
				,
			ace required, attach separate sheet)	
(a) Cha	racter of soil	••••••••••		······································
(b) Kin	d of crops raised .			
Power or Min	ing Purposes—		!	
		wer to be de	veloped	theoretical horsepower
			or power	
				sec. ji.
	Cotal fall to be uti	lized	(Head)	
		vorks by med	ans of which the power is to be	e developed
(c) T	The nature of the t	ormo og mo		
(c) T	The nature of the 1			
(c) 1 (d) 1			1	of Sec.
(c) 7 (d) 7 (e) S	Such works to be	located in	(Legal subdivision)	of Sec
(c) 7 (d) 7 (e) 5 Гр(No. N. c	Such works to be	ocated in	V. M.,,	of Sec
(c) 7 (d) 7 (e) 5 Tp(No. N. c	Such works to be	ocated in		of Sec
(c) T (d) 5 (e) 5 (p(No. N. c) (f) 1	Such works to be in the interest of the interest of the return of the re	cocated in E. or W.)	V. M.,,	·
(c) 7 (d) 7 (e) 5 Tp(No. N. c) (f) 1	Such works to be in the interest of the intere	cocated in E. or W.) rned to any and locate 1	Stream?(Yes or No)	•

10. (a) To supply the city of	- OOOO
	it population of
(Name of)	1
in estimated population of	
(b) If for domestic use state number of	families to be supplied Two Families
(Answer questions 11,	12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$1	,500.00
12. Construction work will begin on or before	4
13. Construction work will be completed on o	
i	ne proposed use on or before Coct. 1, 1973
· · · · · · · · · · · · · · · · · · ·	
	M. William Delland
	Mrs. W. J. Villow
Remarks: We are not cert	
hould be on Jines 12-	13- and 14, however, we di
ount to give ourselve	es ample time to complet
the project. In the n	reantime, we were able
	tarted the construction
a of June 20, 1971, We	affect to have the con-
huction work comp	bleted on June 28, 1971. The
vater will be upple	ed to the proposed us
n June 28 1971. If ale	we dates need to be che
Pere do so We was	It to get the find approx
H. S.C.	e has a deal don't we
of a series we are	the first li
be protonged dales o	n the application to his
quick validation) of this Water termit.
ATE OF OREGON \	· :
ATE OF OREGON, ss. County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanying
ps and data, and return the same for	
In order to retain its priority, this appli	ication must be returned to the State Engineer, with
rections on or before	
•	
WITNESS my hand this day of	, 19
	•
·	STATE ENGINEER
	By

Municipal or Domestic Supply-

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	The right herein granted is limited to the amount of water which can be applied to beneficial use
and s	hall not exceed
strea	m, or its equivalent in case of rotation with other water users, from unnamed spring
٠.	
	The use to which this water is to be applied is domestic use of two families
	24 ₍
	,
	If for irrigation, this appropriation shall be limited to of one cubic foot per
secon	nd or its equivalent for each acre irrigated
••••	
	and the second of the second o
	To Marke for the Market Market Medical Commission and the Company of the Commission
	· · · · · · · · · · · · · · · · · · ·
and .	shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
	The priority date of this permit isJune 23, 1971
	Actual construction work shall begin on or before October 1, 1972 and shall
there	eafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.72.
	Complete application of the water to the proposed use shall be made on or before October 1, 1973.
	WITNESS my hand this25th day of
	al Salo.
	STATE ENGINEER

Application No. 48358 Permit No. 35337

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in th office of the State Engineer at Salem, Orego 197/, at 6:00. o'clock A. M. on the 23rd day of June

Returned to applicant:

August 25, 1971

Approved:

Recorded in book No.

Permits on page

CHRIS L. WHEELER STATE ENGINEER

... page .. +8.E. Drainage Basin No.