

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, MOSER LUMBER COMPANY
(Name of applicant)
of KINGS VALLEY
(Mailing address)
State of OREGON 97353, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
November 1, 1947 Oregon

1. The source of the proposed appropriation is Luckiamute River (and log pond)
(Name of stream)
filled therefrom), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is one
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Manufacturing - Log pond, fire protection,
and sprinkler system. Approx. 200 gals. per hour used for cooling purposes in lumber
manufacturing. Sprinkler system, approx. 1,000 gals. per hour used only during times
of low humidity. (See Remarks section)
4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)

corner of
(Section or subdivision)

East, 21°30' South, 2,110' from S.W. Corner of Section 9, T. 10 S. R. 6 W.W.M.
S 68°30' E
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 16, Tp. 10 S.,
(Give smallest legal subdivision) (N. or S.)
R. 6 W., W. M., in the county of Benton
(E. or W.)

5. The Pipe Line to be 860'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 16, Tp. 10 S.,
(Smallest legal subdivision) (N. or S.)
R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Fairbanks Morse 3-stage turbine
(Size and type of pump)
pump, 6" discharge, rated 400 GPM @ 100# PSI. 30 HP Electric Motor.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

35346

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 860' ft.; size at intake, 6" in.; size at 590' ft. from intake 5 in.; size at place of use 5 & 2 in.; difference in elevation between intake and place of use, 40' ft. Is grade uniform? Yes Estimated capacity, 1 sec. ft.

Log pond and fire lines, NW 1/4 NW 1/4 Sec. 16, T. 10 S., R. 6 W.W.M.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. The table contains 10 empty rows.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 7,644.00

12. Construction work will begin on or before Use of this system began 9/1/53/

Additions made 10/1/62 and

13. Construction work will be completed on or before 11/1/63

14. The water will be completely applied to the proposed use on or before First use began in 1942.

System has been modernized and improved several times to date.

MOSER LUMBER COMPANY

(Signature of applicant)

By: *Ronald J. Moser* Vice President

Remarks:

Item #3, water use:

Manufacturing - Cooling 200 GPH 0.01

Manufacturing - Other 100 0.05

Log Pond Maintenance (Variable - from zero in winter season to 20,000 for pond refilling. A verage for maintanance 2,000) 20,000 1.0

Fire Suppression system (Intermittent, emergency use only) 5,000

Fire hazard reduction - Sprinklers (Intermittent - summer season) 1,000

26,300

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~October 5th~~ 1970, November 30th 70

WITNESS my hand this ~~5th~~ 29th day of ~~August~~ September, 1970 70

RECEIVED
OCT 5 1970
STATE ENGINEER
SALEM OREGON
SEP 14 1970
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By: *Larry W. Lebousek*
LARRY W. LeBOUSEK
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.2 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Luckiamute River and reservoir to be constructed under application No. R-47521, permit No. R-5683

The use to which this water is to be applied is maintenance of log pond and manufacturing including fire suppression being 0.10 for log pond and 0.10 for manufacturing.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 6, 1970

Actual construction work shall begin on or before September 20, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973

Complete application of the water to the proposed use shall be made on or before October 1, 1974.

WITNESS my hand this 20th day of September, 1971

Chris L. Wheeler
STATE ENGINEER

Application No. 47167
Permit No. 35346

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of July, 1971, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

September 20, 1971

Recorded in book No. of
Permits on page 35346

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 152
Fees \$25.00