

RECEIVED
JUL 17 1970

STATE ENGINEER
SALEM, OREGON

Permit No. 35378

*APPLICATION FOR PERMIT

CERTIFICATE NO. 43135

To appropriate the Public Waters of the State of Oregon

I, W. Stanley Knouse and Yvonne M. Knouse, husband and wife
(Name of applicant)
of Box 150 Whistlers Lane, Idleyd Route, Roseburg
(Mailing address)

State of Oregon 97470, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River
(Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.054
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic (0.01)
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Garden (0.044)

4. The point of diversion is located 1870 ft. N and 1700 ft. E from the W/4
(N. or S.) (E. or W.)
corner of Section 15
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE1/4 NW1/4 of Sec. 15, Tp. 26 S
(Give smallest legal subdivision) (N. or S.)

R. 4 W, W. M., in the county of Douglas
(E. or W.)

5. The Pipe line to be 200 feet
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NE1/4 NW1/4 of Sec. 15, Tp. 26 S
(Smallest legal subdivision) (N. or S.)

R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 H.P. Jet
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.....

12. Construction work will begin on or before Completed.....

13. Construction work will be completed on or before Completed.....

14. The water will be completely applied to the proposed use on or before 10/1/70.....

W Stanley Krause
(Signature of applicant)
Yvonne M. Krause

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is domestic use for one family and irrigation being 0.01 cfs for domestic and 0.04 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 17, 1970

Actual construction work shall begin on or before September 20, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.

Complete application of the water to the proposed use shall be made on or before October 1, 1974.

WITNESS my hand this 20th day of September, 1971

Chris L. Wheeler
STATE ENGINEER

Application No. 47227
Permit No. 35378

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of July 1970, at 2:00 o'clock P. M.

Returned to applicant:

Approved:

September 20, 1971

Recorded in book No. of

Permits on page 35378

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 265

Fees \$30.00