

***APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Theron C. Gahr & Theron F. Gahr & Harry F. Sievers
(Name of applicant)
of Rt. 2, Box 217 Scap., Rt. 2, Box 193 Scap.
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unknown (point of juncture with
(Name of stream)
Scappoose creek is dry in, a tributary of North Fork Scappoose Creek
stream.

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 0.10 Cu. Ft./sec.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic - ~~irrigation~~
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
for lawns.

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of SE¹ of NE¹ - Sec. 13 T4N-R3W
(Section or subdivision)
2799 ³¹ North
278 ³¹ West SE. Corner
Sec 13 4N- R3W
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S ¹/₄ x NE ¹/₄ of Sec. Sec. 13, Tp. 4 N,
(Give smallest legal subdivision) (N. or S.)
R. 3 W, W. M., in the county of Columbia
(E. or W.)

5. The Main pipe line to be 2800'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW¹ of Sec. 18, Tp. T4N R2W,
(Smallest legal subdivision) (N. or S.)
R. , W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2'6" feet, length on top 8' feet, length at bottom
8' feet; material to be used and character of construction Log & Earth
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Sluice 2' wide
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2,800 ft.; size at intake, 4" in.; size at 20' from intake 2 1/2" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 50' ft. Is grade uniform? Yes Estimated capacity, 0.01 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Contains handwritten entries for Township 4N, Range R2W and R3W, Sections 18 and 13, and acreage calculations.

(If more space required, attach separate sheet)

(a) Character of soilSandy Loam...Some Clay.....

(b) Kind of crops raisedNone except garden.....

Power or Mining Purposes—

9. (a) Total amount of power to be developed0..... theoretical horsepower.

(b) Quantity of water to be used for power0..... sec. ft.

(c) Total fall to be utilized (Head) feet.

(d) The nature of the works by means of which the power is to be developed--.....

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? No (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... COMPLETED & IN OPERATION SINCE 1909.

12. Construction work will begin on or before " " "

13. Construction work will be completed on or before " "

14. The water will be completely applied to the proposed use on or before "

T.C. Theron & Louise E. Gahr
(Signature of applicant)

Remarks:

*Myrtle B. J. Sievers
Harvey F. Sievers
Theron F. Gahr
Helena P. Gahr*

* One of the 3 properties is within SE 1/4 - Section-13

T4N-R3W.W.M. - Two are as described in 5.

The H.F. & M.B. Sievers home lies 240' west and 935' north of the SE corner of Section 13 T4N R3W.M.

The T.C. & L.E. Gahr home lies 563' east and 1145' north of the SW corner of Section 18 T4N R2 W.M.

The T.F. & H. P. Gahr home lies 327' east and 1120' north of the SW corner of Section 18 T4N R2 W.M.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~November 4th~~, 19 ~~70~~
January 25th 71

WITNESS my hand this ~~1st~~ day of ~~September~~, 19 ~~70~~
23rd November 70

RECEIVED
DEC 8 1970
STATE ENGINEER
SALEM, OREGON

RECEIVED
OCT 26 1970
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Larry W. Jebousek*
LARRY W. JEBOUSEK
ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use for three families

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 30, 1970

Actual construction work shall begin on or before November 23, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.

Complete application of the water to the proposed use shall be made on or before October 1, 1974.

WITNESS my hand this 23rd day of November, 1971

Chris L. Wheeler
STATE ENGINEER

Application No. 47314
Permit No. 35447

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of July, 1971, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 23, 1971

Recorded in book No. of

Permits on page 35447

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 3 page 166

Fees \$25.00