

RECEIVED
JUL 31 1970

STATE ENGINEER
SALEM, OREGON

AMENDED by special order

Permit No. 35453

v. v. 51 pg. 440 Amended By

*APPLICATION FOR PERMIT

V50 P814

To appropriate the Public Waters of the State of Oregon

I, The City of Canby, Oregon
(Name of applicant)
of P. O. Box D Canby, Oregon
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Feb. 15, 1893

City of Canby - Clackamas County

1. The source of the proposed appropriation is Molalla River
(Name of stream)

, a tributary of Molalla River

2. The amount of water which the applicant intends to apply to beneficial use is five 102
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is an augmentation of the Canby
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Municipal Water Supply

4. The point of diversion is located 2100 ft. N. and 2200 ft. W. from the S.E.
(N. or S.) (E. or W.)
corner of Section 32, Township 3 South, Range 1 East Willamette Meridian
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4 / S.E. 1/4 of Sec. 32, Tp. 3 S.
(Give smallest legal subdivision) (N. or S.)

R. 1 E., W. M., in the county of Clackamas
(E. or W.)

5. The pipe line to be approx. 1300 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the S.W. 1/4 / S.E. 1/4 of Sec. 32, Tp. 3 S.
(Smallest legal subdivision) (N. or S.)

R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description a portable 700 Gp m centrifical
(Size and type of pump)
gas powered pump. Power is a Wisconsin V-4 36 hp gas engine
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

T-7629

L.H. No. Dec. 25, 1970 28

Canal System or Pipe Line—

35453

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1300 +/- ft.; size at intake, six in.; size at ft. from intake in.; size at place of use six in.; difference in elevation between intake and place of use, 14 ft. Is grade uniform? yes Estimated capacity, 1.55 sec. ft.

8. Location of area to be irrigated, or place of use City of Canby, Municipal Water Supply

Township- North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S.	1 E.	27	NW $\frac{1}{4}$ /SW $\frac{1}{4}$; W $\frac{1}{2}$ NW $\frac{1}{4}$	40
3 S.	"	28	SE $\frac{1}{4}$ /NE $\frac{1}{4}$; SE $\frac{1}{4}$ ALL SW $\frac{1}{4}$ /SW $\frac{1}{4}$; NE $\frac{1}{4}$ /NE $\frac{1}{4}$	240
3 S.	"	29	SE $\frac{1}{4}$ /SE $\frac{1}{4}$	40
3 S.	"	32	E $\frac{1}{2}$ Sec.; E $\frac{1}{2}$ SW $\frac{1}{4}$	320
3 S.	"	33	ALL	640
3 S.	"	34	W $\frac{1}{2}$ /NW $\frac{1}{4}$ SW $\frac{1}{4}$ /SE $\frac{1}{4}$ (cemetery)	120
4 S.	"	4	N $\frac{1}{2}$ Sec & NW $\frac{1}{4}$ /SW $\frac{1}{4}$	360
4 S.	"	5	NE$\frac{1}{4}$/NE$\frac{1}{4}$ & SE$\frac{1}{4}$/SE$\frac{1}{4}$	120
4 S.	"	5	NE $\frac{1}{4}$ /SE $\frac{1}{4}$	40

LH Oct. 15, 1970

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Municipal Water Supply

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of Canby, Oregon

Clackamas County, having a present population of 3900
(Name of)

and an estimated population of 7180 in 1980

(b) If for domestic use state number of families to be supplied June 1970 = 1233

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5,000.00

12. Construction work will begin on or before 7/15/70

13. Construction work will be completed on or before 7/24/70

14. The water will be completely applied to the proposed use on or before 7/24/70

John L. Witsede
(Signature of applicant)
Asst. Supt. Public Works, Canby, Oregon

Remarks: This project was done to augment the supply of the city water system. The water is pumped into a large settling pond where it filters through gravel beds and into the city's underground perforated collection tubes. This is at the present time only a temporary measure and will be used only until the water table in the ground is to a point that the collection tubes will pick up water again.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 4th, 1970

WITNESS my hand this 2nd day of September, 19 70

RECEIVED
SEP 14 1970
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER

STATE ENGINEER

By *Larry W. Jebeusek*
Larry W. Jebeusek ASSISTANT

BCHD

Amended
by V50P814 T-7629

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 10.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Molalla River

The use to which this water is to be applied is municipal use

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.


The priority date of this permit is July 31, 1970 for 5.0 cfs, and December 22, 1970 for 5.0 cfs

Actual construction work shall begin on or before November 23, 1972 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.

Complete application of the water to the proposed use shall be made on or before October 1, 1974

WITNESS my hand this 23rd day of November, 19 71.


STATE ENGINEER

Application No. 47326

Permit No. 35453

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of July 1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 23, 1971

Recorded in book No. of

Permits on page 35453

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 308

Fees 73.00