

*APPLICATION FOR PERMIT

GERTIFICATE NO. 46944

To Appropriate the Public Waters of the State of Oregon

I, OREGON STATE GAME COMMISSIO	N		
(Name of a)	plicant)	and	
of 1634 S. W. Alder Street, P. O. Box	JJUJ, POICI	21IQ	····· ,
State of, do hereby	make application fo	or a permit to a	ppropriate the
following described public waters of the State of Oregon	, SUBJECT TO EX	CISTING RIGH	TS:
If the applicant is a corporation, give date and pla	e of incorporation		•••••••••
Unna	med Spring and	•••••	•
1. The source of the proposed appropriation is SC	hindler Sprin	me of stream)	
Jordan Creek , a tributary	of Tygh Ci	eek	2
2. The amount of water which the applicant intend	s to apply to benef	icial use is	<u> </u>
cubic feet per second.	more than one source, give		······
••3. The use to which the water is to be applied is S		9 cfs and	domestic
.01 cfs from spring #1 and .02 cfs f	com spring #2	, manuacturing, come	A.
1st 4. The point of diversion is located	N and 200-	.ft E fro	m the SW
corner of Section 3, Township 3S, Range	12E, W.M.		
(Section o	subdivision)		
The second point of diversion is loca	ted 887 feet	North and	
The second point of diversion is local East from the Southwest corner of Sec			3
East from the Southwest corner of Sec			3
•	tion 3, Towns		3
East from the Southwest corner of Sec 12 East, Willemette Meridian. (U preferable, give distance and be	ring to section corner)	hip 3 Sou	3
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be	ring to section corner)	ship 3 Sour	th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision)	ring to section corner) described. Use separate she	ship 3 Sour	th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision) R. 12E W. M. in the county of Was CO	ring to section corner) described. Use separate she of Sec	ship 3 Sour	th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision) R. 12E W. M. in the county of Was CO	ring to section corner) described. Use separate she of Sec	ship 3 Sour	Th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision) R. 12E , W. M., in the county of Was CO (E. or W.) 5. The pipeline (Main ditch, canal or pipe line)	ring to section corner) described. Use separate shame of Sec	thip 3 Sourcestry) Tp. 100 feet	Th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision) R. 12E , W. M., in the county of Was CO (E. or W.) 5. The pipeline (Main ditch, canal or pipe line)	ring to section corner) described. Use separate shame of Sec	thip 3 Sourcestry) Tp. 100 feet	Th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SW\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	to be	thip 3 Sourcest if necessary) Tp. 100 feet (Miles or s 3, Tp.	Th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision) R. 12E , W. M., in the county of Was CO (E. or W.) 5. The pipeline (Main ditch, canal or pipe line)	to be	thip 3 Sourcest if necessary) Tp. 100 feet (Miles or s 3, Tp.	Th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SW\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	to be	thip 3 Sourcest if necessary) Tp. 100 feet (Miles or s 3, Tp.	Th, Range
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SW1/2 SW1/2 (Give smallest legal subdivision) R. 12E (Main ditch, canal or pipe line) 5. The pipeline (Main ditch, canal or pipe line) in length, terminating in the SW1/2 SW1/4 (Smallest legal subdivision) R. 12E (Main ditch, canal or pipe line) in length, terminating in the proposed location being s (E. or W.)	to be	thip 3 Sourcest if necessary) Tp. 100 feet (Miles or s 3, Tp.	3S (N. or S.)
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SW1/4 SW1/4 (Give smallest legal subdivision) R. 12E (Main ditch, canal or pipe line) 5. The pipeline (Main ditch, canal or pipe line) in length, terminating in the SW1/4 SW1/4 (Smallest legal subdivision) R. 12E (E. or W.) DESCRIPTION O Diversion Works— 6. (a) Height of dam none feet, length	to be	100 feet (Miles or s 3, Tp.	3S (N. or S.) ying map.
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SW\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	to be	100 feet (Miles or s 3, Tp.	3S (N. or S.) ying map.
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SWASWA (Give smallest legal subdivision) R. 12E , W. M., in the county of Was CO (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) in length, terminating in the SWASWA (Smallest legal subdivision) R. 12E , W. M., the proposed location being s (E. or W.) DESCRIPTION C Diversion Works— 6. (a) Height of dam none feet, length of the feet; material to be used and character of the feet; material to be used and character of the feet; material to be used and character of the feet; material to be used and character of the feet; material to be used and character of the feet; material to be used and character of the feet; material to be used and character of the feet; material to be used and character of the feet; material to be used and character of the feet	to be	100 feet (Miles or s 3, Tp.	3S (N. or S.) ying map.
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If preferable, give distance and be (If there is more than one point of diversion, each must be being within the SW1/4 SW1/4 (Give smallest legal subdivision) R. 12E (Main ditch, canal or pipe line) 5. The pipeline (Main ditch, canal or pipe line) in length, terminating in the SW1/4 SW1/4 (Smallest legal subdivision) R. 12E (E. or W.) DESCRIPTION O Diversion Works— 6. (a) Height of dam none feet, length	to be	thip 3 Sourcest if necessary) Tp. 100 feet (Miles or s 3, Tp. the accompan	3S (N. or S.) (N. or S.) ying map.
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision) R. 12E	to be	thip 3 Sourcest if necessary) Tp. 100 feet (Miles or s 3, Tp. the accompan	3S (N. or S.) (N. or S.) ying map.
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SW4SW4 (Give smallest legal subdivision) R. 12E	to n 3, Towns ring to section corner) described. Use separate she of Sec. of Sec. rown throughout of F WORKS h on top f construction er, concrete, etc., number and	thip 3 Sourcest if necessary) 100 feet (Miles or is 3, Tp 1 the accompany (Loose room in the size of openings)	3S (N. or S.) (N. or S.) ying map.
East from the Southwest corner of Sec 12 East, Willemette Meridian. (If there is more than one point of diversion, each must be being within the SWASWA (Give smallest legal subdivision) R. 12E	to n 3, Towns ring to section corner) described. Use separate she of Sec. of Sec. of Sec. rown throughout of F WORKS h on top f construction or, concrete, etc., number and on	thip 3 Sourcest if necessary) Tp. 100 feet (Miles or i 3, Tp. the accompan (Loose ro	3S (N. or S.) (N. or S.) ying map.

^{*}A different form of application is provided where storage works are contempleted.

e-Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

•		RIGHTS and the following limitations and conditions:			
		nted is limited to the amount of water which can be applied to beneficial u O2			
		case of rotation with other water users, from Schindler Spring and	,,e		
unnamed spring.					
The		s water is to be applied is stock and domestic use for one family			
		chindler Spring for domestic and 0.005 cfs from unnamed sprin			
		hindler Spring for stock use.			
		appropriation shall be limited to of one cubic foot p			
		each acre irrigated			

******************)			
•		· · · · · · · · · · · · · · · · · · ·			
***************************************			••••		
•••••	•••••				
•	······································				
***************************************	•		••••		
and shall	be subject to such	n reasonable rotation system as may be ordered by the proper state officer.			
The	priority date of t	this permit is August 3, 1970	••••		
Act	ual construction t	work shall begin on or before November 23, 1972 and she	all		
thereafter	be prosecuted w	with reasonable diligence and be completed on or before October 1, 1973	1074		
Cor	nplete application	n of the water to the proposed use shall be made on or before October 1, 197	74		
WI	TNESS my hand t	this 23rd day of November , 19 71 Extended to Oct. 1,	. 1976		
		STATE ENGINEER	 R		
			•		
		g the state of the			
1 _ 1	ILIC	eceived in the salem, Oregon, 2. M. 7. M. 7. T. 7. T. 7. M. 9. Of rate evalues			
3.7	E PUBLIC STATE	Salem Salem A M M M M M M M M M M M M M M M M M M			
7337 35457	E E E O	State Engineer at Scate Engineer at Scate Engineer at Scan day of Augarapplicant: State Engineer at Scan day of Augarapplicant: The book No.			
70. 4		r 23 r: No. No.	ŧ		
ion N Vo		State Engineer State Engineer day of day of C. O'clock applicant: applicant: in book No. garris I., whi	00		
Application No. 4733.	PERM APPROPRIATE WATERS OF TH	Strum Le Sta Le Sta Nov Nov L pag	3		
Ap.	TO A	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Ital day of Maguil f. 197.C, at C.C. o'clock M. Returned to applicant: November 23, 1971 Recorded in book No. Permits on page 35457 GHRIS I., WHEELER GARIS I., WHEELER	1		
		Appr Retu	Fees		

State Printing 86137

· 10. (a) To supply the city of	35457
	1
and an estimated population of in 19 in 19	
(b) If for domestic use state number of families to be supp	liedOne
(Answer questions 11, 13, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$500.00	
12. Construction work will begin on or before July 1, 197	1
13. Construction work will be completed on or beforeQCLO	ber 1. 1971
14. The water will be completely applied to the proposed use on or	
	o o o o o o o o o o o o o o o o o o o
	In Makin
	(Signature of applicant)
Remarks: The spring has been used for purpose	
many years but the entire works need replacemen	t. The practice has been
to haul the water from the spring to the homesi	te location because the
distance is about one mile and the spring is be	low the house by about
400 ft. in elevation. The spring is the only w	ater on the Schindler
tract of 963 acres purchased by the Game Commis	sion and therefore is of
great importance to the tract for both stock wa	ter and domestic use.
The location of the spring as shown is reasonab	
corrected by survey and the data obtained will	,
<u> </u>	·

	•••••••••••••••••••••••••••••••••••••••
	•••••••••••••••••••••••••••••••••••••••
STATE OF OPECON)	
STATE OF OREGON, ss. County of Marion,	
This is to certify that I have examined the foregoing application	n together with the accompanying
maps and data, and return the same forcompletion and correc	
maps and data, and retarn the same for	JAX16
In order to retain its priority, this application must be returned	to the State Engineer, with correc-
tions on or before February 22nd , 19.771. March 22nd 71	•
	•
	, 19. 70 .
21st January	71
DECEIVED RECEIVED	
STATE ENGINEER	. WHEELER STATE ENGINEER
STATE ENGINEER SALEM ORE BY	Walnuck
T amma W	Tobourok ASSISTANT

Municipal or Domes