

MAY 1 21971 STATE ENGINEER APPLICATION FOR PERMIT CERTIFICATE NO. 44497 To Appropriate the Public Waters of the State of Oregon

State of Oregor	I, Charles & Doro thy L. Bryan (Name of appliednt)
State of Or-gov	of 411 N.E. 65th Ade., Portland, Oregon
1. The source of the proposed appropriation is	_
1. The source of the proposed appropriation is Willams L. Sulfam. a tributary of Columbia. Russel. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 3. The use to which the water is to be used from more than one source, give quantity from each) 4. The point of diversion is located 2218 ft. S. and 2600 ft. (R. or W.) from the N. W. (R. or W.) 4. The point of diversion is located 2218 ft. S. and 2600 ft. (R. or W.) from the N. W. (R. or W.) (Bestion or subdivision) (Bestion or subdivision) (Bestion or subdivision) (If there is now than one point of diversion, each most to described. The separate sheet if necessary) being within the SE / H SE / H N. W. M. of Sec. T. Tp. (R. or R.) 7. The Columbia click, canal or pipes line) in length, terminating in the NE / S. S. S. (Columbia large subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Cooss reck, concerts, masseury) rock and brush, timber crib, etc., westeway over or around dam) (b) Description of headgate (Timber, concrets, etc., number and size of openings)	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) and diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) and diversion. Cit or maller) and diversion to be construction of Sec. The use to which the water is to be applied is Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) again subdivision) 7. The section of subdivision of subdivision of Sec. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) again subdivision of Sec. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) again subdivision of Sec. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) again subdivision of Sec. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) again subdivision of Sec. (If or E.) (are maller) again subdivision of Sec. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) again subdivision of Sec. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SELY (are maller) and security of Sec. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is no maller large is described. Use separate sheet if necessary) (If there is no mall for the SELY (are maller) and security of Sec. (If or E.) (If there is no marketuring described. Use separate sheet if necess	If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is (2 44 9 pm) (It water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (It water is to be used from more than one source, give quantity from each) 4. The point of diversion is located 22/11 ft. S. and 2400 ft. Important the supplies, etc.) (Genetion or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/4 SE/11 N. W. W. of Sec. T. Tp. Sec. (N. or 8). (R. or W.) W. M., in the country of Give smaller legal subdivision) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/4 SE/11 N. W. W. of Sec. Tp. Sec. (N. or 8). (R. or W.) W. M., in the country of Give smaller legal subdivision) (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/4 SE/11 N. W. W. Of Sec. (N. or 8). (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/4 SE/11 N. W. W. Of Sec. (N. or 8). (It there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/12	(Name of stream)
cubic feet per second. (If water is to be used from more han one source, give quantity from each) **3. The use to which the water is to be applied is	, a tributary of Columbia River
4. The point of diversion is located 2211 ft. S. and 2600 ft. (R. or W.) (Bection or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE / SE / W. W. M., in the county of Give smallest legal subdivision) 7. The Control of Sec. (R. or W.) 5. The Chain dich. canal or pipe line) in length, terminating in the SE / SUN MUN of Sec. (Rice at W.) (Breatmainst legal subdivision) R. SUN W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, concrets, manoary, reck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	2. The amount of water which the applicant intends to apply to beneficial use is
4. The point of diversion is located 2218 ft. S. and 2500 ft. (R. or M.) from the M. M. M. (R. or M.) from the M. M. (R. or M.) from the M.	cubic feet per second 54 Cfs (244 qp.m)
4. The point of diversion is located 2218 fg. S. and 2600 fg. C. or W.) from the N. K. (R. or W.) (Section or subdivision) (Bestion or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE // R. N. W. M. of Sec , Tp. C. or S.) (Give smallest legal subdivision) R. 3. W. M., in the country of A. M. M. M. of Sec , Tp. (R. or S.) S. The C. O. (R. or S.) (Binaliest legal subdivision) R. 3. W. M., the proposed location being shown throughout on the accompanying map. (R. or W.) (R. or W.) (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, manoner, rock and brush, timber crib, stc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	**3. The use to which the water is to be applied is
4. The point of diversion is located 2211 ft. S. and 2600 ft. (R. or W.) from the M. K. corner of Section (R. or W.) (Section or subdivision) (If preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the SE // SE // N. W. // Of Sec. , Tp. (R. or B.) (Give smallert legal subdivision) 7. The (Give mallert legal subdivision) 5. The (Main ditch, canal or pipe line) (Milles or free) (In length, terminating in the NE // SE // S	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/4 NW/4 of Sec. / Tp. SS., (Give smallest legal subdivision) R. 3W., W. M., in the county of A.M. M/4 of Sec. / (N. or S.) 5. The Post of Main ditch, canal or pipe line) in length, terminating in the NE/4 SW/4 NW/4 of Sec. / Tp. SS., (Smallest legal subdivision) R. 3W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	4. The point of diversion is located 2218 + ft. 5 and 2600 ft. E from the N. W.
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/4 NW/4 of Sec. / Tp. SS., (Give smallest legal subdivision) R. 3W., W. M., in the county of Manual 5. The Common of Manual (Main ditch, canal or pipe line) (Mallest or feet) (Smallest legal subdivision) (R. or S.) (R. or S.) (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry, cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	corner of Section / (Section or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE/H NW/H of Sec. , Tp. SS., (R. or 8.) R. 3W., W. M., in the county of Amhill 5. The PP- (Main ditch, canal or pipe line) to be 2600 (Miles or feet) in length, terminating in the NE/H SW/H NW/H of Sec. , Tp. SS., (R. or 8.) R. 3W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	(100000 of 10000)
(Smallest legal subdivision) R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 14 SE 14 N W 14 of Sec
(Smallest legal subdivision) R	5. The P.P.C. to be 2600 (Main ditch, canal or pipe line) (Miles or feet)
R	in length, terminating in the NE 1/4 SW14 NW14 of Sec, Tp
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	<u>-</u>
feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	
feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	6. (a) Height of dam feet, length on top feet, length at botton
(b) Description of headgate(Timber, concrete, etc., number and size of openings)	· ·
(b) Description of headgate(Timber, concrete, etc., number and size of openings)	most and brush timber crib, etc., wasteway over or around dam)
(c) If water is to be pumped give general description 20 14P E/c faica/ (Size and type of pump)	•
Motor - Centaifica fump - 3 of ect lift (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pumped give general description 20 HP E/erfalca/ (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

10. (a) To supply the city of	
County, having a 1	present population of
an estimated population of	in 19
(b) If for domestic use state numb	er of families to be supplied
• .	tions 11, 12, 13, and 14 in all cases)
-11. Estimated cost of proposed works, \$	
12. Construction work will begin on or	before Statled
13. Construction work will be completed	d on or before as inpleted
_	d to the proposed use on or before June 14/19
	108 Bayers)
	(Signature of applicate)
31 DD 6.1	- Marshy V Dujeu
Remarks: Dould like	to kave pakers
less June 1	1971
To para	/-/-/
(/ /	
V	
ATE OF OREGON	
ATE OF OREGON, \{\sigma_ss.\}	
country of marion,	
country of marion,	
This is to certify that I have examined	
This is to certify that I have examined as and data, and return the same for	d the foregoing application, together with the accompanyin
This is to certify that I have examined as and data, and return the same for	d the foregoing application, together with the accompanyin
This is to certify that I have examined as and data, and return the same for	d the foregoing application, together with the accompanyin
This is to certify that I have examined as and data, and return the same for In order to retain its priority, this app	d the foregoing application, together with the accompanyir correction
This is to certify that I have examined as and data, and return the same for In order to retain its priority, this app	d the foregoing application, together with the accompanying correction
This is to certify that I have examined as and data, and return the same for In order to retain its priority, this app	d the foregoing application, together with the accompanying correction
This is to certify that I have examined as and data, and return the same for In order to retain its priority, this applies on or before	d the foregoing application, together with the accompanyir correction
This is to certify that I have examined as and data, and return the same for In order to retain its priority, this appuss on or before	d the foregoing application, together with the accompanying correction correction blication must be returned to the State Engineer, with correction, 19.71.
This is to certify that I have examined ps and data, and return the same for In order to retain its priority, this appuis on or before	d the foregoing application, together with the accompanying correction correction plication must be returned to the State Engineer, with correction, 19.71.
In order to retain its priority, this appus on or before August 2nd WITNESS my hand this	d the foregoing application, together with the accompanyin correction plication must be returned to the State Engineer, with correction, 19.71.
This is to certify that I have examined ps and data, and return the same for In order to retain its priority, this appuss on or before	d the foregoing application, together with the accompanyin correction plication must be returned to the State Engineer, with correction, 19.71.
This is to certify that I have examined ps and data, and return the same for In order to retain its priority, this appuse on or before	d the foregoing application, together with the accompanying correction plication must be returned to the State Engineer, with correction, 19.71.

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

,	e right herein gra		•	•				to benef	ficial use
	not exceedQ			1					
	r its equivalent in								
	The free con-								
	Zi jişi i	icije v 129a				•••••			
The	use to which this	s water is to be	applied	is	irrigati	on			
			•••••••••••••••••••••••••••••••••••••••	•••••		•••••	••••••		·····
***************************************	•		······	, 	•••••••••••••••••••••••••••••••••••••••	••••••	••••••	····	
If fo	or irrigation, this	appropriation sl	iall be l	imited to	1/80	••••••	of c	one cubic	foot per
second or	its equivalent for	each acre irriga	tedar	d shal	l be furth	er limit	ed to	a diver	sion of
	exceed2½acre.								
season	of each year,							••••••	•••••••
·····	·····		************		•••••				
••••••		·				•••••••	••••••	•••••	· ••••••
•••••	••••••		***************************************			••••••	••••••	•••••	***************************************
•••••••					•••••••••	••••••••••	••••••		······
				•••••••	••••••		••••••		
						•••••••	•••••	•••••	
	be subject to such		_		_				
	priority date of t								
	ual construction t								
•	be prosecuted w			,	-	·			
	nplete application							October 1	! , 19 7.4
WI	INESS my hand t	his23rd	day	of	Novembe	<u> </u>	., 1971	0	
					Char			STATE E	NGINEER
				:					
		t the gon,				9		H	3
	PUBLIC	ed in	M.	:				ENGINEER	6
000	E PUB	t receiv t Salen]		1221	35500	STATE	page
35500		irst 1 er at					£	WHEELER STAT	
•	PERMIT PPRIATE THE SS OF THE OF OREGON	was j ıgine of	clock	ii		November 23, in book No.			N
tion N	PE OPRI RS C OF (nent wa ite Engi day of	0 0,	olican		vemb book		CHRIS	No.
Application No.	PERM APPROPRIATE WATERS OF TI	strun ve Sto	2.06 o'clock	to api	_	No ed in	n pag	ប	Basin
Ap Per	TO A	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1274 day of 1885.	t	Returned to applicant:	Approved:	November . Recorded in book No.	Permits on page		Drainage Basin No.
		T) office on th	1977.,	Retu: -	Аррт	Re	Perm	*	Drain Fees

Application No. 48219