

*APPLICATION FOR PERMIT

CERTIFICATE NO. 104047

To Appropriate the Public Waters of the State of Oregon

I, Robert L. Landis (Name of applicant) of 4030 S.W. Patrick Pl. Portland (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring #2 & spring Area #1 (Name of stream), a tributary of Stag Hollow Creek

2. The amount of water which the applicant intends to apply to beneficial use is 20 gpm cubic feet per second. 75% #1, 25% #2 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic including up to 1/2 ac lawn & garden, 6 gpm; Orchard spraying, 10 gpm; Stock, 3 gpm; commercial use in dentist office 19 gpm (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located #1 220 ft. N and 325 ft. W from the SW corner of Sec 36 #2 2150 N 140 W (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the lot 2 (NE 1/4 SW 1/4) of Sec. 36, Tp. 25 R. 4W, W. M., in the county of Yamhill (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 H.P. submersible (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500

12. Construction work will begin on or before started

13. Construction work will be completed on or before Oct. 1, 1973

14. The water will be completely applied to the proposed use on or before Oct. 1, 1974

John Landis
(Signature of applicant)

Remarks: Stock will be max of 15 head cattle & horses.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 23, 1970
January 19th 71
March 8th 71
May 11th 71

WITNESS my hand this 23rd day of September, 1970
19th November 70
7th January 71
11th March 71

RECEIVED
MAR 22 1971
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Larry W. Jebousek*
Larry W. Jebousek ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.027 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two springs

The use to which this water is to be applied is domestic use for one family including irrigation of lawn and garden, orchard spraying, stock and use in office being 0.0075 cfs from spring #1 and 0.0025 cfs from spring #2 for domestic, 0.0075 cfs from spring #1 and 0.0025 cfs from spring #2 for spraying, 0.0038 cfs from spring #1 and 0.0012 cfs from spring #2 for stock, 0.0015 cfs from spring #1 and 0.0005 cfs from spring #2 for office use.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 13, 1970 for domestic and spraying, and March 22, 1971 for stock and office use.

Actual construction work shall begin on or before January 11, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973.

Complete application of the water to the proposed use shall be made on or before October 1, 1974

WITNESS my hand this 11th day of January, 1972.

Chris L. Wheeler
STATE ENGINEER

Application No. A7456
Permit No. 35553

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of August, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 11, 1972

Recorded in book No. of

Permits on page 35553

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 62810

Fees \$5.00