Four D, See Misc. Rec., Vol. 5 Page 728

*APPLICATION FOR PERMIT CHRISTICATE NO. 42906

To Appropriate the Public Waters of the State of Oregon

1, Harriet Fechner-	of applicant)		
f 160 Lock's unay 1 H 18 (Name	Suring wal	€	94087),
eate of California, do here	by make application j	or a permit to app	ropriate the
ollowing described public waters of the State of Ore			
If the applicant is a corporation, give date and	place of incorporation		

1. The source of the proposed appropriation is.	west For	K of	the
Millicomo River, a tribut	ary of Milliamia	River	
2. The amount of water which the applicant int		A	
ubic feet per second for Unique of water is to be used	5 Cubic feel from more than one source, giv	e quantity from each)	ebic feel
**3. The use to which the water is to be applied i	s irrigation	, manufacturing, domestic	supplies, etc.)
	·····		
4. The point of diversion is located 1005	t. 5 and 92 /	ft. (E. or W.)	he NF
orner of the corner of Sect	ion 6 be	ing wi	hen.
the NW4 NE4 Section	of the state of th	- 15-ATS	P
	0. 6. J.	2 DANGE	Chi.
		. 1.	in the
Dange 11 West of the Will	Camette ne	. 1.	in the
	Camette ne	. 1.	in the
Diange II West of the Mac	d bearing to section corner)	ect if necessary)	e the
(If there is more than one point of diversion, each muleing within the NNA (Give smallest legal subdivision)	d bearing to section corner) at be described. Use separate st of Sec.	ect if necessary)	i the
(If there is more than one point of diversion, each muleing within the NAA HA HA (Give smallest legal subdivision)	d bearing to section corner) ust be described. Use separate sh	eet if necessary)	2515,
(If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (Give smallest legal subdivision) (E. or W.) 5. The (Main ditch, canal or pipe line)	d bearing to section corner) at be described. Use separate st of Sec. to be	eet if necessary) (Miles or feet)	25.55,
(If there is more than one point of diversion, each muleing within the N. M. (Give smallest legal subdivision) (E. or W.) 5. The (Main ditch, canal or pipe line) n length, terminating in the (Smallest legal subdivision)	d bearing to section corner) ust be described. Use separate st of Sec. to be of Sec.	eet if necessary) (Miles or feet) Tp	25 (N. or 8.)
(If there is more than one point of diversion, each muleing within the N. M. (Give smallest legal subdivision) (E. or W.) 5. The (Main ditch, canal or pipe line) n length, terminating in the (Smallest legal subdivision)	d bearing to section corner) ust be described. Use separate st of Sec. to be of Sec.	eet if necessary) (Miles or feet) Tp	25. (N. or 8.)
(If there is more than one point of diversion, each muleing within the N.M. A. H. (Give smallest legal subdivision) 1. N.C. W. M., in the county of O.O.S. 5. The (Main ditch, canal or pipe line) 1. length, terminating in the (Smallest legal subdivision) (E. or W.) W. M., the proposed location being the county of the c	d bearing to section corner) ust be described. Use separate st of Sec. to be of Sec.	eet if necessary) (Miles or feet) Tp	255, (N. or S.)
(If preferable, give distance are compared to the control of the country of the c	d bearing to section corner) ust be described. Use separate st of Sec. to be of Sec. of Sec.	(Miles or feet) Tp	255, (N. or S.)
(If there is more than one point of diversion, each much much much much much much much mu	d bearing to section corner) set be described. Use separate st of Sec. to be of Sec. on on N OF WORKS ength on top	(Miles or feet) Tp	25 5, (N. or 8.) g map.
(If there is more than one point of diversion, each musting within the N.M. # A ME HAD SUBDIVISION) (E. or W.) 1. (E. or W.)	d bearing to section corner) set be described. Use separate st of Sec. to be of Sec. on on N OF WORKS ength on top	(Miles or feet) Tp	25 5, (N. or 8.) g map.
(If there is more than one point of diversion, each muleing within the N. M. of the country of C.O.S. (E. or W.) 5. The (Smallest legal subdivision) a length, terminating in the (Smallest legal subdivision) W. M., the proposed location being the country of C.O.S. (E. or W.) DESCRIPTION DESCRIPTION Siversion Works— 6. (a) Height of dam feet, legal subdivision feet; material to be used and characters.	d bearing to section corner) set be described. Use separate st of Sec. to be of Sec. on on N OF WORKS ength on top	(Miles or feet) Tp	25 (N. or 8.) (N. or 8.) g map.
(If there is more than one point of diversion, each muleing within the County of COS (E. or W.) 5. The (Main ditch, canal or pipe line) m length, terminating in the (Smallest legal subdivision) (E. or W.) DESCRIPTION Diversion Works— 6. (a) Height of dam feet, legal subdivision for the feet, legal subdivision	d bearing to section corner) at be described. Use separate st of Sec. to be of Sec. of Sec. on) ng shown throughout of N OF WORKS ength on top er of construction	(Miles or feet) (Miles or feet) Tp. Tp. Tp. the accompanyin feet, lengt	(N. or S.) (N. or S.) g map. h at bottom
(If there is more than one point of diversion, each multiple of the country of th	d bearing to section corner) ast be described. Use separate st of Sec. to be of Sec. on) ng shown throughout of N OF WORKS ength on top er of construction Timber, concrete, etc., number a	(Miles or feet) (Miles or feet) Tp. Tp. Tp. (Loose rock, c	(N. or S.) (N. or S.) g map. h at bottom
(If there is more than one point of diversion, each multiple of the smallest legal subdivision) (If there is more than one point of diversion, each multiple of the smallest legal subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion, each multiple of the subdivision) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is multiple of the subdivision) (If there is multiple of the subdivision) (If there is multiple of the s	d bearing to section corner) ast be described. Use separate st of Sec. to be of Sec. on) ng shown throughout of N OF WORKS ength on top er of construction Timber, concrete, etc., number a	(Miles or feet) (Miles or feet) Tp. Tp. Tp. (Loose rock, c	(N. or S.) (N. or S.) g map. h at bottom
(If there is more than one point of diversion, each much much much much much much much mu	d bearing to section corner) ast be described. Use separate st of Sec. to be of Sec. on) ng shown throughout of N OF WORKS ength on top er of construction Timber, concrete, etc., number a	(Miles or feet) (Miles or feet) Tp. Tp. Tp. (Loose rock, c	(N. or S.) (M. or S.) (M. or S.) (M. or S.)

	feet; depth of wo	ite r	feet; grade .		feet fall per o
and feet. (b) At	<i>1</i>	niles from h	eadgate: width on top (at water	line)
	feet; width on bo	tto m	feet; de _l	pth of w	ıter fe
	feet fall	per one thou	sand feet.		
			•		in.; size at
		•			erence in elevation betwe
					Estimated capaci
	sec. ft.	,	g. a.a. a,		
8. Locatio	n of area to be ir	rigated, or pl	lace of use		
Township orth or South	Range S. or W. of Willemette Meridian	Section	Forty-acre Tract		Number Acres To Be Irrigated
25 S	// W	4	NW & NE	4	酒
~~			1	- /	
·					
	j				
_					
	 				
·				•	
				_	
(a) Ch	aracter of soil		required, attach separate sheet)		
	•				farm' crop
	na oj crops raisea g Purposes—	g.L.Cuss	ic wine gar	, ,	- Javina Cicije
`	-	ver to be der	eloped	•••••	theoretical horsepou
(b) Q1	uantity of water to	be used for	power	sec	.ft.
(c) To	tal fall to be utili	zed	(Head)	feet.	
					leveloped
	·				-
/-) G		78	05 South 921	Cast	of sec. 6
(e) Si	ich works to be lo	catea in	(Legal subdivision))	of Sec
(110. 11. 01	R. //	01 11.,			
(f) Is	water to be retur	ned to any s	tream?(Yes or No)		
(g) If	so, name stream	and locate p	oint of return	• • • • • • • • • • • • • • • • • • • •	
		Sec.	Tn		, R, W

10. (a) To supply the city of	
	opulation of
an estimated population of	·
(b) If for domestic use state number of far	nilies to be supplied
(Answer questions 11, 43, 12	, and 14 in all cases)
(1) Estimated cost of proposed works, \$	
(12) Construction work will begin on or before	~ .
(12) Construction work will be completed on on 1	31 197/
(13.) Construction work will be completed on or b	perfore gaine and an analysis of the second
14) The water will be completely applied to the p	roposed use on or before Julia 1
	Harriet Fechner
•	(Signature of applicant)
•••	,
Remarks:	
	:
······································	
ATT OF ORDIGON	:
ATE OF OREGON, ss.	:
County of Marion,	·
This is to certify that I have examined the for	
ps and data, and return the same for correction	and completion
In order to retain its priority, this application	must be returned to the State Engineer, with con
is on or before November 30th 19	,70
December 6	71
20+1	Sentember 70
WITNESS my hand this30th day of	September , 19 70 71

STATE ENGINEER STATE ENGINEERS OF LATTY NO DECOMPSER ASSISTANT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	TO EXISTING		•				
	right herein gra					• -	
	not exceed						
	its equivalent in						
	······································						
	use to which this						
	or irrigation, this						
second or	its equivalent for	each acre irrig	ated and	shall	be further	limited t	o a diver-
sion of	not to exce	ed 2½ acre	feet per	acre f	or each ac	re irrigat	ed during
the irr	igation seasc	on of each	year				
•				·····	***************************************	***************************************	
***************************************		***************************************					
•••••			••••••	-,			
•••••						•••••	
					,		
	be subject to such						
	priority date of t						
Act	ual construction	work shall beg	in on or be	efore	January	11, 1973	and shall
thereafter	be prosecuted w	oith reasonable	diligence (ind be con	npleted on or	before Octobe	r 1, 19.73.
	nplete application						
	INESS my hand				nuary		•
WI.	INESS my nana i	this	аау ој	·			\mathcal{D}_{α}
					and a		STATE ENGINEER
							,
	l	∥ <i>છ</i> ને	? II	:	i	. 2	: 1 .:
Ì		n th					CHRIS.L. WHEELER STATE ENGINEER
	PUBLIC	ed i		÷	,		STATE ENGIN
7 2	PU	sceiv alen	A. M.	1	Į,		TATE TATE
35574	HE ST	st re			197	7/4	
35574	RMIT LATE THE OF THE S	s fir	1 2		-	70. 355.74.	当一
No.	PERMIT OPRIATE THE RS OF THE OF OREGOI	t wa Ingil	o'clo	int:	}	N N	
tion No.	PE OPR OF	nent ate I	ga O	plico		, boo Je	IIS.
Application No.	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	e Sta	0 e	o ap		id in pag	Zasir
Apt Per		This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the Alst add of Actor M. M.	Returned to applicant: -	ved:	Recorded in book No. Permits on page 35	Drainage Basin No.
	٥ _٢	Thi ice o	The the	turn	Approved:	Rec	aina
		₩	ਫ਼ ਕ	Re ,	Ap	Pe	Drai