

*APPLICATION FOR PERMIT

CERTIFICATE NO. 46500

To Appropriate the Public Waters of the State of Oregon

I, Oregon State Game Commission
(Name of applicant)
of P. O. Box 3503, Portland 97208
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Cedar Creek
(Name of stream)
a tributary of Three Rivers

2. The amount of water which the applicant intends to apply to beneficial use is 8
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is fish rearing
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of 1,366' S 33° 05' W of NE corner, Section 24
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of NE 1/4 of Sec. 24, Tp. 4 S
(Give smallest legal subdivision) (N. or S.)

R. 10 W, W. M., in the county of Tillamook
(E. or W.)

5. The pipeline to be 115'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 NE 1/4 of Sec. 24, Tp. 4 S
(Smallest legal subdivision) (N. or S.)

R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate buried pipe
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 18,000

12. Construction work will begin on or before May 31, 1969

13. Construction work will be completed on or before December 31, 1969

14. The water will be completely applied to the proposed use on or before December 31, 1969

John W. McKean
(Signature of applicant)

Remarks: This appl. is for additional water for project described in appl. no. 45975

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

RECEIVED

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 8.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Cedar Creek

The use to which this water is to be applied is fish rearing

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 25, 1970

Actual construction work shall begin on or before January 18, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1973

Complete application of the water to the proposed use shall be made on or before October 1, 1974

WITNESS my hand this 18th day of January, 1972

Chris L. Wheeler
STATE ENGINEER

Application No. 47577

Permit No. 35621

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of September, 1970, at 2:56 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1972

Recorded in book No. of

Permits on page 35621

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. / page 166

Fees 32.00