

*APPLICATION FOR PERMIT

CERTIFICATE NO. 40737

To Appropriate the Public Waters of the State of Oregon

DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	I, James Shaw & Karma Shaw (H&X) (Name of applicant)
State of Aregon 21/2. The proposed public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is (State of the proposed appropriation is a stributary of Area of the proposed appropriation is (State of the proposed appropriation is a population of the under is to be applied is Income the proposed appropriation of the proposed appropriation is located (State of the proposed appropriation appropriation of the proposed appropriation appropriatio	of Rt. 3 Box 300 A Hillsboro
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The use to which the water is to be applied is 2. The use to which the water is to be applied is 3. The use to which the water is to be applied is 4. The point of diversion is located 4. The point of diversion is located 5. The state of	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is **3. The use to which the water is to be applied is **4. The point of diversion is located **5. The point of diversion is located **6. **6. **6. **3. The use to water has one point of diversion or subdivision) (If yesterable, give distance and bearing to section termer) (If there is more than one point of diversion, such must be described. Use apparise sheet if secessary) being within the (If there is more than one point of diversion, such must be described. Use apparise sheet if secessary) (If we make is such than one point of diversion or subdivision) (If we make is such than one point of diversion and bearing to section termer) (If there is more than one point of diversion and bearing to section termer) (If we want is such than one point of diversion or subdivision) (If we want is such than one point of diversion and bearing to section termer) (If there is more than one point of diversion and bearing to section termer) (If there is more than one point of diversion and bearing to section termer) (If there is more than one point of diversion and bearing to section termer) (If there is no bearing to the common of the section termer) (If there is no bearing to the common of the section termer) (If there is no bearing to the common of the section termer) (If there is no bearing to the common of the section termer) (If there is no bearing to the common of the section termer) (If there is no bearing to the common of the section termer) (If there is no bearing to the common of the section termer) (If there is no bearing to the common of the section termer) (If there	
1. The source of the proposed appropriation is	
a tributary of Creek 2. The amount of water which the applicant intends to apply to beneficial use is Colored to the second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Congress of the Colored to the Colo	2) the approach to a component, good and and process of the approach and an approach and approach approach and approach anot approach and approach and approach and approach and approach a
a tributary of Creek 2. The amount of water which the applicant intends to apply to beneficial use is Colored to the second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Congress of the Colored to the Colo	1. The source of the proposed appropriation is
2. The amount of water which the applicant intends to apply to beneficial use is	
**3. The use to which the water is to be applied is **Actually **Inc. **Local **Loca	
**3. The use to which the water is to be applied is **Actually **Inc. **Local **Loca	cubic feet per second.
4. The point of diversion is located ft. (Section of and ft. (Section corner) from the SE (Section corner) from the SE (Section of abdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE (Section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE (Section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE (Section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE (Section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) of Sec. BE (No of S.) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) of Sec. BE (Section corner) (If there is more than one point of diversion)	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	4. The point of diversion is located
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	(Section or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	
being within the (Give smallest legal subdivision) of Sec. (R. or S.) R. (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (R. or S.) R. (Smallest legal subdivision) of Sec. (R. or S.) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry or feet) Trimber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	(If preferable, give distance and bearing to section corner)
being within the (Give smallest legal subdivision) of Sec. (R. or S.) R. (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (R. or S.) R. (Smallest legal subdivision) of Sec. (R. or S.) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry or feet) Trimber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
R	,
(E. or W.) 5. The (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (Miles or feet) (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonary) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
in length, terminating in the	(E. or W.)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) (b) Description of headgate (c) If water is to be pumped give general description (Side and type of pump)	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	in length, terminating in the of Sec, Tp (N. or 8.)
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Les Init. Description (Size and type of pump)	R, W. M., the proposed location being shown throughout on the accompanying map.
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description [Size and type of pump)	
feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	↓
(b) Description of headgate	i
(b) Description of headgate	
(c) If water is to be pumped give general description	rock and brush, timber crib, etc., wasteway over or around dam)
(c) If water is to be pumped give general description	(b) Description of headgate
(Size and time of angles or mater to be used total head water in to be lifted sto.)	(c) If water is to be pumped give general description
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

				feet; width on botton
ousand feet.	feet; depth of 1	vater	feet; grade	feet fall per on
		miles from he	eadgate: width on top (at w	ater line)
	feet: width on b	oottom	feet: depth o	f water feet
				•
aae	feet fal	u per one thou	sana jeet.	
(c) Length	h of pipe,	ft.;	size at intake,	in.; size at f
om intake	in.,	; size at place o	of use in.;	difference in elevation betwee
take and place	of use	ft To	s arade uniform?	Estimated capacity
			grude uniformi.	200000000000000000000000000000000000000
8. Locatio	•	irrigated, or pl	ace of use	
	Range		<u>, </u>	
Township North or South	E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 K	2 W_	18	NW45W4	Domestie inc. L. ;
<u>, </u>				
		,		
				<u> </u>
			<u> </u>	
			·	
	<u> </u>	(If more space	required, attach separate sheet)	
(a) Ci	naracter of soil .	-		
oy K. Power or Minin		ea	!	
	•	oower to be der	peloned	theoretical horsepowe
•	-			
			power	. sec. ft.
(c) To	otal fall to be ut	ilized	(Read)	
			:	be developed
			······································	
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.
	, R			• ,
· .			tream?	•
			(Yes or No)	
(g) 1	so, name streat	m ana locate p		
		, Sec	, Тр(No. N. ог	, R, W. W. (No. E. or W.)

Control of the State of the Sta

10: (a) 10 dapping one city of			
			,
		,	***************************************
an estimated population of			
(b) If for domestic use state number	r of families to be su	pplied	one
(Answer question	ns 11, 42, 13, and 14 in all cases)		A M. Street
11. Estimated cost of proposed works, \$			
12. Construction work will begin on or be	`~		ala.
13. Construction work will be completed		-6-2-	
14. The water will be completely applied t	to the proposed use o	n or bejore .	
		00	
	gnes	(Signature of	applicant)
•		uma.	Shaw
Remarks:	•••••		
		•••••	
		:	#1, 1
		••••••	

	······		

TATE OF OREGON, Sss.			·
TATE OF OREGON, \\ ss. \\ County of Marion, \\ This is to certify that I have examined	the foregoing applic	ation, togeth	er with the accompany
TATE OF OREGON, Sss.	the foregoing applic	ation, togeth	er with the accompany
TATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined haps and data, and return the same for	the foregoing applic	ation, togeth	er with the accompany
TATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined haps and data, and return the same for	the foregoing applic	ation, togeth	er with the accompany
TATE OF OREGON, \\ ss. County of Marion, \\ This is to certify that I have examined haps and data, and return the same for	the foregoing application must be retur	ation, togeth	er with the accompany
TATE OF OREGON, \\ ss. County of Marion, \\ This is to certify that I have examined aps and data, and return the same for	the foregoing application must be retur	ation, togeth	er with the accompany
TATE OF OREGON, County of Marion, This is to certify that I have examined aps and data, and return the same for	the foregoing application must be returning, 19	ation, togeth	er with the accompany ate Engineer, with corr
TATE OF OREGON, \\ ss. County of Marion, \\ This is to certify that I have examined haps and data, and return the same for	the foregoing application must be returning, 19	ation, togeth	er with the accompany ate Engineer, with corr
TATE OF OREGON, County of Marion, This is to certify that I have examined haps and data, and return the same for	the foregoing application must be returning, 19	ation, togeth	er with the accompany ate Engineer, with corr
TATE OF OREGON, County of Marion, This is to certify that I have examined haps and data, and return the same for	the foregoing application must be returning, 19	ation, togeth	er with the accompany ate Engineer, with corr

Municipal or Domestic Supply-

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJEC'	T TO EXISTING	RIGHTS and the follo	wing lim	tations and	conditions:	
The	e right herein gra	nted is limited to the o	imount o	f water whi	ch can be applie	d to beneficial use
and shall	not exceed 0.	.01 cubic feet	per secon	d measured	at the point of	diversion from the
		case of rotation with				
			,			
The	e use to which thi	s water is to be applied	l is don	estic use	for one fami	ly including
the irr	rigation of law	m and garden not	to excee	ed ½ acre	in area	
If f	or irrigation, this	appropriation shall be	limited to	······································	oj	one cubic foot per
second or	its equivalent for	each acre irrigated		•••••••••••	••••••••••••	
•						

			*************	•••••••		
			••••••	***************************************		
				•••••	•••••	
••••••				••••••		
			•••••••	••••••	•••••	

and shall	be subject to such	reasonable rotation sy	jste m as 1	nay be orde	red by the prope	r state office r .
The	e priority date of t	his permit is	••••••	December	29, 1970	
Act	tual construction	work shall begin on or	before	Mar	ch 30, 1973	and shall
thereafter	r be prosecuted w	ith reasonable diligend	e and be	completed o	on or before Octo	ber 1, 1973.
Con	mplete application	of the water to the pr	oposed us	e shall be m	ade on or before	October 1, 19.74
WI	TNESS my hand t	this 30th day	of	March		72.
•				de	SCH	Te Ca
			;		•	STATE ENGINEER
	l I	<i>a</i> 2 ;	 I	i	; ,	
	υ	d in the Oregon,				62B/
9 0	UBLI TE	ived im, O			30	e e
3575	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	rece for or			972 357	WHEELER STATE '
35	RMIT IATE TH OF THE OREGON	first first			30, 1972 No.	₹ / V
No	PERMIT PRIATE THE SS OF THE DF OREGON	t was finginee	nt:		7 30 k No.	i
Application No Permit No	PE TOPR GRS OF	ment ate E	plica		March n book 1ge	CHRIS in No.
Application Permit No.	PI APPROPI WATERS OF	strun strun	to ap		M ed in n pag	CH Basin
A _I Pe	TO A	This instrument was first received office of the State Engineer at Salem, On the Andread and of Personness on the Andread of Personness of Per	Returned to applicant:	Approved:	March 30 Recorded in book No Permits on page	a di
	-	This office of the 1970,	Retu	Appr	R	Drait

State Printing 98137