*APPLICATION FOR PERMIT

CERTIFICATE NO. 44430

ASSIGNED, See Misc. Rec., Vol. 5 Page 254

To Appropriate the Public Waters of the State of Oregon

I, Da LEI Stewart (Name of applicant)
of Rt. 6 Bex 396 Lakeview, Oregon 97630 (Mailing address)
State ofOrogon , do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is an unnamed stream A(Nd Reservoir (Name of stream)) , a tributary of Goose Lake
, a tributary of Goose Lake
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 400 gal per min. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 80 ft. N and 2400 ft. West from the
corner of S. E. corner of section 33 Township 39 S Rangel9 E. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW ¹ SE ¹ of Sec. 33 , Tp. 39S (Give smallest legal subdivision)
R. 19E , W.M., in the county of Lake
5. The mile portable sprinklir pipe to be
in length, terminating in the of Sec, Tp, (Smallest legal subdivision) (N. or S.)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
Diversion Works—
6. (a) Height of dam 3 feet 4 incheseet, length on top 200 feet feet, length at bottom 206 feet; material to be used and character of construction dirt with spilway (Loose rock, concrete, masonry, around west end of dam with a 12" courigated steel pipe at the original
Diversion Works— 6. (a) Height of dam 3 feet is incheseet, length on top 200 feet feet, length at bottom 206 feet; material to be used and character of construction dirt with spilway (Loose rock, concrete, masonry, around west end of dam with a 12" courigated steel pipe at the original rock and brush, timber crib, etc., wasteway over or around dam) flowline of ground for drainage. (b) Description of headgate (Timber, concrete, etc., number and size of openings)
6. (a) Height of dam 3 feet is incheseet, length on top 200 feet feet, length at bottom 206 feet; material to be used and character of construction dirt with spilway (Loose rock, concrete, masonry, around west end of dam with a 12" courigated steel pipe at the original rock and brush, timber crib, etc., wasteway over or around dam) flowline of ground for drainage.
6. (a) Height of dam 3 feet 1 inchefeet, length on top 200 feet feet, length at bottom 206 feet; material to be used and character of construction dirt with spilway (Loose rock, concrete, masonry, around west end of dam with a 12" courigated steel pipe at the original rock and brush, timber crib, etc., wasteway over or around dam) flowline of ground for drainage. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Werthington elec pump

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

CAL.

4	eet: denth of an	ater	feet: arade	feet fall per o
usand feet.			•	
(b) At		miles from h	eadgate: width on top (at wo	iter line)
f	eet; width on bo	ottom	feet; depth o	f water fe
ıde	feet fall	per one thou	usand feet.	
(c) Length	of pipe, 3,600) ft.	; size at intake, 6	in.; size at 1900
				difference in elevation betwe
	_			
		jt.	Is grade uniform?	Estimated capaci
gal. per. m	sec. ft.	rianted or r	Nace of use Rt. 6 bex 396	Lakeview, Oregen
0. Document		—————	, ase	
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 9 S.	19 E	33	SW1, SE1	35.9 acres
39 S.	19 E.	33	NW ¹ , SE ¹	# 12.1 acres
				48.0
	,			•
· · ·		<u> </u>		- -
			sito.	
				<u> </u>
(a) Cha			ce required, attach separate sheet)	
•		d hay an	d Grain	
ower or Mining	-	aner to he de	eneloned.	theoretical horsepou
•				
		•	r power	. sec. ft.
(c) Tot	al fall to be util	ized	(Head)	
(d) The	e nature of the t	vorks by me	ans of which the power is to	be developed
			·	
(e) Su	ch works to be l	ocated in	t	of Sec
			•	•
	, R(No.)	•		
(f) Is 1	water to be retu	rned to any	stream?(Yes or No)	
(g) If	so, name stream	and locate	point of return	
		Saa	, <i>Tp.</i> (No. N. or	R . W
		, sec	A P	Clar = 40 11 11 17 1

F.

10. (a) To supply the city of		45/5 3
	nt population of	
and an estimated population of	in 19	1
(b) If for domestic use state number of	families to be supplie	ed
(Answer questions 11,	12, 13, and 14 in all cases)	·
11. Estimated cost of proposed works, \$6,000	•00	# 7 15 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
12. Construction work will begin on or befor		५,7 * 'अर्'
13. Construction work will be completed on		1970
14. The water will be completely applied to the	ie proposea use on or	оејоте
	l L	1+-+
	(8	Ignature of applicant)
	t	
Remarks:		
•		
		······································
	••••	
•		

		······································
STATE OF OREGON,)	:	
County of Marion,	: . ·	
This is to certify that I have examined the	foregoing application	, together with the accompany
maps and data, and return the same for Corre	. •	•
maps and data, and results the same jet minimum.		
To and an to nothing its majority, this applicant	on must be neturned t	o the State Project with corr
In order to retain its priority, this applicate		RECEIV
tions on or before — Pebruary 16th — April 26th —	., 19. 	STATE ENGIN
July 20th- October 26	-71 ; - 71	SALEM, OREC
WITTESS my hand this -16th day of	- December - February	, 19 70 -
ENGINEER 25th	- May - August	71
TOEFORK ON SULLYED		WHEELER
APR 1 2 1971 FEB 1 1 1971	1	STATE ENGINE
TE ENGINEER SALEM. OREGON	X him	IV/alman

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed0.89 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from unnamed stream and
reservoir to be constructed under application No. R-47950, permit No. R-5771
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to1/40 of one cubic foot per
second or its equivalent for each acre irrigated from direct flow and shall be further limited
to a diversion of not to exceed 21 acre feet per acre for each acre irrigated during
the irrigation season of each year from direct flow and storage from the reservoir
to be constructed under permit No. R-5771
•
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is
Actual construction work shall begin on or before March 30, 1973 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.73
Complete application of the water to the proposed use shall be made on or before October 1, 19.74
WITNESS my hand this 30th day of March , 1972
•

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

PERMIT

OF OREGON

Application No. ...9223./

٩

Permit No.

office of the State Engineer at Salem, Oregon,

on the 1.9.44.. day of Marierasta

O.M.

1970, at 1.000 o'clock

Returned to applicant:

Approved:

State Printing 98137

13 page 2.6E

Drainage Basin No.

Fees -22 73

CHRIS L. WHEELER STATE ENGINEER

Recorded in book No.

Permits on page ...