

To appropriate the Public Waters of the State of Oregon

I, Hattie Beaudoin, Clarence Ways, and Leo Goebel, (a group)
(Name of applicant)
of Wallowa Lake Joseph
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wallowa Lake ~~#####~~, fed by
(Name of stream)
Wallowa River, a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 0.11
cubic feet per second. 0.05 cfs for irrigation, and 0.03 cfs for domestic
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, and irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Bears S 25°22' E 7752.8 ft.
4. The point of diversion is located ft. and ft. from the NW
(N. or S.) (E. or W.)
corner of Section 32, T 2 S., R 45 E.W.M. which is the initial point of
(Section or subdivision)
Wahluna Terrace is referred to.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 3, # of Sec. 5, Tp. 3 S.,
(Give smallest legal subdivision) (N. or S.)
R. 45 E., W. M., in the county of Wallowa
(E. or W.)

5. The Pipe line to be 1100 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in Lot 8 of lot 4, NE 1/4 NW 1/4 of Sec. 5, Tp. 3 S.,
(Smallest legal subdivision) (N. or S.)
R. 45 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet;
material to be used and character of construction Concrete pump house
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete pump house
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Two (2) Jacuzzi Model 3JY5 pumps
(Size and type of pump)
3 hp. electric with 2400 g.p.h. capacity each at 80 lb. working pressure
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
and 1 1/4" discharge. Line 1 pump services pressure tank and is used for domestic and irrigation for lots 5,6,7,8. Line 2 pump is used exclusively for underground sprinkler system for Lot 5

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

35855

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1100 ft. ft.; size at intake, 1 1/2" in.; size at 250 ft. ft. from intake 1 1/4" in.; size at place of use 1 1/4" in.; difference in elevation between intake and place of use, 50 ft ft. Is grade uniform? Yes Estimated capacity, 0.11 sec. ft.

8. Location of area to be irrigated, or place of use Lots 5,6,7,8, NW 1/4 NE 1/4, NE 1/4 NW 1/4 Sec. 5 T 3 S, R 45 E

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 3 S.	R 45 E.	5	Lot 3 NW 1/4 NE 1/4	2.759 acres - Dom
T 3 S.	R 45 E.	5	Lot 4 NE 1/4 NW 1/4	.965 acres - Dom
				3.724

(If more space required, attach separate sheet)

(a) Character of soil sandy loam

(b) Kind of crops raised lawn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied three families.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 2500.00.....

12. Construction work will begin on or before Is completed.....

13. Construction work will be completed on or before Is completed.....

14. The water will be completely applied to the proposed use on or before Has been applied.....

✓ Leo R. Gebel

✓ Nettie Beaudoin

(Signature of applicant)

✓ Clarence T. Way, Jr.

Remarks: When water is being used heavily from line 1 for lots 6, 7, and 8
line 2 is used exclusively for underground sprinkler system for lot 5.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Wallowa Lake

The use to which this water is to be applied is domestic use for three families and irrigation being 0.01 cfs for domestic use and 0.05 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 4, 1971

Actual construction work shall begin on or before June 27, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974.

Complete application of the water to the proposed use shall be made on or before October 1, 1975.

WITNESS my hand this 27th day of June, 1972.

Chris L. Wheeler
STATE ENGINEER

Application No. 47837
Permit No. 35855

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of November, 1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 27, 1972
Recorded in book No. 35855 of
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. page
Fees \$30.00
Refund \$50.00