

RECEIVED
JAN 21 1971

Permit No. 35885
CERTIFICATE NO. 41831

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George R. and Leona V. Drost
(Name of applicant)
of 1557 SW Taylor Street, Corvallis, Oregon 97330
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring
(Name of stream)
a tributary of Powell - Beaver Creeks - Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is .01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Including irrigation of up to 1/2 acre of garden and lawn

4. The point of diversion is located 510 ft North and 1120 ft West from the SE
(N. or S.) (E. or W.)
corner of Section 3 -
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 of SE 1/4 of Sec. 3, Tp. 13 S.
(Give smallest legal subdivision) (N. or S.)

R. 6 W., W. M., in the county of Benton
(E. or W.)

5. The pipe to be 20 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 of SE 1/4 of Sec. 3, Tp. 13 S.
(Smallest legal subdivision) (N. or S.)

R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/2 horsepower centrifical
home system
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 20 ft.; size at intake, 3/4 in.; size at 20 ft. from intake 3/4 in.; size at place of use same in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? yes Estimated capacity, .01 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	6 W	3	SE ¹ / ₄ of SE ¹ / ₄	Domestic, including up to 1/2 ac. garden and lawn

(If more space required, attach separate sheet)

(a) Character of soil Melbourne

(b) Kind of crops raised Garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before has been used many years

14. The water will be completely applied to the proposed use on or before has been applied
and will continue to be used.

George P. Shurt
(Signature of applicant)
Leonard V. Drost

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 8th, 19 71

WITNESS my hand this 8th day of February, 19 71

RECEIVED
FEB 16 1971
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
Larry W. Jebousek
ASSISTANT
Larry W. Jebousek

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is domestic use for one family including the irrigation of lawn and garden not to exceed 1/2 acre in area

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 21, 1971

Actual construction work shall begin on or before June 27, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974.

Complete application of the water to the proposed use shall be made on or before October 1, 1975.

WITNESS my hand this 27th day of June, 1972

Chris L. Wheeler
STATE ENGINEER

Application No. 47890
Permit No. 35885

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of January, 1971, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

June 27, 1972
Recorded in book No. 35885 of
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 221
Fees \$500