*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

| | Jahn. | | | |
|--|---|--|--|--|
| ofR+ | 1 Box 123/ | A New | berg | |
| | | | | n for a permit to a ppropriate |
| | | | | EXISTING RIGHTS: |
| | • | | | |
| If the ap | plicant is a corporat | tion, give date and | l place of incorporati | on |
| 1. The s | source of the propose | d appropriation is | 2- Sprin | 7. 5 being an unn |
| 1. The s | f shall s | - 4miles | utary of | (Name of stream) |
| | | | | |
| 2. The a | imount of water whic | ch the applicant ir | ntends to apply to be | reficial use is |
| cubic feet per s | second. from | each zon | , of from more than one source, | elve quantity from each |
| **3. The 1 | use to which the wate | er is to be applied | To Dames Lic | give quantity from each) 19.0 (I.S.) GG (-1.0 m |
| / | . / / | 1_100 | (Irrigation, power, mi | ning, manufacturing, domestic supplies, et |
| (See rener | w. 1 4 (70-de | Sacris - | 10 0 1200 | ning, manufacturing, obmestic supplies, et |
| 4. The p | point of diversion is | located 660 | ft. North and 20 | 60ft. Eost from the 5. |
| corner of | Section. | 31, being | willing Has S | E45W4 Sec. 31 |
| _ | | (20 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| | | | • | F from Haz 5 X |
| COTALL | as 500 7/ | / / / | | |
| | | , | Soci Hay The S | WESWE of Sec |
| water from the Access | | | Sold How I have I have I | wife Wife af Sea |
| | | | and bearing to section corner) | wif Suig af Sea |
| | | preferable, give distance | and bearing to section corner) | e sheet if necessary) |
| | (If there is more than one the SET | preferable, give distance point of diversion, each z | and bearing to section corner) must be described. Use separat | e sheet if necessary) 3/, Tp |
| being within th | (If there is more than one the SC (Give si | preferable, give distance point of diversion, each r MES) mallest legal subdivision) | and bearing to section corner) must be described. Use separat | sheet if necessary) Tp. 25 (N. or S.) |
| being within th | (If there is more than one the Set (Give so, W. M., in the count | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate of Sec | sheet if necessary) 3/, Tp |
| being within th | (If there is more than one the Set (Give so, W. M., in the count | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate of Sec | sheet if necessary) Tp. 25 (N. or S.) |
| being within th R. 2() (E. or W.) 5. The | (If there is more than one the SET) (Give so, W. M., in the count | preferable, give distance point of diversion, each r (Sall M & S) mallest legal subdivision) (y of | and bearing to section corner) must be described. Use separate # 5 1 4 of Sec to be | a sheet if necessary) 3/ |
| being within th R | (If there is more than one the Set (Give si, W. M., in the count (Main de minating in the | point of diversion, each results (See Section 1997) The section of diversion, each results (See Section 1997) The section of diversion, each results (Section 1997) The section of diversion (Secti | and bearing to section corner) must be described. Use separate of Sec | sheet if necessary) 3/, Tp |
| being within th R | (If there is more than one the Set (Give si, W. M., in the count (Main de minating in the | preferable, give distance point of diversion, each r Sw/M & S) mallest legal subdivision) ty of | and bearing to section corner) must be described. Use separate of Sec | sheet if necessary) Tp |
| being within the R | (If there is more than one the Set (Give so, W. M., in the count (Main 6) ninating in the | preferable, give distance point of diversion, each r Sw/M & S) mallest legal subdivision) ty of | and bearing to section corner) must be described. Use separate of Sec | sheet if necessary) Tp |
| being within the R | (If there is more than one the SCT) (Give so, W. M., in the count | preferable, give distance point of diversion, each r (S (M & S) mallest legal subdivision) ity of | and bearing to section corner) must be described. Use separate of Sec | (Miles or feet) Tp(N. or S.) (Miles or feet) (N. or S.) |
| being within the R | (If there is more than one the Set Give so (Give so, W. M., in the count minating in the | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate of Sec. to be of Sec. ision) cing shown throughout ON OF WORKS | (Miles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) |
| being within the R | (If there is more than one the Set Give so (Give so, W. M., in the count minating in the | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate of Sec. to be of Sec. ision) cing shown throughout ON OF WORKS | (Miles or feet) Tp(N. or S.) (Miles or feet) (N. or S.) |
| being within the R | (If there is more than one the | preferable, give distance point of diversion, each r (Sal'MES) mallest legal subdivision) ty of | and bearing to section corner) must be described. Use separate of Sec. to be of Sec. ision) cing shown throughout ON OF WORKS | (Miles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) |
| being within the R | (If there is more than one the SCT (Give so, W. M., in the count minating in the | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate of Sec. conhill to be of Sec. ision) cing shown throughout ON OF WORKS length on top construction. | (Miles or feet) (Miles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) |
| being within the R | (If there is more than one the SCT (Give so, W. M., in the count minating in the | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate of Sec. conhill to be of Sec. ision) cing shown throughout ON OF WORKS length on top construction. | (Miles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) |
| being within the R | (If there is more than one the SCT (Give so, W. M., in the count minating in the | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate of Sec. conhill to be of Sec. ision) cing shown throughout ON OF WORKS length on top construction. | (Miles or feet) (Miles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) |
| being within the R | (If there is more than one the | preferable, give distance point of diversion, each r (Salle (A) E S) mallest legal subdivision) ty of | and bearing to section corner) must be described. Use separate in Sharp of Sec to be | (Miles or feet) (Miles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) |
| being within the R | (If there is more than one the SCT (Give so, W. M., in the count, W. M., in the count, W. M., the property of the section of headgate water is to be pumped to be section of headgate | preferable, give distance point of diversion, each r S | and bearing to section corner) must be described. Use separate in Sharp of Sec to be | (Miles or feet) (Miles or feet) (N. or S.) (N. or S.) |

The state of the s

A different form of application is provided where storage works are contemplated.
 Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the oelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Educated.

| | facts double of a | · | foot: amada | fact fall nor one |
|--------------|---------------------------------------|--------------------|-------------------------------|-------------------------------|
| nd feet. | | | | feet fall per one |
| (b) At | | miles from head | gate: width on top (at wat | er line) |
| | . feet; width on b | ottom | feet; depth of | water feet; |
| | feet fal | per one thousan | d feet. | 9.0 |
| (c) Lengi | th of pipe, 200 |) ft.; siz | e at intake, | in.; size at |
| ntake | in.; | size at place of u | se in.; di | fference in elevation between |
| and place | e of use, 10'7 | 2. 15* ft. Is g | rade uniform? YES | Estimated capacity, |
| | sec. ft. | • | | • |
| 8. Locati | on of area to be i | rrigated, or place | of use | |
| ownship | Range S. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| 25 | RZW | 3/ | . SEtsw14 | V. Acre Gar |
| | | , | | AND DEMESTIC |
| | | // 5 | 1 1 | |
| | | CI II C | ing serves above | |
| | | SKELTON JON | | Domestic & Stock |
| . 5 | ZW_ | 3/ | 5W9 5W4 | 142 2,86, |
| | | · | | · · · |
| | | . , . | | <u> </u> |
| | | in i | | |
| | | | · · · | |
| · | | | | |
| | • | | | |
| | | | | 1. |
| (a) C | haracter of soil | | uired, atlach separate sheet) | |
| (b) E | Sind of crops raise | d | | |
| | ng Purposes— | , | | |
| 9. (a) T | Total amount of p | ower to be develo | pped | theoretical horsepower. |
| (b) (| Quantity of water | to be used for pos | wers | sec. ft. |
| (c) T | otal fall to be uti | lized | (Head) | • |
| | | | : | e developed |
| • | | | | |
| | • | | | of Sec. |
| | | | (Legal subdivision) | |
| | , R. (No. | | | |
| | is water to be reti | | (Yes or No) | |
| (g) 1 | if so, name stream | n and locate poin | t of return | |
| | | Sec. | Ťp | , R, W. M |

| 10. (a) To supply the city of | * | ************************ | 3393 4 |
|--|---------------------------------------|---|---------------------------|
| | | | |
| (Name of) and an estimated population of | | : | |
| | | • | |
| (b) If for domestic use state numb | er of families to be supplied | | |
| (Answer quest | ions 11, 43, 13, and 14 in all cases) | ç; | |
| 111. Estimated cost of proposed works, \$ | •••••• | | |
| 12. Construction work will begin on or | before | Morch | 1971 |
| 13. Construction work will be completed | | | 1973 |
| 14. The water will be completely applied | to the proposed use on or be | fore | 1974 |
| | John Thos | ture of applicant) | |
| Remarks: Item # 3 (conta) | | , | |
| | | | |
| 0.005 afa from Ske | - | | |
| family sacheding use | at skop. and | Da OD 5 for | r stock |
| 100 use at Borns, Chic | | | |
| use from Skelton So | rung to also includ | k seriganska | inf |
| Laver & Combon real | exceeding 1/2 ac | r.c., | |
| · · · · · · · · · · · · · · · · · · · | | •••••• | ******************* |
| | | | |
| | | *************************************** | • |
| | · | **************** | *********** |
| | | | |
| | • | *************************************** | |
| | | ************************* | ***************** |
| | · | *************************************** | ************************ |
| | | | |
| | | | |
| STATE OF OREGON, ss. | | | |
| County of Marion, | • | • | |
| This is to certify that I have examined | d the foregoing application, to | gether with the | e accompanyi |
| maps and data, and return the same for | Completion | ······································ | |
| | | ••••• | ••••• |
| In order to retain its priority, this app | olication must be returned to t | he State Engine | er, with corre |
| tions on or before May 10th August 4th | , 19 71 | | |
| Assess to the later | 71 | | |
| August 7th | | | • |
| | Manah | | -21 |
| WITNESS my hand this 4th day | ofJune | | , 19 .71 71 |
| | | · · · · · · · · · · · · · · · · · · · | , 19 71 |
| WITNESS my hand this 4th day AUG | June EIVE 1971 | | , 19 71 71 |
| WITNESS my hand this 4th day RECEIVED STATE | June EIVE 1971 | L. WHEELER | , 19 71 71 |

Municipal or Domestic Supply—

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

| | | nted is limited to the ar | | | | |
|------------------|---|--|---|---|--|---|
| | | case of rotation with o | | | | |
| elton | Spring | | | | | |
| | | | | | ••••• | |
| ing 0. | Ol cfs for dor | s water is to be applied and garden not to mestic use from unnumber stock from Skelton | amed spri | ic use for t acre in are ng and 0.005 | wo famili a, shop a cfs for | es including nd stock, domestic and |
| 74.4 | m innigation this | | | | | |
| | | appropriation shall be li | | | | |
| ona or | its equivalent jor | each acre irrigated | | | ••••• | • |
| | | | | •••••• | | |
| •••••• | | | *************************************** | | | |
| | | | ••••• | | | |
| | | | •••• | | | · · · · · · · · · · · · · · · · · · · |
| | | | | | ••••• | |
| | | | | •••••• | ••••• | |
| | | (7) | | ••••• | | |
| | | | | | ······································ | ······ |
| d shall | be subject to such | reasonable rotation sys | | | | |
| The | priority date of t | Februar his permit is August | y 12, 197 2, 1971 f | l for the un or Skelton S | named spr pring | ing, and |
| | | work shall begin on or | | | | and shall |
| | | ith reasonable diligence | | | | er 1, 19. 74 |
| | | of the water to the pro | | | | |
| | | his 19th day o | | uly | 19.72 | |
| | iness my nama (| in aug | | | | Can |
| | | • | | | | STATE ENGINEER |
| | X : \$60 | 1.5 3 × 1.5€ | and the second second | Secretary of the second | • | |
| | | the yon, | ; | | £ . | 5 2 |
| | LIC | d in Ore | : | | ₹ . | era engineer page ZbRII |
| 3 | E PUB | rst received r at Salem, O Exbruary | 1 . | | 35954 | <u> </u> |
| 35954 | HE THE ST | at So | | 1972 | ဗ္ဗ | WHEELER STA |
| Permit No. 35954 | ERMIT VIATE TH OF THE | s fir neer E | | : | | |
| | PERMI PPRIATE ' RS OF TH | t wa Engi | ant: | July 19, | ok N | S L. |
| No. | PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON | This instrument was first received in the ffice of the State Engineer at Salem, Oregon, n the 134 day of Exbrusary. 9.7.1., at 2.0.0.0'clock. | eturned to applicant: | Lut. | Recorded in book No mits on page | CHRIS Basin No. |
| Permit No. | APPI | he S | to 01 | ند | Recorded in b ermits on page | Ba y |
| Pe | T OT | his ii e of t | rned | pproved: | ecor. iits c | e g |
| | | of the state of th | etu | ıdd | R | 1 1 1 1 1 1 1 1 1 1 |