

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 400.00

12. Construction work will begin on or before 10-1-71

13. Construction work will be completed on or before 10-1-72

14. The water will be completely applied to the proposed use on or before 10-1-71

Robert L. Hall

(Signature of applicant)

Remarks: # 7 - L.D. Filed with permit # 28289

The diversion point on this application is the same one used on two other water permits. Robert Hall and Stewart L. Hall

I will be using the same water line to supply water to reservoir then will use 1" plastic pipe to irrigate the 4.5 acres

Also the the same water line will supply the water for use of the stock water in Sec. 18

Amount of Stock 30 hd. Cattle
50 hd. Sheep

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 26th, 19 71

WITNESS my hand this 26th day of March, 19 71.

RECEIVED
APR 21 1971
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

Larry W. Joubousek
LARRY W. JOUBOUSEK
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Melton Creek

The use to which this water is to be applied is stock use and irrigation being 0.01 cfs for stock use and 0.06 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 17, 1971

Actual construction work shall begin on or before August 1, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975.

WITNESS my hand this 1st day of August, 1972

Chris L. Wheeler
STATE ENGINEER

Application No. 18052
Permit No. 36031

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of March, 1971, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 1, 1972

Recorded in book No. of

Permits on page 36031

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 16

Fees: 30.00