

RECEIVED
MAR 15 1971

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

Permit No. 35047

CERTIFICATE NO. 53087

To appropriate the Public Waters of the State of Oregon

I, Chamberlin Ditch Company (also known as Chamberlain)

(Name of applicant)

of Wallowa

(Mailing address)

State of Oregon

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wallowa River

(Name of stream)

, a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is ~~1180~~ 1/40

cubic feet per second. per acre

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3378.9 ft. N 66° ~~used~~ 11' E from the SW

(N. or S.)

(E. or W.)

corner of Section 11, T. 1S., R. 43E., W. 1M.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 11, Tp. 1S.

(Give smallest legal subdivision)

(N. or S.)

R. 43E., W. M., in the county of Wallowa

(E. or W.)

5. The Main Canal to be 12,300 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SW 1/4 NW 1/4 of Sec. 10, Tp. 1S.

(Smallest legal subdivision)

(N. or S.)

R. 43E., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

36047

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use See attached list

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam, Gravel underlay

(b) Kind of crops raised Hay, Grain and Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 48044 Permit No. 36047

CHAMBERLIN DITCH COMPANY

Water Right Summary

Township	Range	Section	Forty-acre Tract	Number Acres TO Be Irrigated	
				* Primary	Supplementary
1N	42E	4	SE ₄ SE ₄		10
1N	42E	4	SW ₄ SE ₄		5
1N	42E	4	SE ₄ SW ₄		25
1N	42E	4	SW ₄ SW ₄		38
1N	42E	5	SE ₄ SE ₄		20
1N	42E	5	NE ₄ SE ₄	7	14.5
1N	42E	5	NW ₄ SE ₄		10
1N	42E	8	NE ₄ NE ₄		4
1N	42E	9	NE ₄ SW ₄		23
1N	42E	9	NW ₄ NW ₄		40
1N	42E	9	NE ₄ NW ₄		40
1N	42E	9	SW ₄ NW ₄		34
1N	42E	9	SE ₄ NW ₄		40
1N	42E	9	NW ₄ NE ₄	38	2
1N	42E	9	NE ₄ NE ₄		25
1N	42E	9	SW ₄ NE ₄		40
1N	42E	9	SE ₄ NE ₄		40
1N	42E	9	SE ₄ SW ₄		9
1N	42E	9	NW ₄ SE ₄		40
1N	42E	9	NE ₄ SE ₄		40
1N	42E	9	SW ₄ SE ₄		40
1N	42E	9	SE ₄ SE ₄		40
1N	42E	10	NW ₄ NW ₄	6	17
1N	42E	10	NE ₄ NW ₄		3
1N	42E	10	SW ₄ NW ₄		40
1N	42E	10	SE ₄ NW ₄		40
1N	42E	10	NW ₄ NE ₄		5.5
1N	42E	10	NE ₄ NE ₄	5	50
1N	42E	10	SW ₄ NE ₄		32
1N	42E	10	SE ₄ NE ₄		38
1N	42E	10	NW ₄ SW ₄		40
1N	42E	10	NE ₄ SW ₄	3.5	36
1N	42E	10	SW ₄ SW ₄		40
1N	42E	10	SE ₄ SW ₄	20	20
1N	42E	10	NW ₄ SE ₄		40
1N	42E	10	NE ₄ SE ₄	17.5	20
1N	42E	10	SW ₄ SE ₄	5	35
1N	42E	10	SE ₄ SE ₄	12.5	27.5
				9.0	

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated	
				Primary	Supplementary
1N	42E	11	SW ₁ NW ₁		12
1N	42E	11	NW ₁ SW ₁	15	10
1N	42E	11	SW ₁ SW ₁		29.98
1N	42E	14	NW ₁ NW ₁	51.5	37.245 33.5
1N	42E	14	SW ₁ NW ₁		31 35.25
1N	42E	14	NW ₁ SW ₁		20
1N	42E	14	SE ₁ NW ₁	13	
1N	42E	15	NW ₁ NW ₁		40
1N	42E	15	NE ₁ NW ₁		39
1N	42E	15	SW ₁ NW ₁		40
1N	42E	15	SE ₁ NW ₁		40
1N	42E	15	NW ₁ SW ₁		40
1N	42E	15	NE ₁ SW ₁		40
1N	42E	15	NW ₁ NE ₁	6	32.5
1N	42E	15	NE ₁ NE ₁		39.83
1N	42E	15	SW ₁ NE ₁	15.6	22.4
1N	42E	15	SE ₁ NE ₁		40
1N	42E	15	NW ₁ SE ₁	2.6	5 2.4
1N	42E	16	NE ₁ NE ₁		40
1N	42E	16	NW ₁ NE ₁		30.5
1N	42E	16	SE ₁ NE ₁		37.5
1N	42E	16	SW ₁ NE ₁		4
1N	42E	16	NE ₁ SE ₁		20
1N	42E	16	SE ₁ SE ₁		8.4

Totals

159.10	1676.21
161.70	1673.61
168.7	1673.01
159.7	1661.16
	1675.76

13-5.46

308

Water will be carried in Lostine River to the point of Diversion of the
Clear Water Ditch, then carried to a point on the Chamberlin Ditch where
it will be distributed to the various users.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of' in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 180,000.00

12. Construction work will begin on or before Has started as of Oct. 17, 1970

13. Construction work will be completed on or before Sept. 30, 1973

14. The water will be completely applied to the proposed use on or before Oct. 1, 1973

Oru Mahanna
Glenn W. Oatkins
San Francisco

Chambelin Hetch Co
(Signature of applicant)
by James E. Henderson director

Remarks: This appropriation shall not exceed 1-1/2 acre feet per acre during any thirty-day period from May 1, to July 31, and there-after shall not exceed one acre foot per acre for the remainder of the irrigation season ending Oct. 1 of each year, and the total quantity allowed under this and any other right for these lands described herein shall not at any time exceed the quantity of water allowed herein.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~correction and completion~~ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~June 21,~~ 19 ~~71~~
~~March 14~~ ~~72~~
~~July 14~~ ~~72~~

RECEIVED
JUL 7 1972
STATE ENGINEER
SALEM, OREGON

WITNESS my hand this ~~21st~~ day of ~~April~~, 19 ~~71~~
~~14th~~ ~~January~~ ~~72~~
~~15th~~ ~~May~~ ~~72~~

CHRIS L. WHEELER
STATE ENGINEER

By *Larry W. Gebousek*
Larry W. Gebousek ASSISTANT

RECEIVED
MAR 14 1972
STATE ENGINEER
SALEM, OREGON

RECEIVED
AUG 18 1971
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 45.9 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Wallowa River

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 18, 1971

Actual construction work shall begin on or before August 11, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 11th day of August, 1972

Chris L. Wheeler
STATE ENGINEER

Application No. 483-1A
Permit No. 36047

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of March 1971, at 11:30 o'clock A. M.

Returned to applicant:

Approved:

August 11, 1972
Recorded in book No. 36047
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 30B
Fees 83.17
Start 91