

RECEIVED
JUN 15 1970

APR 12 1972
STATE ENGINEER
SALEM OREGON

Permit No. 35
CERTIFICATE NO. 41901

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. J. Ramsland and A. Maxine Ramsland
(Name of applicant)
of Rt. 2 Box 219 Cloverdale
(Mailing address),

State of Oregon 97112, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed Spring
(Name of stream), a tributary of Big Nestucca River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
cubic feet per second, being 0.01 for dom. and 0.01 for stock and dairy
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, Stock and Dairy Facilities
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 235 ft. S and 875 ft. E from the N $\frac{1}{4}$
(N. or S.) (E. or W.)
corner of Section 23 T4S, R10 W1W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 23, Tp. 4S
(Give smallest legal subdivision) (N. or S.)
R. 10 W, W. M., in the county of Tillamook
(E. or W.)

5. The Pipeline to be 1643.2 Ft
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 23, Tp. 4S
(Smallest legal subdivision) (N. or S.)
R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Spring Development 3' high building blocks
(Timber, concrete, etc., number and size of openings)
retaining wall 8' across front filled with crushed rock

(c) If water is to be pumped give general description Gravity System
(Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.⁰⁰.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

Completed

[Signature]
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use for one family and stock and dairy facilities, being 0.005 cfs for domestic use and 0.01 cfs for stock and dairy facilities

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 12, 1972

Actual construction work shall begin on or before October 20, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974

Complete application of the water to the proposed use shall be made on or before October 1, 1975

WITNESS my hand this 20th day of October, 1972

[Signature]

STATE ENGINEER

Application No. 49156
Permit No. 36095

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15th day of June
1972, at 8:00 o'clock A. M.

Returned to applicant: _____

Approved: _____

October 20, 1972

Recorded in book No. _____ of
36095
Permits on page _____

CARIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 16H
Fees 25.00
Rel. 1 70.00