

*APPLICATION FOR PERMIT

ASSIGNED. See Misc. Rec., Vol. 6 Page 361

To appropriate the Public Waters of the State of Oregon

CERTIFICATE NO. 44231

I, Millard Joseph McDonald (Name of applicant) of 4512 Delaney Road, S.E. (Mailing address), Salem (City), State of Oregon, 97302 (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is ~~Unnamed stream~~ Joe McDonald #1 Pond (Name of stream), a tributary of Mill Crk.

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second 3.1 a.f. Stored Water (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Fish Culture (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2200 ft. N and 200 ft. E from the S.W. corner of S. 29, T 8 S R 2 W (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW/4SW/4 of Sec. 29, Tp. 8S, R. 2W, W. M., in the county of Marion

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$3040.00

Permit Approval State Engineers 9-1-72

12. Construction work will begin on or before Commitment State Dept. Veterans' Affairs.

13. Construction work will be completed on or before 9-1-73

14. The water will be completely applied to the proposed use on or before Completion

Miller J. McDaniel
(Signature of applicant)

Remarks:

This a sump length is 90'x240' and is 8.0' depth with a 15"x15' concrete pipe for outlet.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 16, 1972.

WITNESS my hand this 17th day of August, 1972.

CHRIS L. WHEELER
STATE ENGINEER

By Thomas E. Shook ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.1 ~~cubic feet per second~~ ^{acre feet stored water only} measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Joe McDonald #1 Pond to be constructed under application No. R-49584, permit No. R-5846

The use to which this water is to be applied is fish culture

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 14, 1972

Actual construction work shall begin on or before October 27, 1973 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974.

Complete application of the water to the proposed use shall be made on or before October 1, 1975.

WITNESS my hand this 27th day of October, 1972.

Chris L. Wheeler
STATE ENGINEER

Application No. 42585
Permit No. 36099

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14 day of August, 1972, at 01:32 o'clock A.M.

Returned to applicant:

Approved:

October 27, 1972

Recorded in book No. _____ of 36099 Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 76B16

Fees 25