

RECEIVED

NOV 17 1971

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 44386

STATE ENGINEER  
SALIM

To appropriate the Public Waters of the State of Oregon

I, OREGON STATE GAME COMMISSION

(Name of applicant)

P. O. BOX 3503, Portland

(Mailing address)

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Metolius River

(Name of stream)

TRIBUTARY OF

Deschutes River, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 2.0

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is fish rearing

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 125 ft. N and 880 ft. E from the

(N. or S.)

(E. or W.)

SW -

corner of Section 14, Township 12 South, Range 9 East, W.M.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SW 1/4 of Sec. 14, Tp. 12S,

(Give smallest legal subdivision)

(N. or S.)

R. 9E, W.M., in the county of Jefferson

(E. or W.)

5. The pipeline to be 600 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SW 1/4 SW 1/4 of Sec. 14, Tp. 12S,

(Smallest legal subdivision)

(N. or S.)

R. 9E, W.M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description two 40HP and one 75HP Byron

(Size and type of pump)

Jackson single stage turbine electric motors, TDH = 50'

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300,000 .....

12. Construction work will begin on or before January 1, 1972 .....

13. Construction work will be completed on or before January 1, 1973 .....

14. The water will be completely applied to the proposed use on or before June 1, 1973 .....

Oregon State Council on  
Public Health  
(Signature of applicant) Acting Director

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 29, 1972.....

WITNESS my hand this 30<sup>th</sup> day of December, 1971.

RECEIVED

JAN 5 1972

STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

Wayne J. Overcash

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....20.0..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from .....Metolius River.....

The use to which this water is to be applied is .....fish hatchery.....

If for irrigation, this appropriation shall be limited to ..... of one cubic foot per second or its equivalent for each acre irrigated .....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is .....November 17, 1971.....

Actual construction work shall begin on or before .....November 7, 1973..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974..

Complete application of the water to the proposed use shall be made on or before October 1, 1975..

WITNESS my hand this .....7th..... day of .....November....., 1972.

*Chris L. Wheeler*  
STATE ENGINEER

Application No. 48854  
Permit No. 36102

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of November, 1971, at 8:00 o'clock A. M.

Returned to applicant:

Approved: .....  
November 7, 1972  
Recorded in book No. .... of  
Permits on page 36102

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 5 page 23  
Fees 63.00