

*APPLICATION FOR PERMIT

CERTIFICATE NO. 45379

ASSIGNED, See Misc. Rec., Vol. 6

To Appropriate the Public Waters of the State of Oregon

(City) (City)	I, David J. and Joan M. Evert	
College Coll	•	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Unnamed Creek. (Name of Steam) 2. The amount of water which the applicant intends to apply to beneficial use is 0.02 (If water is to be used from more than one source, give quantity from each) 3. The use to which the water is to be applied is Of 1 acre. 4. The point of diversion is located (No. or 8.) 4. The point of diversion is located (No. or 8.) Sec. 10, T36S, R1 W, W.M. (Rection or subdivision) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If the subject to be used from more than one source, give quantity from each) Domestic and Irrigation Of 1 acre. 2. The amount of water which the water is to be applied is Of 1 acre. 3. The use to which the water is to be applied is Of 2 acre. 4. The point of diversion is located (No. or 8.) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If the section of section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corne	(Mailing address)	(City)
1. The source of the proposed appropriation is		
1. The source of the proposed appropriation is	•	
A tributary of Rogue River 2. The amount of water which the applicant intends to apply to beneficial use is	If the applicant is a corporation, give date and pl	ace of incorporation
a tributary of Rogue River 2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is	Unnamed Creek
2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second 3. The use to which the water is to be applied is Domestic and Irrigation (crisation, power, mining, manufacturing, connectic supplies, etc.) 4. The point of diversion is located 3450 ft. (N. or s.) Sec. 10, T36S, R1LW, W.M. Sec. 10, T36S, R1LW, W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is nove than one point of diversion, each must be described. Use separate sheet if necessary) being within the (Crew.) (If we will not be used into the country of the coun	•	(Manie Of Stream)
The use to which the water is to be applied is Domestic and Irrigation (trigation, power, mining, manufacturing, dements supplied, st.) Of 1 acre. Leave of 1 acres		
3. The use to which the water is to be applied is of 1 acre. of 2 of 2 of 5 fer investigation, power, mining, manufacturing, omerate supplies, set. of 2 of 2 of 5 fer. of 2 of 2 of 5 of 5 of 5 of 5 of 5 of 5		
4. The point of diversion is located Sec. 10, T36S, R14W, W.M. Sec. 10, T36S, R14W, W.M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SENEX of Sec. , Tp. 36S. I.4W. (E or W.) W. M., in the county of Curry (E or W.) pipeline to be 1440 ft. (Main dich, canni or pipe line) in length, terminating in the SWANWA 11 (Smallest legal subdivision) (E or W.) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXXIII and character of construction Concrete, Rock & time (Loose rock, concrete, massen) (b) Description of headgate		
A. The point of diversion is located Sec. 10, T36S, R14W, W.M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SEANEA Of Sec. , Tp. 36S. (Give smallest legal subdivision) R. 14W. (E. or W.) pipeline to be 1440 ft. (Main ditch, quant of pipe line) SWANWA 11 (Main ditch, quant of pipe line) In length, terminating in the SWANWA 11 (Main ditch, quant of pipe line) Ithus. (Main ditch, quant of pipe line) SWANWA 11 (Main ditch, quant of pipe line) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XMAX length on top 12 feet, length at botto 10 feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	3. The use to which the water is to be applied is	Domestic and Irrigation
4. The point of diversion is located Sec. 10, T36S, R14W, W.M. Sec. 10, T36S, R14W, W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SEANES being within the (Give smallest legal subdivision) Curry (E. or W.) pipeline SWANN (Main ditch, count of pipe line) SWANN Ithus (Main ditch, count of pipe line) SWANN (E. or W.) (Basin ditch, count of pipe line) SWANN (E. or W.) (Basin ditch, count of pipe line) SWANN (E. or W.) (Basin ditch, count of pipe line) SWANN (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" SWANN DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" SWANN Country Cou	of 1 acre. being 0.0125 efs for innig	rution & 0.0075 c.f.s. for Domestic Lh. Oct. 16,191
(If there is more than one point of diversion, each must be described. Use separate thest if necessary) SEANEA being within the (Give smallest legal subdivision) R. 14W. (Give smallest legal subdivision) pipeline 5. The (Main ditch, canal of pipe line) in length, terminating in the (Smallest legal subdivision) R. (Smallest legal subdivision) pipeline for to be (Miles or feet) (Miles or feet) (N. or S.) A 14W. (Smallest legal subdivision) pipeline to be (Miles or feet) (N. or S.) R. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXXXIII ength on top 12 Xiel, length at bottom 10 feet; material to be used and character of construction Concrete; Rock & time (Loose rock, concrete, mason (Loose rock, concrete, mason (Loose rock, concrete, mason (b) Description of headgate	3450 4. The point of diversion is located ft.	N 124 W. SE
(If there is more than one point of diversion, each must be described. Use separate thest if necessary) SEANEA being within the (Give smallest legal subdivision) R. 14W. (Give smallest legal subdivision) pipeline 5. The (Main ditch, canal of pipe line) in length, terminating in the (Smallest legal subdivision) R. (Smallest legal subdivision) pipeline for to be (Miles or feet) (Miles or feet) (N. or S.) A 14W. (Smallest legal subdivision) pipeline to be (Miles or feet) (N. or S.) R. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXXXIII ength on top 12 Xiel, length at bottom 10 feet; material to be used and character of construction Concrete; Rock & time (Loose rock, concrete, mason (Loose rock, concrete, mason (Loose rock, concrete, mason (b) Description of headgate	corner of(Section	or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SEANE 10 SEANE 2 Of Sec. , Tp. 36S. (Give smallest legal subdivision) R		
5. The	SENEN being within the	of Sec. 10 To 35%.
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXX ength on top 12 feet, length at bottom 10 feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	(E. or W.)	1/di0 ft.
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXX ength on top 12 feet, length at bottom 10 feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	5. The (Main ditch, canal or pipe line)	(Miles or feet)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXX ength on top 12 feet, length at bottom 10 feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	in length, terminating in the	of Sec
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXX ength on top 12 feet, length at bottom 10 feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	(Smallest legal subdivision)	(N. or S.)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 18" XXXX length on top 12 feet, length at bottom 10 feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	(E. or W.)	shown throughout on the accompanying map.
6. (a) Height of dam 18" XXXX ength on top 12 Keek, length at bottom 10 feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, mason) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate		
feet; material to be used and character of construction Concrete, Rock & time (Loose rock, concrete, masons) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate		7
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	6. (a) Height of dam 18" XXXI eng	th on top12 feet, length at bottom
(b) Description of headgate	10 feet; material to be used and character	r of construction Concrete, Rock & timb
(b) Description of headgate	rock and brush, timber crib, etc., wasteway over or around dam)	·
(Timber, concrete, etc., number and size of openings)		
4" Pipe from Dam to 500 Gal. Tank	4" Pipe from Dam to 500 Gal. Tank	imber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description(Size and type of pump)	,	•
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Size and type of engine or motor to be used	d, total head water is to be lifted, etc.)

*A different form of application is provided where storage instructions, by addressing the State Engineer, Salem, Oregon \$7310.

			SOTUR
	10. (a) To supply the city of		
••••		it population of	· · · · · · · · · · · · · · · · · · ·
nd	an estimated population of	in 19	
u ,	(b) If for domestic use state number of	families to be supplied	4 ·
× .	(Answer questions 11,	12, 13, and 14 in all cases)	
	11. Estimated cost of proposed works, \$1	100.00	
	12. Construction work will begin on or before	, Nov. 1, 1972 🙃	
	13. Construction work will be completed on c	or before July 1, 19	73
	14. The water will be completely applied to the		
	This serves one for	(Signature of le	dir
	Remarks:		
••••	diversion is below the present		pplication 13930
	Permit 9987) approximately 50	feet.	••••••
	•		
•••••		•••••••••••••••••••••••••••••••••••••••	***************************************
	· · · · · · · · · · · · · · · · · · ·	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••
			•
••••		•••••••••••••••••••••••••••••••••••••••	
•••••			
		·	·
		·	·
		·	
		•	
		•	
		•	
	ATE OF OREGON,) ss.	•	
	ATE OF OREGON, Ss. County of Marion,		
ST2	ATE OF OREGON,) ss.		
	ATE OF OREGON, Ss. County of Marion,	foregoing application, together	r with the accompanying
	ATE OF OREGON, and a state of the state of t	foregoing application, together	r with the accompanying
	ATE OF OREGON, and a state of the state of t	foregoing application, together	r with the accompanying
maj	ATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined the ps and data, and return the same for	foregoing application, together cation must be returned to t	r with the accompanying
maj	ATE OF OREGON, Ss. County of Marion, This is to certify that I have examined the ps and data, and return the same for	foregoing application, together cation must be returned to t	r with the accompanying
maj	ATE OF OREGON, Ss. County of Marion, This is to certify that I have examined the ps and data, and return the same for	foregoing application, together cation must be returned to t	r with the accompanying he State Engineer, with
na ₁	ATE OF OREGON, County of Marion, This is to certify that I have examined the ps and data, and return the same for	foregoing application, together cation must be returned to t	r with the accompanying he State Engineer, with
maj	ATE OF OREGON, County of Marion, This is to certify that I have examined the ps and data, and return the same for	foregoing application, together cation must be returned to t	r with the accompanying he State Engineer, with
maj	ATE OF OREGON, County of Marion, This is to certify that I have examined the ps and data, and return the same for	foregoing application, together cation must be returned to t	r with the accompanying he State Engineer, with

STATE OF OREGON, ass.

	CCT TO EXISTING RIGHTS and the following limitations and conditions:			
. 5	The right herein granted is limited to the amount of water which can be applied to beneficial use			
and she	all not exceed			
stream, or its equivalent in case of rotation with other water users, from an unnamed creek				
	The use to which this water is to be applied is domestic use for 4 families and irriga-			
tion	being 0.0075 cfs for domestic use and 0.0125 cfs for irrigation			
••••••	7./00			
	If for irrigation, this appropriation shall be limited to			
	or its equivalent for each acre irrigated and shall be further limited to a diversion			
of no	ot to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irriga-			
tion	season of each year,			
	·			
***********	·			
	<u></u>			

•				
and sh	all be subject to such reasonable rotation system as may be ordered by the proper state officer			
	The priority date of this permit is August 28, 1972			
•	Actual construction work shall begin on or before November 27, 1973 and shal			
therea	fter be prosecuted with reasonable diligence and be completed on or before October 1, 19.74 Extended to Oct. 1 1975			
titei eu	Complete application of the water to the proposed use shall be made on or before October 1, 19.7.5.			
	Referred to our			
(WITNESS my hand this27th day of November, 19.72.			
(WITNESS my hand this27th day of November, 19.72.			
(Extorded to Oct. 1			
(WITNESS my hand this27th day of			
(WITNESS my hand this 27th day of November , 19.72.			
(WITNESS my hand this 27th day of November 19.72. STATE ENGINEER			
22:	WITNESS my hand this 27th day of November 19.72. STATE ENGINEER			
	WITNESS my hand this 27th day of November 19.72. STATE ENGINEER			
(WITNESS my hand this 27th day of November 19.72. STATE ENGINEER			
	WITNESS my hand this 27th day of November 19.72. STATE ENGINEER			
. 361 03	WITNESS my hand this 27th day of November 19.72. STATE ENGINEER			
	ASTATE ENGINEER Was first received in the majoreer at Salem, Oregon, o'clock A. M. SETO. 1972' o'clock A. M. Deale A. M. SETO. 1972' o'clock A. M. SETO. 1972' o'clock A. M. Deale A. M. SETO. 1972' o'clock A. M. SETO. 1972' o'clock A. M. SETO. 1972' o'clock A. M. Deale A. M. SETO. 1972' o'clock A. M. SETO. 1972' O'clo			