

*APPLICATION FOR PERMIT

ASSIGNED, See	Misc.	Rec.,	Vol.	6	Page	245
---------------	-------	-------	------	---	------	-----

To Appropriate the Public Waters of the State of Oregon

I, Carl and Ruth McCormick	
1165 Highland Avenue, Coos Bay	me of applicant)
(maining address)	
ate of, do he	ereby make application for a permit to appropriate the
llowing described public waters of the State of C	regon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date an	d place of incorporation
1 771	North Fork of Comille river
	s North Fork of Coquille river (Name of stream)
, a trib	nutary of Pacific Ocean
2. The amount of water which the applicant i	intends to apply to beneficial use is 0.0125
ubic feet per second(If water is to be u	
3. The use to which the water is to be applied	d is Irrigation (Errigation, power, mining, manufacturing, domestic supplies, etc.)
	ft. N and 1010 ft. W from the SE (E. or W.)
orner of Section 7	
(E	section or subdivision)
	·
(If preferable, give distance	e and bearing to section corner)
	must be described. Use separate sheet if necessary)
ging within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ (Give smallest legal subdivision)	of Sec, Tp, (N. or s.)
. 11W, W. M., in the county of	
(F or W)	
(E. or W.)	
5. The pipeline (Main ditch, canal or pipe line)	to be 331.5 feet (Miles or feet)
5. The pipeline (Main ditch, canal or pipe line)	to be 331.5 feet (Miles or feet)
(E. or W.) 5. The pipeline (Main ditch, canal or pipe line) 1. length, terminating in the NWL SEL (Smallest legal subdit	to be 331.5 feet (Miles or feet) of Sec. 7 , Tp. 275 (N. or S.)
5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NWL SEL (Smallest legal subdited line) (E. or W.)	to be 331.5 feet (Miles or feet) of Sec. 7, Tp. 275, vision) eing shown throughout on the accompanying map.
5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NWL SEL (Smallest legal subdited) (E. or W.) DESCRIPTION	to be 331.5 feet (Miles or feet) of Sec. 7 , Tp. 275 (N. or S.)
5. The pipeline (Main ditch, canal or pipe line) n length, terminating in the NWL SEL (Smallest legal subdited) 1. 11W , W. M., the proposed location be (E. or W.) DESCRIPTION	to be 331.5 feet (Miles or feet) of Sec. 7, Tp. 275, vision) eing shown throughout on the accompanying map.
5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NW SEL (Smallest legal subdited in the proposed location be (E. or W.) DESCRIPTION (a) Height of dam feet,	to be 331.5 feet (Miles or feet) of Sec. 7, Tp. 275, vision) eing shown throughout on the accompanying map. ON OF WORKS , length on top feet, length at bottom
5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NW SEL (Smallest legal subdited or W.) 11W (E. or W.) DESCRIPTION Output Diversion Works— 6. (a) Height of dam feet,	to be 331.5 feet (Miles or feet) of Sec. 7, Tp. 275, vision) eing shown throughout on the accompanying map.
5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NW SEL (Smallest legal subdite) 1. LIW (Smallest legal subdite) (E. or W.) DESCRIPTION Oversion Works— 6. (a) Height of dam feet, feet; material to be used and characters.	to be 331.5 feet (Miles or feet) of Sec. 7, Tp. 275, vision) eing shown throughout on the accompanying map. ON OF WORKS , length on top feet, length at bottom
(E. or W.) 5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NWL SEL (Smallest legal subdited or W.) DESCRIPTION (E. or W.) DESCRIPTION On the proposed location be described by the proposed location by the proposed location be described by the proposed location by the propo	to be 331.5 feet (Miles or feet) of Sec. 7. Tp. 275 (N. or S.) eing shown throughout on the accompanying map. ON OF WORKS , length on top feet, length at bottom acter of construction (Loose rock, concrets, masonry,
(E. or W.) 5. The pipeline (Main ditch, canal or pipe line) n length, terminating in the NWL SEL (Smallest legal subdited) R. 11W (Smallest legal subdited) (E. or W.) DESCRIPTION Oversion Works— 6. (a) Height of dam feet, feet; material to be used and characteristic feet, wasteway over or around dam)	to be 331.5 feet (Miles or feet) of Sec. 7, Tp. 275, vision) eing shown throughout on the accompanying map. ON OF WORKS , length on top feet, length at bottom
5. The pipeline (Main ditch, canal or pipe line) In length, terminating in the NWL SEL (Smallest legal subdited. R. LIW (E. or W.) DESCRIPTION Oiversion Works— 6. (a) Height of dam feet, feet; material to be used and chard ock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	to be 331.5 foot (Miles or feet) of Sec. 7. , Tp. 275 (N. or S.) eing shown throughout on the accompanying map. ON OF WORKS length on top feet, length at bottom acter of construction (Loose rock, concrete, masonry.
5. The pipeline (Main ditch, canal or pipe line) n length, terminating in the NWL SEL (Smallest legal subdited or w.) DESCRIPTION (E. or W.) DESCRIPTION (a) Height of dam feet, feet; material to be used and characteristic feet, wasteway over or around dam) (b) Description of headgate	to be 331.5 feet (Miles or feet) of Sec. 7. Tp. 275 (N. or S.) eing shown throughout on the accompanying map. ON OF WORKS , length on top feet, length at bottom acter of construction (Loose rock, concrets, masonry,
(E. or W.) 5. Thepipeline	to be 331.5 foot (Miles or feet) of Sec. 7. , Tp. 275 (N. or S.) eing shown throughout on the accompanying map. ON OF WORKS length on top feet, length at bottom acter of construction (Loose rock, concrete, masonry.

*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

^{*}A different form of application is provided where storage works are contemplated.

	3				ged in size, stating miles from
		•			feet; width on bottom
housand feet.				•	feet fall per one
(b) At		miles from h	readgate:	width on top (at wa	ter line)
***************************************	feet; width on bo	otto m	!	feet; depth of	water feet;
ırade	feet fall	per one tho	usand fee	t.	
(c) Lengt	th of pipe,	ft.	; size at i	ntake,	in.; size at ft.
rom intake	in.;	size at place	of use	in.; d	lifference in elevation between
					Estimated capacity,
	•	,	3	•	
	•	rigated, or p	olace of u	se	
Township North or South	Range E. or W. of Willemette Meridian	Section		Forty-acre Tract	Number Acres To Be Irrigated
2 7S	11W	7	N W	SE L	one
					<u> </u>
					
		(If more spa	ce required, a	ttach separate sheet)	
(a) C	haracter of soil	Loam			
(b) K	Sind of crops raised	family Family	y vegeta	able garden	
Power or Minir	ng Purposes—			:	
9. (a) T	otal amount of po	wer to be de	eveloped .		theoretical horsepower
(b) ব	Quantity of water (to be used for	r power	;	sec. ft.
(c) T	otal fall to be util	ized		feet.	
			,	;	be developed
	·	J	•	• :	
· (a) (h	4 . 3 !			-/ 5
				(Legal subdivision)	of Sec.
Tp(No. N. o	, R(No. 1	, W.	М.		
(f) I	s water to be retu	rned to any	stream?	(Yes or No)	
(g) I	f so, name stream	and locate	point of r	eturn	
		, Sec		, Tp	, R, W. M.
					.) (NO. E. OT W.)
					456, 4 4

10. (a) To	supply the city of		3611
***************************************	County, has	ving a present population of	
		in 19	1
	•	•	
(b) If	for domestic use state	e number of families to be supp	lied
	(An	swer questions 11, 13, 13, and 14 in all cases)	•:
	ited cost of proposed wo	orks, \$	en e
"}		on or beforeCompleted	
13. Constr	uction work will be co	empleted on or before	
14. The wo	ater will be completely	applied to the proposed use on o	r before
***************************************		\bigcirc \bigcirc	0.50
		Carl,	(Signature of applicant)
		· Butt Mr	Cornerh
Pamania.	. (Legal descr	•	
кетшткв:			-
***************************************		int 761.0 feet South of the (NE_{L}^{1}) of the Southeast qua	
***************************************	Seven (7), Townshi	ip twenty-seven (27) South	, Range Eleven (11) West
	of the Willamette	Meridian in Coos County, (of the quarter (11)	Oregon; said point being
•	of the Coos Bay Lu	of the quarter quarter (ff. mber Co. railroad right of) line with the North lin f way: then South 61 47
	Wast along said No	and the second second second	1/ Cook to the downstian
		orru likur or man Tiua oaa	To lest to the Junction
	with the East line	of the County Road; then	
	with the East line said County Road A	e of the County Road; then	ce North 13 23 East alo 76 37 East 252.98 feet
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; then	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road 4 the Quarter quarte	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road & the Quarter quarte of beginning.	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
	with the East line said County Road A the Quarter quarte of beginning. REGON, Sss.	e of the County Road; thence LAO.Ol feet; thence South Ser (14) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
STATE OF OF County of M	with the East line said County Road & the Quarter quarte of beginning. REGON, ass.	e of the County Road; thence South (40.01 feet; thence South (41) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point
STATE OF OF County of M	with the East line said County Road Lather Quarter quarter of beginning. REGON, arion, ss. Ss. So certify that I have expected the said County Road Later Region, ss.	e of the County Road; thence 140.01 feet; thence South or (11) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M	with the East line said County Road Lather Quarter quarter of beginning. REGON, arion, ss. Ss. So certify that I have expected the said County Road Later Region, ss.	e of the County Road; thence South (40.01 feet; thence South (41) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M	with the East line said County Road Lather Quarter quarter of beginning. REGON, arion, ss. Ss. So certify that I have expected the said County Road Later Region, ss.	e of the County Road; thence 140.01 feet; thence South or (11) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data,	with the East line said County Road Letter quarter of beginning. REGON, Ss. farion, Ss. o certify that I have expanded and return the same for the	ar (1) line; thence South (1) line; thence South (1) ar (1) line; thence South (1) ar (1) line; thence South (1) l	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data,	with the East line said County Road Letter quarter of beginning. REGON, Ss. farion, Ss. o certify that I have expanded and return the same for the	e of the County Road; thence 140.01 feet; thence South or (11) line; thence South	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data,	with the East line said County Road Letter quarter of beginning. REGON, Ss. farion, Ss. o certify that I have expanded and return the same for the	ar (11) line; thence South ar (11) line; thence South ar (11) line; thence South armined the foregoing application or	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data,	with the East line said County Road Lather Quarter quarter of beginning. REGON, Ss. Iarion, Ss. Iarion, and return the same for the retain its priority, to retain its priority, to	ar (11) line; thence South ar (11) line; thence South ar (11) line; thence South armined the foregoing application or	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data, In order tions on or before	with the East line said County Road Letter quarter of beginning. REGON, Ss. farion, Ss. o certify that I have expanded and return the same for to retain its priority, to ore	and the foregoing application or	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data, In order tions on or before	with the East line said County Road Letter quarter of beginning. REGON, Ss. farion, Ss. o certify that I have expanded and return the same for to retain its priority, to ore	ar (11) line; thence South ar (11) line; thence South ar (11) line; thence South armined the foregoing application or	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data, In order tions on or before	with the East line said County Road Letter quarter of beginning. REGON, Ss. farion, Ss. o certify that I have expanded and return the same for to retain its priority, to ore	and the foregoing application or	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan to the State Engineer, with con
STATE OF OF County of M This is to maps and data, In order tions on or before	with the East line said County Road Letter quarter of beginning. REGON, Ss. farion, Ss. o certify that I have expanded and return the same for to retain its priority, to ore	and the foregoing application or	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan to the State Engineer, with con
STATE OF OF County of M This is to maps and data, In order tions on or before	with the East line said County Road Letter quarter of beginning. REGON, ass. farion, ss. o certify that I have expected, and return the same for to retain its priority, the core seems of the same for	anined the foregoing application this application must be returned day of day of	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan
STATE OF OF County of M This is to maps and data, In order tions on or before	with the East line said County Road Later quarter of beginning. REGON, Ss. farion, Ss. o certify that I have est, and return the same for to retain its priority, to ore	anined the foregoing application this application must be returned day of day of	ce North 13 23' East alo 76 37' East 252.98 feet 179.87 feet to the point on, together with the accompan

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: