"CERTIFICATE NO. 61787

*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol.

To Appropriate the Public Waters of the State of Oregon

I, William J. Fr	(Name	of applicant)		• •
of Box 362, O'Br	ien, Oregon 97	534		(City)
State of Oregon				
following described public wat	(=. F =====	•		
If the applicant is a corp	oration, give date and	place of incorporation	on	······································
1. The source of the prop		E.F. Woods	Creek an	nd spring
•	•	·	(Hanne or seream)	<u> </u>
	, a tribut	tary of .WF	inois Ki	ver
2 The amount of water		•		
cubic feet per second being	.02 c.f.s. fro	om spring and d from more than one source,	.07 c.f.	s. from creek.
3. The use to which the				_
and sup. irr., being from creek to supplem 4. The point of diversion corner of Sec. 32, T.	is located 1100; 40 S., R. & W.	$ft. \underbrace{\begin{array}{c} N \\ \text{(N. or S.)} \end{array}}_{\text{(N. or S.)}} and \underbrace{\begin{array}{c} 10 \\ \text{or creek div} \end{array}}_{\text{ion or subdivision)}}$	ftW E. or W	from the St
				. Ior spring
1040' W. from the ce	moet of becord	1 32, T. 40 S.	M O . e.A. e.	
diversion.		1 32, T. 40 S.	, n.o.w	
	(If preferable, give distance and		, R. O. N	
diversion. (If there is more than	(If preferable, give distance and	d bearing to section corner) ust be described. Use separat	e sheet if necessa	ry)
diversion. (If there is more than being within the NE LSW L	(If preferable, give distance and one point of diversion, each me & SE 表別表 ve smallest legal subdivision)	d bearing to section corner) ust be described. Use separat	e sheet if necessa	ry)
diversion. (If there is more than being within the NELSWL) (G) R. 8 W , W. M., in the	(If preferable, give distance and none point of diversion, each most SE \frac{1}{4}SW \frac{1}{4}, \text{ve smallest legal subdivision)} \text{county of } \text{JOSE}	d bearing to section corner) ust be described. Use separat of Sec	e sheet if necessa	, Tp. 40 S,
diversion. (If there is more than being within the NELSWL) (G) R8 W, W. M., in the	(If preferable, give distance and none point of diversion, each most SE \frac{1}{4}SW \frac{1}{4}, \text{ve smallest legal subdivision)} \text{county of } \text{JOSE}	d bearing to section corner) ust be described. Use separat of Sec	e sheet if necessa	, Tp. 40 S,
diversion. (If there is more than being within the NELSW 1.66) R. 8 W , W. M., in the (E. or W.) 5. The pipelin (M.)	(If preferable, give distance and one point of diversion, each mode of SE 1/2 SW 1/2, (ve smallest legal subdivision) county of JOSE e	d bearing to section corner) ust be described. Use separat of Sec. phine to be	2	7, Tp40 S, (N. or S.)
diversion. (If there is more than being within the NELSWL) (G) R8 W, W. M., in the	(If preferable, give distance and none point of diversion, each mode of SE \frac{1}{4}SW \frac{1}{4}, \text{ (Smallest legal subdivision)} County of JOSE NE \frac{1}{4}SW \frac{1}{4}. \text{ (Smallest legal subdivision)}	ust be described. Use separat of Sec. ephine to be of Sec. of Sec.	22 1710	t Miles or feet) , Tp. 40 S, (N. or S.)
diversion. (If there is more than being within the NELSWL) (G) R8 W, W. M., in the	(If preferable, give distance and one point of diversion, each mode of SE \frac{1}{2} SW \frac{1}{2}, \text{ (Sw \frac{1}{2} SW \frac{1}{2})} \text{ (Sw \frac{1}{2} SW \frac{1}{2})} \text{ (Sw \frac{1}{2} SW \frac{1}{2})} \text{ (Smallest legal subdivision)} (Sma	d bearing to section corner) ust be described. Use separat of Sec. phine to be of Sec. of Sec. non)	22 1710	t Miles or feet) , Tp. 40 S, (N. or S.)
diversion. (If there is more than being within the NELSWL (G) R. 8 W , W. M., in the (E. or W.) 5. The pipelin (M) in length, terminating in the . R. 8 W . , W. M., the	(If preferable, give distance and none point of diversion, each mode of SELSWL we smallest legal subdivision) county of JOSE e ain ditch, canal or pipe line) NELSWL (Smallest legal subdivision) corrected to the standard of the subdivision of the subdivisio	d bearing to section corner) ust be described. Use separat of Sec. phine to be of Sec. of Sec. of Sec. of Sec. of Sec.	1710	Tp. 40 S, (N. or S.) Miles or feet) Tp. 40 S, (N. or S.) companying map.
diversion. (If there is more than being within the NELSWL (G) R. 8 W , W. M., in the (E. or W.) 5. The pipelin (M) in length, terminating in the R. 8 W , W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam	(If preferable, give distance and none point of diversion, each make SELSWL we smallest legal subdivision) county of JOSE e ain ditch, canal or pipe line) NELSWL (Smallest legal subdivision) correctly of JOSE county of JOSE DESCRIPTIO DESCRIPTIO feet, le	d bearing to section corner) ust be described. Use separat of Sec. phine to be of Sec. ion of	1710 32 at on the acc	Tp. 40 S, (N. or S.) Miles or feet) Tp. 40 S, (N. or S.) companying map.
diversion. (If there is more than being within the NELSWL (G) R. 8 W , W. M., in the (E. or W.) 5. The pipelin (M) in length, terminating in the R. 8 W , W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam	(If preferable, give distance and none point of diversion, each make SELSWL we smallest legal subdivision) county of JOSE e ain ditch, canal or pipe line) NELSWL (Smallest legal subdivision) correctly of JOSE county of JOSE DESCRIPTIO DESCRIPTIO feet, le	d bearing to section corner) ust be described. Use separat of Sec. phine to be of Sec. ion of	1710 32 at on the acc	Tp. 40 S, (N. or S.) Miles or feet) Tp. 40 S, (N. or S.) companying map.
diversion. (If there is more than being within the NELSWL (G) R. 8 W , W. M., in the (E. or W.) 5. The pipelin (M) in length, terminating in the R. 8 W , W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam 2 feet; material over	(If preferable, give distance and none point of diversion, each make SELSWL we smallest legal subdivision) county of JOSE e ain ditch, canal or pipe line) NELSWL (Smallest legal subdivision) corposed location being proposed location being pr	d bearing to section corner) ust be described. Use separat of Sec. phine to be of Sec. ion) ng shown throughou N OF WORKS ength on top	1710 32 it on the acc	t Miles or feet) Tp. 40 S. (N. or S.) companying map. cet, length at bottom
diversion. (If there is more than being within the NELSWL (G) R. 8 W , W. M., in the (E. or W.) 5. The pipelin (M) in length, terminating in the . R. 8 W . , W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam 2 feet; material Over rock and brush, timber crib, etc., wasteway	(If preferable, give distance and one point of diversion, each mode of the second of t	d bearing to section corner) ust be described. Use separat of Sec. ephine to be of Sec. ng shown throughou N OF WORKS ength on top3 eter of construction e rocks	sheet if necessaria. 32 32 it on the account for a county for a cou	Tp. 40 S, (N. or S.) Miles or feet) Tp. 40 S, (N. or S.) companying map. tet, length at bottom toose rock, concrets, masonry,
diversion. (If there is more than being within the NELSWL 1600 (C) R. 8 W , W. M., in the (E. or W.) 5. The pipelin (M) in length, terminating in the . R. 8 W . , W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam 2 feet; material Over rock and brush, timber crib, etc., wasteway (b) Description of head	(If preferable, give distance and none point of diversion, each mode and seed and character of through the over or around dam) (If preferable, give distance and none point of diversion, each mode and seed and character or through the over or around dam) [In the content of t	d bearing to section corner) ust be described. Use separat of Sec. cphine to be of Sec. lon) of Sec. lon) of Sec. lon) of Sec. lon) of Sec. character of construction	22	Tp. 40 S, (N. or S.) Miles or feet) Tp. 40 S, (N. or S.) companying map. tet, length at bottom Loose rock, concrete, masonry, ipe from the enings)
diversion. (If there is more than being within the NELSWL (G) R. 8 W , W. M., in the E. or W.) 5. The pipelin (M) in length, terminating in the R. 8 W , W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam 2 feet; material Over rock and brush, timber crib, etc., wasteway (b) Description of head water. Flood wate	(If preferable, give distance and none point of diversion, each make SELSWL ve smallest legal subdivision) county of JOSE e ain ditch, canal or pipe line) NELSWL (Smallest legal subdivision) proposed location being the proposed location being the proposed location being the proposed location being the legal subdivision proposed location p	d bearing to section corner) ust be described. Use separat of Sec. ephine to be of Sec. ion) ng shown throughout N OF WORKS ength on top	1710 32 if on the accordance of operand size o	t (N. or S.) t Miles or feet) Tp. 40 S. (N. or S.) companying map. tet, length at bottom toose rock, concrets, masonry, ipe from the enings)
diversion. (If there is more than being within the NELSWL 1600 (C) R. 8 W , W. M., in the E. or W.) 5. The pipelin (M.) in length, terminating in the R. 8 W . , W. M., the (E. or W.) Diversion Works— 6. (a) Height of dam 2 feet; material Over rock and brush, timber crib, etc., wasteway (b) Description of head	(If preferable, give distance and none point of diversion, each make SELSWL we smallest legal subdivision) county of JOSE e ain ditch, canal or pipe line) NELSWL (Smallest legal subdivision) corposed location being proposed location being pr	d bearing to section corner) ust be described. Use separat of Sec. phine to be of Sec. ion) ng shown throughout N OF WORKS ength on top	a sheet if necessarian and a second a second and a second	t Miles or feet) Tp. 40 S. (N. or S.) Miles or feet) Tp. 40 S. (N. or S.) companying map. tet, length at bottom tet, length at bottom

7. (a) Giv	e dimensions at	each point of	canal where mo	iterially chan	ged in size, stati	ng miles from
adgate. At hea	ıdgate: width on	top (at water	line)		feet; wic	ith on botton
	feet: depth of u	ater	feet:	grade	fee	t fall per one
ousand feet. (b) At miles from headgate: width on top (at we						
	feet: width on l	oottom	• .	feet: depth o	f water	feet
	feet fall				•	•
		-		. 311	in.; size at	\$ 50 4
		_	•		fference in elev	
take and place	of use,2	<u>6</u> ft. 1	Is grade uniforn	n?yes	Estim	ated capacity
R Locatio	•	rrigated or n	lace of use			
- Bocarro	Range					
Township North or South	E. or W. of Willamette Meridian	Section	Forty-acre Tract		Number Acres	To Be Irrigated
40 S.	8 W.	32	NE 2 SW 2		Dom.	Ac. I
				·	(0,1 with,	Jan)
					10.4 from	· (rock)
					, , , , ,	•
		<u> </u>				
						•
·						
	· ·			· ·		·
		(If more sna	ce required, attach sepa	arate sheet)		
(a) Chard	acter of soil					
(b) Kind	of crops raised		Garden, fr	úit, berr	ies, grapes	
	_					
ower or Minir	-	naver to he de	neloned	•5	theoretic	al horsenouse
	uantity of water					ar nordopous
					sec. ji.	
	otal fall to be ut		•			
		works by me o	ins of which the	power is to	be developedk	ydraulic.
wate	r ram.			•		
(e) Si	uch works to be	located in	NELSWL (Legal #	ubdivision)	of Sec	32
p. 40 S	, R(No.	8 W., W.	7. M .		,	
(f) Is	water to be ret	urned to any	stream? Yes	 No)		
(a) 74	so name strean	and locate r			ds Creek 5	00' S. &
(g) 1)	co, mante con can	r and rocate p	control of rotal it is			

(i) The nature of the mines to be served ________NONE

10. (a) To supply the city of	•
	ent population of
d an estimated population of	
	of families to be supplied1
(b) If for domestic use state number of	of juntiles to be supplied
(Answer questions	11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	55000
12. Construction work will begin on or befo	oreApril 20, 1971
13. Construction work will be completed or	or before July 1, 1971
	the proposed use on or before Oct. 1, 1973
11. The water will be completely applied to	the proposed use on or before
	· X in: I I
	& William J. Francy,
	,
Remarks:	
•	
	•
······································	
	•
TATE OF OREGON.	,,,
TATE OF OREGON, Ss.	,,,
County of Marion,)	
This is to certify that I have examined th	e foregoing application, together with the accompan
This is to certify that I have examined th	
This is to certify that I have examined the taps and data, and return the same for	
This is to certify that I have examined the taps and data, and return the same for	•
This is to certify that I have examined the same for	plication must be returned to the State Engineer,
This is to certify that I have examined the naps and data, and return the same for	plication must be returned to the State Engineer,
This is to certify that I have examined the caps and data, and return the same for	plication must be returned to the State Engineer,
This is to certify that I have examined the same and data, and return the same for	plication must be returned to the State Engineer,
This is to certify that I have examined the maps and data, and return the same for	plication must be returned to the State Engineer,
This is to certify that I have examined the maps and data, and return the same for In order to retain its priority, this appropriety or rections on or before	plication must be returned to the State Engineer,

ASSISTANT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXIST	ING RIGHTS and the following limitations and conditions:	
The right here	n granted is limited to the amount of water which can be applied to beneficial u	18 e
and shall not exceed	0.075 cubic feet per second measured at the point of diversion from t	the
stream, or its equiva	ent in case of rotation with other water users, from .a. spring and East Fork	
Woods Creek being	0.01 cfs from spring and 0.065 cfs from East Fork Woods Creek	
irrigation of law irrigation, being Fork Woods Creek	th this water is to be applied is domestic use for one family including to and garden not to exceed 0.10 of an acre, operation of ram and 0.01 cfs from the spring for domestic use, 0.005 cfs from East for supplemental domestic use, 0.05 cfs from East Fork Woods Cree ram and 0.01 cfs from East Fork Woods Creek for irrigation	
If for irrigatio	, this appropriation shall be limited to1/50 of one cubic foot p	per
second or its equival	ent for each acre irrigated and shall be further limited to a diversion	n
of not to exceed	3½ acre feet per acre for each acre irrigated during the irriga-	
tion season of ea	ch year,	
	*	
•••••••••••••••••••••••••••••••••••••••		•••••
	to such reasonable rotation system as may be ordered by the proper state offic	er.
	te of this permit isApril 12, 1971	
Actual constru	ction work shall begin on or beforeJanuary 15, 1974 and sh	all
thereafter be prosect	ted with reasonable diligence and be completed on or before October 1, 19.74	
Complete appl	cation of the water to the proposed use shall be made on or before October 1, 197	5
WITNESS my	hand this 15th day of January, 19 73	
	STATE ENGINEER	R
		7
Permit No. 36247 PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OFFICIAL	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the M.————————————————————————————————————	p 04 1000

Application No. £221.2