

## \*APPLICATION FOR PERMIT

CERTIFICATE NO. 43932

## To Appropriate the Public Waters of the State of Oregon


I, George Ward Barnella / Manlove								
of 8515 S. W. Tualatin Road Toolotin								
State ofOregon, do hereby make application for a permit to appropriate the								
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:								
If the applicant is a corporation, give date and place of incorporation								
1. The source of the proposed appropriation is unnamed creek (Name of stream)								
, a tributary of								
2. The amount of water which the applicant intends to apply to beneficial use is								
cubic feet per second								
**3. The use to which the water is to be applied is								
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  for lawn and garden0.025 f.c a. Ch.								
· .								
4. The point of diversion is located150 ft								
corner of Section 1 (Section or subdivision)								
·								
(If preferable, give distance and bearing to section corner)								
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)								
being within the SaEa 1/4 Sa Ea 1/4 of Sec. 36 , Tp. 1 S (Give smallest legal subdivision)								
R. 8 W. M., in the county of Tillamook								
5. The pipeline to be 1200 ft.  (Main ditch, canal or pipe line) (Miles or feet)								
in length, terminating in the N. E. 1/4 N. E. 1/4 of Sec. 1, Tp. 25 (N. or S.)								
R								
DESCRIPTION OF WORKS								
Diversion Works—								
6. (a) Height of dam4 feet, length on top32								
feet; material to be used and character of construction concrete and rock (Loose rock, concrete, masonry,								
rock and brush, timber crib, etc., wasteway over or around dam)								
(b) Description of headgate Designation Canter of hasen water man filter (Timber, concrete, etc., number and size of openings)								
through the gravel placed devoral such to enter intake								
(c) If water is to be pumped give general description Tha only time a this he have be descripted (Size and type of pump)								
Bright Same Time Tok & place Ta IN CHEASE pressure: Me plans for This & this								
Limo								

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Operand.

eadgate. At headg	d	each point of cana	il where materially chang	ed in size, stating miles from
				1
fe	gate: width on t	top (at water line	)	feet; width on botton
	eet; depth of w	ater	feet; grade	feet fall per on
ousand feet.				er line)
			•	
fe	eet; width on bo	ottom	feet; depth of t	vater fee
		per one thousand	**	
(c) Length	of pipe,1200	) ft.; size	at intake,	in.; size at j
om intake	in.;	size at place of us	se .3/" in.; di	fference in elevation betwee
take and place o	f use,50	ft. Is are	ade uniform? yes	Estimated capacit
.025		, , <b>, ,</b>		•
8. Location	sec. ji. of area to be ii	rrigated, or place	of use	······································
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Willemette Meridian		法 NE社 (Gov't lot 1)	Domestic use and up t
23		NE	—————————————————————————————————————	bacre irrigation for
				lawn and garden.
the willame	itte Meridis	heast corner on; thence North	of Section 1 Township h 15° 32' East 100 fing of the tract here	eet; thence North 28° in to be described; the
the willame ast 125 feet to orth 32° 28' he West line of st	tte Meridia to the true p East 608.5 of the Trask aid County I	heast corner on; thence North of beginning feet; thence So River County Road; thence N	of Section 1 Township h 15° 32' East 100 f lng of the tract here buth 63° 59' East 180 Road; thence North forth 63° 59' West 2	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less was 30 feet from the
the willame ast 125 feet to forth 32° 28' he West line of st	tte Meridia to the true p East 608.5 of the Trask aid County I th 32° 28' E	heast corner on; thence North of beginning feet; thence So River County Road; thence Nast 638.5 feet	of Section 1 Township h 15° 32' East 100 f lng of the tract here buth 63° 59' East 180 Road; thence North forth 63° 59' West 2' and North 63° 59' V	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less yest 30 feet from the
the willame ast 125 feet in the West line of some point Nor rue point of the secribed traces.	tte Meridia to the true p East 608.5 of the Trask aid County I th 32° 28' E beginning; th ct; thence E	heast corner on; thence North of beginning feet; thence So River County Road; thence Nast 638.5 feet sence South 32 ast 30 feet mo	of Section 1 Township h 15° 32' East 100 f lng of the tract here buth 63° 59' East 180 Road; thence North forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the North ore or less to the true red, attach separate sheet)	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less vest 30 feet from the rth line of the above in point of beginning.
f the willame ast 125 feet to forth 32° 28' he West line of vest line of si o a point Nor rue point of he lescribed trace	tte Meridia to the true p East 608.5 of the Trask aid County I th 32° 28' E beginning; th ct; thence E	heast corner on; thence North of beginning feet; thence So River County Road; thence Nast 638.5 feet lence South 32 ast 30 feet mo	of Section 1 Townshiph 15° 32' East 100 fing of the tract here buth 63° 59' East 186 Road; thence North forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' Vest 2' and North 63° 59' Vest to the North 63° 59' West	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less vest 30 feet from the rth line of the above the point of beginning.
the willame ast 125 feet to the West line of so a point Nor rue point of the carribed trace (a) Characteristics (b) Kind	tte Meridia to the true p East 608.5 of the Trask aid County I th 32° 28' E beginning; th ct; thence E	heast corner on; thence North of beginning feet; thence So River County Road; thence Nast 638.5 feet lence South 32 ast 30 feet mo	of Section 1 Townshiph 15° 32' East 100 fing of the tract here buth 63° 59' East 186 Road; thence North forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' Vest 2' and North 63° 59' Vest to the North 63° 59' West	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less vest 30 feet from the rth line of the above the point of beginning.
the willame ast 125 feet to orth 32° 28' ne West line of size point Norrue point of hescribed trace (a) Character (b) Kindower or Mining 1	tte Meridia to the true p East 608.5: of the Trask aid County I th 32° 28' E beginning; th ct; thence E racter of soil d of crops raise Purposes—	heast corner on; thence North of beginning feet; thence South Sast 638. 5 feet sence South 32 ast 30 feet mo	of Section 1 Township h 15° 32' East 100 fing of the tract here buth 63° 59' East 180 Forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the true or less to the true red, attach separate sheet)	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less vest 30 feet from the rth line of the above is point of beginning.
the willame ast 125 feet to orth 32° 28' ne West line of size a point Norrue point of k escribed trace  (a) Characteristics (b) Kindower or Mining 19. (a) Total	tte Meridia to the true p East 608.5: of the Trask aid County I th 32° 28' E beginning; th ct; thence E racter of soil d of crops raise Purposes—	heast corner on; thence North oint of beginning feet; thence So River County Road; thence Nast 638.5 feet lence South 32 ast 30 feet mo	of Section 1 Township 15° 32' East 100 fing of the tract here buth 63° 59' East 180 Forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the North 63° 69' West to the North 63° 69	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less west 30 feet from the rth line of the above the point of beginning.
the willame ast 125 feet to orth 32° 28' ne West line of size a point Norrue point of knower or Mining 19. (a) Total	tte Meridia to the true p East 608.5: of the Trask aid County I th 32° 28' E beginning; th ct; thence E racter of soil d of crops raise Purposes—	heast corner on; thence North oint of beginning feet; thence So River County Road; thence Nast 638.5 feet lence South 32 ast 30 feet mo	of Section 1 Township h 15° 32' East 100 fing of the tract here buth 63° 59' East 180 Forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the true or less to the true red, attach separate sheet)	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less west 30 feet from the rth line of the above the point of beginning.
the willame ast 125 feet to orth 32° 28' ne West line of size a point Norrue point of hescribed trace  (a) Characteristics (b) Kindower or Mining 19. (a) Total	tte Meridianto the true processing the Trask aid County I the 32° 28' Engineering; the ct; thence Engineering the ct; thence Engi	heast corner on; thence North of beginning feet; thence South Seet ast 638.5 feet ast 30 feet mo	of Section 1 Township 15° 32' East 100 fing of the tract here buth 63° 59' East 180 forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the North 63° 59' West to the North 63° 59' West to the true of less to the true red, attach separate sheet)	th 450.4 feet and West p 2 South, hange b West in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less west 30 feet from the rth line of the above the point of beginning.
the willame ast 125 feet to orth 32° 28' ne West line of size of the point Norrue point of hescribed trace (a) Character or Mining 19. (a) Total (b) Qual (c) Total	tte Meridian to the true processing the Trask aid County I the 32° 28' Extracter of soil	heast corner on; thence North of beginning feet; thence South Seet ast 638.5 feet ast 30 feet mo	of Section 1 Township h 15° 32' East 100 fing of the tract here buth 63° 59' East 186 Road; thence North forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the North or less to the true red, attach separate sheet)  Output  Deal	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less vest 30 feet from the rth line of the above the point of beginning.  theoretical horsepower, ft.
the willame ast 125 feet to orth 32° 28' ne West line of size a point Norrue point of hescribed trace  (a) Character of Mining 1  9. (a) Total  (b) Qual  (c) Total	tte Meridian to the true processing the Trask aid County I the 32° 28' Extracter of soil	heast corner on; thence North of beginning feet; thence South Seet ast 638.5 feet ast 30 feet mo	of Section 1 Township h 15° 32' East 100 fing of the tract here buth 63° 59' East 186 Road; thence North forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the North or less to the true red, attach separate sheet)  Output  Deal	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less vest 30 feet from the rth line of the above the point of beginning.  theoretical horsepower, ft.
the willame ast 125 feet to ast 125 feet to the West line of so a point Norrue point of hescribed trace  (a) Characteristics (b) Kindower or Mining 19. (a) Total (b) Qual (c) Total (d) The	tte Meridianto the true present 608.5 in the Trask aid County I the 32° 28' Experiment; the ct; thence Experiment of soil	heast corner on; thence North of beginning feet; thence South Seet; thence South Seet ast 638.5 feet were south 32 ast 30 feet mo	of Section 1 Township 15° 32' East 100 fing of the tract here buth 63° 59' East 180 Find Road; thence North forth 63° 59' West 2' and North 63° 59' West to the North 63° 59' West 2' and North 63° 59'	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less Vest 30 feet from the rth line of the above the point of beginning.  theoretical horsepow ec. ft.
f the willame ast 125 feet (lorth 32° 28' he West line of sice	tte Meridianto the true processing the Track and County In the 32° 28' Engineering; the ct; thence Engineering the ct; thence Engineering and amount of positive of water and fall to be utilized to the county of t	heast corner on; thence North of beginning feet; thence South Seet ast 638. 5 feet ast 638. 5 feet ast 30 feet mo	of Section 1 Township 15° 32' East 100 fing of the tract here buth 63° 59' East 180 Find Road; thence North forth 63° 59' West 2' and North 63° 59' West to the North 63° 59' West 2' and North 63° 59'	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less Vest 30 feet from the rth line of the above the point of beginning.  theoretical horsepowe ec. ft.
f the willame last 125 feet in the West line of size the West line of size the last line of size in the last line	tte Meridia to the true p East 608.5 of the Trask aid County I th 32° 28' E beginning; th ct; thence E racter of soil d of crops raise Purposes— al amount of po entity of water i al fall to be util enature of the te h works to be le	heast corner on; thence North of beginning feet; thence So River County Road; thence Nast 638.5 feet lence South 32 ast 30 feet moderate to be developed to be used for power to	of Section 1 Township 15° 32' East 100 fing of the tract here buth 63° 59' East 186 Road; thence North orth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the North orth separate sheet)  The or less to the true red, attach separate sheet)  Advices S. Galerian  Ged Section 1 Township  Read 180° 180° East 100 fine 180° East 1	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less Vest 30 feet from the rth line of the above the point of beginning.  theoretical horsepow ec. ft.
f the willame last 125 feet in the West line of size the West line of size the last line of size in the last line	tte Meridia to the true p East 608.5 of the Trask aid County I th 32° 28' E beginning; th ct; thence E racter of soil d of crops raise Purposes— al amount of po entity of water i al fall to be util enature of the te h works to be le	heast corner on; thence North of beginning feet; thence South Seet ast 638. 5 feet ast 638. 5 feet ast 30 feet mo	of Section 1 Township 15° 32' East 100 fing of the tract here buth 63° 59' East 186 Road; thence North orth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the North orth separate sheet)  The or less to the true red, attach separate sheet)  Advices S. Galerian  Ged Section 1 Township  Read 180° 180° East 100 fine 180° East 1	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less Vest 30 feet from the rth line of the above the point of beginning.  theoretical horsepow ec. ft.
f the willame  ast 125 feet ( lorth 32° 28' he West line of si o a point Nor rue point of he  (a) Char (b) Kind (b) Kind (c) Tota (d) The  (e) Suc  (f) Is u	te Meridia to the true p East 608.5 of the Trask aid County I th 32° 28' E beginning; th ct; thence E racter of soil d of crops raise Purposes— al amount of po entity of water to l fall to be util nature of the te h works to be le county of the te water to be returned.	theast corner on; thence North of beginning feet; thence So River County Road; thence No ast 638. 5 feet sence South 32 ast 30 feet mo (14 more space required as a sence for power to be used for pow	of Section 1 Township 15° 32' East 100 fing of the tract here buth 63° 59' East 180 forth 63° 59' West 2' and North 63° 59' West 2' and North 63° 59' West to the true red, attach separate sheet)  Advices Garrier Section (Head)  f which the power is to be given by the subdivision of the subdivision)  (Legal subdivision)	th 450.4 feet and West p 2 South, hange b We eet; thence North 28° in to be described; the 0.4 feet more or less erly 30 feet along the 10.4 feet more or less west 30 feet from the rth line of the above the point of beginning.

(i) The nature of the mines to be served .....

10. (a) To supply the city of	
	of
an estimated population of in 19 in 19	'
(b) If for domestic use state number of families to	,
	• • • • • • • • • • • • • • • • • • • •
(Answer questions 11, 12, 13, and 14 in all	
II. Estimated cost of proposed works, \$500 No.c.	
12. Construction work will begin on or beforecomplet	ed and in use
13. Construction work will be completed on or before	completed.
14. The water will be completely applied to the proposed to	use on or before <u>in use.</u>
· Y Llea	G. Market
· V Dern	une G. Marlove
Remarks:	
d section 38, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing No Istance of 82. 17 feet; thence North 60° 42' We Easterly line of the Trask River County Road	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to the section in the section in the section is the section in the section in the section in the section is the section in the section
d section 36, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing No istance of 82. 17 feet; thence North 60° 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203. 17 feet to the point of be ements to be appertant to each and every portion	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° against both of the sections
d section 36, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing No istance of 82.17 feet; thence North 60° 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portion	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° against both of the sections
d section 36, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing No Istance of 82.17 feet; thence North 60° 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portion	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° against both of the sections
d section 36, at a point that is North 0. 14' Ea Southeast corner thereof; thence continuing No Istance of 82.17 feet; thence North 60. 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portion	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° against both of the sections
d section \$6, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing No istance of 82.17 feet; thence North 60° 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portion perty which is being purchased.  ATE OF OREGON,   Ss.	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° against both of the sections
d section \$6, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing No istance of 82.17 feet; thence North 60° 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portion perty which is being purchased.  ATE OF OREGON,   Ss.	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° aginning; both of the aforesaid on of the above described real
d section 36, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing Notistance of 82.17 feet; thence North 60° 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portisperty which is being purchased.  ATE OF OREGON, and seeming the foregoing and this is to certify that I have examined the foregoing and the foregoing and the foregoing and the section of the foregoing and the foregoing	g at a point on the East line of st a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° aginning; both of the aforesaid on of the above described real
d section 36, at a point that is North 0° 14' Ea Southeast corner thereof; thence continuing Notistance of 82.17 feet; thence North 60° 42' We Easterly line of the Trask River County Roading the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portisperty which is being purchased.  ATE OF OREGON, and seeming the foregoing and this is to certify that I have examined the foregoing and this is to certify that I have examined the foregoing and the for	g at a point on the East line of ist a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° aginning; both of the aforesaid on of the above described real
d section 36, at a point that is North 0° 14' Es Southeast corner thereof; thence continuing No istance of 82.17 feet; thence North 60° 42' Wei Fasterly line of the Trask River County Road ng the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portion perty which is being purchased.  ATE OF OREGON,  Ss. County of Marion,  This is to certify that I have examined the foregoing and ps and data, and return the same for	g at a point on the East line of ist a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° aginning; both of the aforesaid on of the above described real
County of Marion,  This is to certify that I have examined the foregoing approximately ps and data, and return the same for correction	g at a point on the East line of ist a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° aginning; both of the aforesaid on of the above described real
d section 36, at a point that is North 0° 14' Es Southeast corner thereof; thence continuing No istance of 82.17 feet; thence North 60° 42' Wei Fasterly line of the Trask River County Road ng the Easterly line of said roadway a distance East a distance of 203.17 feet to the point of be ements to be appertant to each and every portion perty which is being purchased.  ATE OF OREGON,  Ss. County of Marion,  This is to certify that I have examined the foregoing and ps and data, and return the same for	g at a point on the East line of ist a distance of 54.93 feet from ortherly along the section line at a distance of 165.35 feet to thence South 19° 21' West of 33.58 feet; thence South 49° aginning; both of the aforesaid on of the above described real opposition, together with the accompanying population, together with the accompanying the section of the State Engineer, with correcturned to the State Engineer, with corrections and the state Engineer and the state Enginee



STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		RIGHTS and the follonted is limited to the	•		olied to beneficial use
				•	of diversion from the
•		case of rotation with			
The	use to which this	s water is to be applie	d is domest	ic use for one fa	mily and irriga-
_tion			,		······································
		appropriation shall be			
		each acre irrigated! acre feet per acre			
		/ear,			
•					
•			· ·		· · ·
			-		
<u></u>			•••••		
•••••••••••••••••••••••••••••••••••••••			••••••		
	·	reasonable rotation s	-	-	
					4 and shall
thereafter	· be prosecuted w	ith reasonable diligen	ce and be com	pleted on or before O	ctober 1, 19.74
		of the water to the p			
WI	TNESS my hand t	this30th da	y of	wary, 1	13 Co
					STATE ENGINEER
Application No. 48334  Permit No. 36297	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of Jne.  197/ at 3:00 o'clock	Returned to applicant:	Approved: January 30, 1973 Recorded in book No.	CHRIS L. WHEELER STATE ENGINEER  Drainage Basin No. / page 20A Fees 320 22

State Printing 9813