

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, S.W. & LOUISE E. BORDWELL (Name of applicant)

of 1160 Madras Hwy, Prineville 97754 (Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 SPRINGS, WHICH DRAINS INTO PARSNIP CREEK, a tributary of WALLOWA RIVER. (Name of stream) The other springs into Wallowa River #2

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cfs for domestic use & 15/40 cfs for irrigation from spring #2 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation and Domestic supply. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2370 ft. S and 1300 ft. E from the NW corner of section 27 T1N, R43E and 2630 N and 1090 E from the NW corner of section 27, T1N, R43E W.M. (Irrigation) 15/40 cfs (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW/4, NW/4 of Sec. 27, Tp. 1N (Give smallest legal subdivision) (N. or S.)

R. 43E, W. M., in the county of WALLOWA (E. or W.)

5. The Domestic Pipeline to be 270' (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW/4, NW/4 of Sec. 27, Tp. 1N (Smallest legal subdivision) (N. or S.)

R. 43E, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Not determined yet (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500

12. Construction work will begin on or before Oct 1, 1971

13. Construction work will be completed on or before Oct 1, 1972

14. The water will be completely applied to the proposed use on or before Oct 1, 1972

S.W. Bordwell Louis E. Bordwell
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 12, 1971.

WITNESS my hand this 13th day of August, 1971.

RECEIVED
SEP 17 1971
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

By T. E. Shook
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.39 cubic feet per second, measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 2 springs

The use to which this water is to be applied is domestic use for 1 family and irrigation being 0.01 cfs from spring #1 for domestic use and 0.38 cfs from spring #2 for irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 20, 1971

Actual construction work shall begin on or before February 20, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1974.

Complete application of the water to the proposed use shall be made on or before October 1, 1975.

WITNESS my hand this 20th day of February, 1973.

Chris L. Wheeler

STATE ENGINEER

Application No. 48460
Permit No. 36372

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of July, 1971, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

February 20, 1973

Recorded in book No. _____ of _____
Permits on page 36372

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 386
Fees 3.00