

T-6379 N.56p.2211

## \*APPLICATION FOR PERMIT

50390 CERTIFICA II. NO. 4/08/92

## To Appropriate the Public Waters of the State of Oregon

| (Satura sederase)  (Itate of Oregon  | I, Paul N. Gibson (Name of applicant)   | •••••     |
|--|---|-----------|
| Siletz River and   1. The source of the proposed appropriation is   Mill Creek   Clear of the proposed   Clear of the    | of Box 245 Siletz   | ····,     |
| If the applicant is a corporation, give date and place of incorporation  Siletz River and  1. The source of the proposed appropriation is  | State ofOregon do hereby make application for a permit to appropriate to  | the       |
| Siletz River and  1. The source of the proposed appropriation is Mill Creek  (Common of the second)  (It was to be used from more than ease words, give quantity from such)  **2. The amount of water which the applicant intends to apply to beneficial use is  | following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:   |           |
| Siletz River and  1. The source of the proposed appropriation is Mill Creek  (Common of the second)  (It was to be used from more than ease words, give quantity from such)  **2. The amount of water which the applicant intends to apply to beneficial use is  | If the applicant is a corporation, give date and place of incorporation   |           |
| 1. The source of the proposed appropriation is Mill Creek  (New of stream)  (a tributary of Siletz River  2. The amount of water which the applicant intends to apply to beneficial use is series and series are series and series and series are series and series and series are series and series are quantity from such)  **3. The use to which the water is to be applied is  |   |           |
| , a tributary of Siletz River  2. The amount of water which the applicant intends to apply to beneficial use is  | Siletz River and  |           |
| . a tributary of Siletz River  2. The amount of water which the applicant intends to apply to beneficial use is series of the se | 1. The source of the proposed appropriation is Mill Greek   |           |
| **3. The use to which the water is to be applied is  | V,  | •••••     |
| **3. The use to which the water is to be applied is  | 2. The amount of water which the applicant intends to apply to beneficial use is  |           |
| 4. The pointiof diversion is located   | cubic feet per second. Mill Creek Siletz River 1.35 c.fs.  (If water is to be used from more than one source, give quantity from each)                          | ••••      |
| 4. The pointiof diversion is located   | **3. The use to which the water is to be applied isIrrigation   | ·····     |
| 4. The pointiof diversion is located    CR. or S.   And   ft.   CR. or S.  | ·   |           |
| Siletz River — 1280 ft. S  | 4. The points of diversion is locatedftandft from the _NaW  | <b></b> . |
| Mill Creek (1040 ft, S 2765 ft, E (NW1 NE1) 2820 ft, S, 3015 E. (NW1 S Mill Creek (1040 ft, S) 2765 ft, E (NW1 NE1) (If preferable, sive distances and bearing to section corpor)  1820 ft, S 3290 ft, E (SW2 NE1)  1820 ft, S 5290 ft, E (SW2 NE2)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the as Shown above of Sec. 33 , Tp. 95. (Rt. or s.)  2. 9W , W. M., in the county of Lincoln (K. or w.)  5. The Pipe Line (Particle System) to be 2500 feet (Miles or feet)  In length, terminating in the NE1 NW1 (Smallest legal subdivision) of Sec. 33 , Tp. 9S. (Rt. or w.)  R. 9W , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, cost and brush, timber crib, etc., westeway over or around dam)  (b) Description of headgate (Chipysler) (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale) This is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   | corner of Section 33 for the six diversions listed.   |           |
| Mill Creek (1040 ft, S 2765 ft, E (NW1 NE1) 2820 ft, S, 3015 E. (NW1 S Mill Creek (1040 ft, S) 2765 ft, E (NW1 NE1) (If preferable, sive distances and bearing to section corpor)  1820 ft, S 3290 ft, E (SW2 NE1)  1820 ft, S 5290 ft, E (SW2 NE2)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the as Shown above of Sec. 33 , Tp. 95. (Rt. or s.)  2. 9W , W. M., in the county of Lincoln (K. or w.)  5. The Pipe Line (Particle System) to be 2500 feet (Miles or feet)  In length, terminating in the NE1 NW1 (Smallest legal subdivision) of Sec. 33 , Tp. 9S. (Rt. or w.)  R. 9W , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, cost and brush, timber crib, etc., westeway over or around dam)  (b) Description of headgate (Chipysler) (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale) This is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   | Siletz River 1280 ft. S 255 ft. E. (NW NW) 2030 ft. S. 1045 ft. E   | (SWL      |
| Mill Creek (1040 ft, S 2765 ft, E (NW) NE3)  (If breferable, give distances and bearing to section corner)  1820 ft, S 2290 ft, E (SW NE3)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the as shown above of Sec. 35 , Tp. 9S.  (Give smallest legal subdivision) of Sec. 35 , Tp. 9S.  (C. or W.)  (E. or W.)  In length, terminating in the NE3 NW3 of Sec. 32 , Tp. 9S.  (Main titch, canal or pipe line) of Sec. 33 , Tp. 9S.  (More E.)  (M | 2280 ft S £ 1370 Ft F (SE1 NULL) 2020 Ft S £ 7015 F (SV   |           |
| (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  seing within the as shown above of Sec. 33. , Tp. 9S. (R. or S.)  1. 9W. , W. M., in the county of Lincoln.  5. The Pipe Line (Parte the Sec. 10 to be 2500 feet (Mills or feet))  In length, terminating in the NE1 NW1 (Smallest legal subdivision) of Sec. 33. , Tp. 9S. (N. or S.)  1. 9W. , W. M., the proposed location being shown throughout on the accompanying map.  1. 9W. , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock. concrete, masoury, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and site of openings)  (c) If water is to be pumped give general description (SCYLd, gas. engine (Chrysler))  (c) If water is to be pumped give general description (SCYLd, gas. engine (Chrysler))  (c) Centrifugal pump 6" intake 2 5" discharges (Hale). This unit is portable (Size and trye of engine or motor to be used, total head water is to be lifted, etc.)  |   | W4 5      |
| (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  seing within the as shown above of Sec. 33. , Tp. 9S. (R. or S.)  1. 9W. , W. M., in the county of Lincoln.  5. The Pipe Line (Parte the Sec. 10 to be 2500 feet (Mills or feet))  In length, terminating in the NE1 NW1 (Smallest legal subdivision) of Sec. 33. , Tp. 9S. (N. or S.)  1. 9W. , W. M., the proposed location being shown throughout on the accompanying map.  1. 9W. , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock. concrete, masoury, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and site of openings)  (c) If water is to be pumped give general description (SCYLd, gas. engine (Chrysler))  (c) If water is to be pumped give general description (SCYLd, gas. engine (Chrysler))  (c) Centrifugal pump 6" intake 2 5" discharges (Hale). This unit is portable (Size and trye of engine or motor to be used, total head water is to be lifted, etc.)  | Mill Creek 1040 ft. S 2765 ft. E (NW1 NEL)  (If preferable, give distance and bearing to section corner)  |           |
| reing within the as shown above (Give smallest legal subdivision)  1   |   | •••••     |
| 5. The Pipe Line Period System. to be 2500 feet (Milles or feet)  In length, terminating in the NE   | being within the as shown above of Sec. 33 Tp. 98   | ····•     |
| n length, terminating in the NE1 NW1 (N. or S.)  (Smallest legal subdivision) of Sec. 33 , Tp. 98 (N. or S.)  (R. 9W , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib. etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)  | R9W, W. M., in the county ofLincoln   |           |
| DESCRIPTION OF WORKS  DESCRIPTION OF WORKS  Of the set, length of the dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, look and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description Scyld, gas, engine (Chrysler) (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   | 5. The Pipe Line (Portuble 5 y stern) to be 2500 feet (Miles or feet)   | •••••     |
| DESCRIPTION OF WORKS  DESCRIPTION OF WORKS  Of the set, length of the dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, look and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description Scyld, gas, engine (Chrysler) (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   | in length, terminating in the NE NU Of Sec. 33, Tp. 9S  | <b></b> , |
| DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 6cyld, gas_engine(Chrysler) (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   |   |           |
| 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Syld, gas_engine (Chrysler) (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)  | <del></del>   |           |
| 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 6cyld, gas_engine(Chrysler) (Size and type of pump)  Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   | •   |           |
| feet; material to be used and character of construction  (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate   |   | om        |
| (b) Description of headgate  |   |           |
| (b) Description of headgate  | (Loose rock, concrete, mass   | mry,      |
| (c) If water is to be pumped give general description  |   |           |
| Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   | (b) Description of headgate(Timber, concrete, etc., number and size of openings)  |           |
| Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable (Size and type of engine or motor to be used, total head water is to be lifted, etc.)   |   | •••••     |
|  | (c) If water is to be pumped give general description   | •••••     |
|  | Centrifugal pump 6" intake 2 3" discharges (Hale). This unit is portable  (Size and type of engine or motor to be used, total head water is to be lifted, etc.) |           |
|  |   |           |

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

2007.30

|                                       | feet: denth of ma                      | tor                                   | feet; grade   | feet fall per o                         |
|---------------------------------------|--|---------------------------------------|---|---|
| usand feet.                           |  |                                       |   |   |
|                                       |  | •                                     | adgate: width on top (at water                                |   |
| •                                     | feet; width on bot                     | tom                                   | feet; depth of w  | ater fe                                 |
| de                                    | feet fall                              | per one thou                          | sand feet.  |   |
| (c) Lengt                             | h of pipe, 2500                        | ) ft.:                                | size at intake, 6"  | in.; size at 10                         |
|                                       |  |                                       | of use in.; diff  |   |
|                                       |  |                                       |   |   |
| ake and place                         | of use,40                              | ft. Is                                | s grade uniform?Yes   | Estimated capaci                        |
| 1.77                                  | sec. ft.                               | magtad or nl                          | ace of use Sec. 33 T9S  | LW.W. WOS                               |
| o. Docum                              |  | —————                                 | uce of use  |   |
| Township<br>North or South            | Range 25. or W. of Willemette Meridian | Section                               | Forty-acre Tract  | Number Acres To Be Irrigated            |
| 9S                                    | 9W                                     | 33                                    | Siletz River  |   |
|                                       |  |                                       | NE NW   | 20.0                                    |
|                                       |  |                                       |   |   |
| <u> </u>                              |  |                                       | NW1 NW1   | 38.8                                    |
|                                       | 1                                      |                                       | SW1 NW1   | 11.02                                   |
|                                       |  | · · · · · · · · · · · · · · · · · · · | SE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> | 35.0                                    |
| · · · · · · · · · · · · · · · · · · · |  | <u>-</u>                              | NW1 SE1   | 3.0                                     |
|                                       |  | ·                                     | NE SW   | •1                                      |
|                                       |  | •                                     |   | 10 6.                                   |
|                                       |  |                                       | Mill Coople   |   |
|                                       |  |                                       | Mill Creek  |   |
|                                       |  |                                       | NW1 NE 1  | 13.5                                    |
|                                       |  |                                       | SW NE   | 28.1                                    |
|                                       | _                                      | /70                                   | Tofel   | 149.7                                   |
| (a) Cl                                | naracter of soil                       |                                       | required, attach separate sheet) ganic soil                   |   |
|                                       |  |                                       | dils and Strawberries   |   |
| wer or Minin                          | ind of crops raised                    |                                       | dili - Li dwooi i 20  | ······································  |
|                                       | -                                      | ver to be dev                         | eloped  | theoretical horsepor                    |
| ,                                     |  |                                       | -<br>-<br>-   | •                                       |
|                                       |  | •                                     | powerse   | c. ft.                                  |
| (c) To                                | otal fall to be utili                  | zed                                   | (Head)  |   |
| (d) T                                 | he nature of the w                     | orks by mean                          | ns of which the power is to be                                | developed                               |
|                                       |  |                                       | ;   | ······································  |
| " (e) S                               | uch works to be lo                     | cated in                              | (Legal subdivision)   | of Sec.                                 |
| **                                    |  |                                       | •   |   |
| en .                                  | , R(No. E                              |                                       |   | T -                                     |
| (f) Is                                | water to be retur                      | ned to any st                         | (Yes or No)   |   |
|                                       |  |                                       | • • •   |   |
|                                       | f so, name stream                      | and locate p                          | oint of return  | ••••••••••••••••••••••••••••••••••••••• |

| 10. (a) To supply the city of  |  |  |
|--|--|--|
|  |  | •••••••••••••••••••••••••••••••••••••••  |
|  | esent population of  |  |
| an estimated population of   | in 19  |  |
|  | •  |  |
| (b) If for domestic use state number   | of families to be suppl  | ied  |
| (Answer questions  | : 11, 12, 12, and 14 in all cases)   |  |
|  | 2500.00  | # 35 de  |
|  |  | C production of the contract o |
| 12. Construction work will begin on or be  | foreOct1, 1971   | · •  |
| 13. Construction work will be completed of   | on or before Oct.  | 1, 1972  |
| 14. The water will be completely applied to  | o the proposed use on o  | before Oct. 1, 1973  |
| The state of the s |  |  |
|  |  | a.   |
|  | //www./r   | (Signature of applicant)   |
| Lega C plescription  | ,  |  |
| <b>U</b>   | 4 - 4 - 4 - 1 - 1 - 0 ·  | Ann Confidence 77 M 00   |
| Remarks:Landtobeirrigated.   | Ta Tu rrucotu Aoni   | .ty.,aection.33Tp9S.   |
| R9WW.M1472.AcresinLots   | 12&13  | •••••••••••••••••••••••••••••••••••••••  |
| Portions of Lots 14, 19,   | .20  |  |
|  |  | •  |
| Portions of Lots 8,9,10  |  |  |
| Lot. 7. and S% of Lots. 5  | and6   | •  |
| Portion of Lot. 4 lying.   | West-of County Kosa  |  |
|  |  |  |
|  |  | ······   |
|  |  | •  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
| · · · · · · · · · · · · · · · · · · ·  |  |  |
| ·  |  |  |
| *  |  |  |
| ATE OF OREGON,   |  |  |
| · · · · · · · · · · · · · · · · · · ·  |  |  |
| ATE OF OREGON,   |  |  |
| ATE OF OREGON, ss.  County of Marion, This is to certify that I have examined t  | the foregoing applicatio   | n, together with the accompar  |
| ATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined t   | the foregoing applicatio   | n, together with the accompar  |
| ATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined to ps and data, and return the same for   | the foregoing applicatio   | n, together with the accompar  |
| ATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined to ps and data, and return the same for   | he foregoing applicatio  | n, together with the accompar  |
| ATE OF OREGON,   ss.  County of Marion,  | the foregoing application  | n, together with the accompar  |
| ATE OF OREGON,   ss.  County of Marion,  | the foregoing application  | n, together with the accompar  |
| ATE OF OREGON,   ss.  County of Marion,  | the foregoing application  | n, together with the accompar  |
| ATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined to ps and data, and return the same for   | the foregoing application at the returned at t | n, together with the accompar<br>to the State Engineer, with co  |
| ATE OF OREGON,   ss.  County of Marion,  | the foregoing application at the returned at t | n, together with the accompar<br>to the State Engineer, with co  |
| ATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined to ps and data, and return the same for   | the foregoing application at the returned at t | n, together with the accompar<br>to the State Engineer, with co  |
| ATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined to ps and data, and return the same for   | the foregoing application at the returned at t | n, together with the accompar<br>to the State Engineer, with co  |

Municipal or Domestic Supply—

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

| stream, or                               | r its equivalent in  | cubic fe case of rotation w from Siletz Rive water is to be app                      | ith other were and O. | ater users, from                              | Siletz River                           | and Mill   |
|--|--|--|-----------------------|---|--|--|
|  |  | appropriation shall  |                       |   |  |  |
|  |  | re feet per acı  |                       |   |  |  |
| tion sea                                 | ason of each ye  | ear,   |                       | ••••••  |  |  |
| •  |  |  |                       | ······································        |  |  |
| ***************************************  |  |  |                       |   |  |  |
| ••••••                                   |  |  |                       | •••••••••••••••••••••••••••••••••••••••       |  |  |
| •  |  |  |                       | ·   |  |  |
| ***************************************  |  |  |                       |   |  |  |
| The<br>Act                               | e priority date of t   | reasonable rotation Augu his permit is Nove work shall begin on ith reasonable dilig | ember 23,             | 71 for 1.77 cfs<br>1971 for 0.10<br>March 13, | s, and<br>cfs from Mill                | Creek and shall  |
| Cor                                      | mplete application   | of the water to the  | proposed              | ıse shall be made (                           | on or before Octo                      | ober 1, 19.75.   |
| WI                                       | TNESS my hand t  | his 13th   | day of                | March   | , 19 73                                | <del>)</del>   |
|  |  |  | ******                | Chi L   | stille                                 | TATE ENGINEER  |
| Application No. 42532.  Permit No. 36424 | PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON | rst r  | ned to applicant:     | oved:<br>March 13, 1973                       | ecorded in book No. 36424 uits on page | STATE ENGINEER  STATE ENGINEER  The state of |