AUG 6 1971 STATE ENGINEER SALEM ORESON

*APPLICATION FOR PERMIT

4/425

Approp	the	Public	Waters	of the	State	of	Oregon
	* * * * * * * * * * * * * * * * * * * *	. 1"	2				U

Barel L'Estillialet D martin
of Re Box 146 Chatakanie
Of (Mailing address)
State of, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Bladling Slaugh
Cakumhia Keuw , a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. Cubic It because I To
**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
2370
4. The point of diversion is located ft. N and 400 ft. F from the West
corner of Relian 33 (Section or subdivision)
Leather survey marker Elv 1939 hoe above mean sea level is
located 120' South of point of diversion
Section 23 Journship 8 north, Range 4 titlet of Wellawith Meridian Co.
A preferable, give distance and bearing to section corners/
being within the
- 4 M
in length, terminating in the R. R. Right if West of Sec, Tp
(Main ditch, canal or pipe line), (Miles or feet)
in length, terminating in the A.A. (Smallest legal subdivision) of Sec. , Tp. (N. or S.)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS Diversion Works—
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom
DESCRIPTION OF WORKS Diversion Works—
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description / 2 Advance for the first of the pumped give general description / 2 Advance for the first of the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description / 2 Advance for the pumped give general description
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line-7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; gradefeet fall per one thousand feet. (c) Length of pipe, 1700 ft.; size at intake, 4" in.; size at ft. from intake ______in.; size at place of use ______in.; difference in elevation between intake and place of use, 13 ft. Is grade uniform? Estimated capacity, 8. Location of area to be irrigated, or place of use 4 West 23 (a) Character of soil (b) Kind of crops raised Power or Mining Purposes-9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for powersec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in(Legal subdivision) Tp. _____, R. ____, W. M. (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return, Sec., Tp., R., R., W. M. (h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of			· . · · .	36434
		ılation of		
(Name of) Id an estimated population of				
• • •	ı			
(b) If for domestic use state nu	mber of famili	ies to be suppl	ied	•
Answer o	questions 11, 42, 13, and	i 14 in all cases)		
11. Estimated cost of proposed works,	\$ 2500	, 00	ere:	
12. Construction work will begin on		/ \	20 197 1	•
		/ /		
13. Construction work will be compl	eted on or befo	ré filly	10, 1971.	•••••••
14. The water will be completely app	lied to the prop	posed use on or	before July	2,1971
	************		00	·
	٠	Trana	ed I. M	las Line
	***************************************	-/ ;	Signature of applicant)	······································
11.	,		Martis	
Remarks: This place	e alle	i pui	chased	Jeanes
hia inal ouners in	1966.	The	e wale	at th
telne an inigate				u ille
10 . //	1 - []			•
	/1	a //	en la	
in Raw upga	deal I	Le si	pleared	with
mu pipe and				
			······	
			•••••	•••••
. ,				
			• .	
	,	· · ·		••••••
		••••••		***************************************
CMAME OF ODECON	:			
STATE OF OREGON, ss.	;			
County of Marion,				
This is to certify that I have exam	ined the forego	oing applicatio	n, together with t	he accompanyin
naps and data, and return the same for	correction	and complet:	lon	
In order to retain its priority, this	application mu	st be returned	to the State Engir	ieer, with correc
ions on or beforeNovember 9	, 19.,7	1		
WWW.				10 774
WITNESS my hand this8th	aay ofSe	ptember		, 197.1
SEP 28 197	E 🕥	CHRIS	WHEELER	STATE ENGINEER
SEP 2 8 197	'1 1		1800 1	

STATE ENGINEER SALEM OREGON

THOMAS E. SHOOK

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed						
The use to which this water is to be applied is irrigation						
second or its equivalent for each acre of not to exceed 2 acre feet	ion shall be limited to1/80 irrigatedand shall be further l per acre for each acre irrigate	limited to a diversion				
tion season of each year,		7				
	le rotation system as may be ordered by August 6, 1971 for 0.25 cfs is December 28, 1971 for 0.05 c	and				
Actual construction work shall	begin on or before March 13	, 1974 and shall				
thereafter be prosecuted with reason	able diligence and be completed on or b ter to the proposed use shall be made o	pefore October 1, 19.74				

Application No. 4.85.46...

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

Returned to applicant:

 $\mathcal{O}_{\mathbb{M}}$

.. o'clock

19.7/., at

on the 6

March 13, 1973

Approved:

Recorded in book No.

Permits on page

CHRIS L. WHEELER

etate engineer rainage Basin No. / page 67