

RECEIVED

JAN 24 1972

Permit No. 30054

STATE ENGINEER
SALEM OREGON

*APPLICATION FOR PERMIT

42869

To Appropriate the Public Waters of the State of Oregon

I, Paul B. Sloan (Name of applicant)
 of P.O. Box 4 (Mailing address), ME. MINNVILLE (City),
 State of Oregon, 97128 (Zip Code), do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is unnamed - 5 springs (Name of stream),
 a tributary of Panther Creek
- The amount of water which the applicant intends to apply to beneficial use is 12 gpm
~~cubic feet per second~~ (Spring No 1 - 3 gpm) (No 2 - 2 gpm) (No 3 - 2 gpm) (No 4 - 2 gpm) (No 5 - 3 gpm)
 (If water is to be used from more than one source, give quantity from each)
- The use to which the water is to be applied is Domestic which includes
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
the irrigation of a lawn and non-commercial garden not exceeding 1/2 acre
- The point of diversion is located 1220 ft. N and 510 ft. E from the SW
 (N. or S.) (E. or W.)
 corner of Section 16
 (Section or subdivision)
 Spring No. 1--1265 ft. N and 360 ft. E. from the SW corner section 16, 3S, 5W
 Spring No. 2--1160 ft. N and 410 ft. E from the SW corner Section 16, 3S, 5W
 Spring No. 3--1100 ft. N and 480 ft. E. from the ~~SW~~ corner Section 16, 3S, 5W
 Spring No. 4--1030 ft. N and 490 ft. E from the SW corner Section 16, 3S, 5W
 Spring No. 5-- 900 ft. N and 510 ft. E from the SW corner Section 16, 3S, 5W
 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 SW 1/4 of Sec. 16, Tp. 3S,
 (Give smallest legal subdivision) (N. or S.)
 R. 5 W, W. M., in the county of Yamhill
 (E. or W.)
 5. The Pipeline to be 565 feet
 (Main ditch, canal or pipe line) (feet or feet)
 in length, terminating in the NW 1/4 SW 1/4 SW 1/4 of Sec. 16, Tp. 3S,
 (Smallest legal subdivision) (N. or S.)
 R. SW, W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

- (a) Height of dam feet, length on top feet, length at bottom
 feet; material to be used and character of construction
 (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)
- (b) Description of headgate
 (Timber, concrete, etc., number and size of openings)
- (c) If water is to be pumped give general description 1 hp Electric Centrifugal
80 feet lift (Size and type of pump)
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

30021

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 800.00

12. Construction work will begin on or before April 15, 1972

13. Construction work will be completed on or before Oct. 1, 1972

14. The water will be completely applied to the proposed use on or before Oct 1, 1972

Paul B Sloan
(Signature of applicant)

Remarks: 1. 10.09 Acre

Part of Southwest one quarter of Section 16, Township 3 South Range 5 West of Willamette Meridian, in Yamhill County, Oregon, being further described as follows; Beginning on the West line of Section 16 at a point N-00° 36' E 1429.2 ft from the Southwest corner of said section, beginning also N00°, 36' E 660 ft from the Southeast line of the Daniel Simmons Donation Land Claim, thence South 87° 48 1/2' E 578.72, thence South-00° 36' West 754.20 ft, thence 88° 57 1/2' West 578.52 feet to the West line of said Section, thence North-00° 36' East 765.83 feet to the point of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion
completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 3, 1972
September 11 72

WITNESS my hand this 3rd day of February, 1972
14th July 72

RECEIVED
AUG 3 1972
STATE ENGINEER
SALEM, OREGON
RECEIVED
MAR 28 1972
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

By Wayne J. Overcash
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 5 springs being 1 gpm from each spring

The use to which this water is to be applied is domestic use for 1 family including the irrigation of lawn and garden not to exceed 1/2 acre in area

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 24, 1972

Actual construction work shall begin on or before April 24, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975

Complete application of the water to the proposed use shall be made on or before October 1, 1976

WITNESS my hand this 24th day of April, 1973

Chris L. Wheeler
STATE ENGINEER

Application No. 4895
Permit No. 36654

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of January, 1973, at 8 o'clock A.M.

Returned to applicant:

Approved:

APR 11 24, 1973

Recorded in book No. 36654 of

Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 20812

Fee 25.00