

RECEIVED JUN 9 1972

Permit No. 36726

STATE ENGINEER SALEM, OREGON

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 55798

To appropriate the Public Waters of the State of Oregon

I, Ray A. Carnes & Marcelle M. Carnes of 315 Ferndale Dr, Eugene, Oregon 97402, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is SILT COOS LAKE, a tributary of PACIFIC OCEAN

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second

3. The use to which the water is to be applied is DOMESTIC & IRRIGATION

OF LAWN & non commercial garden not to exceed 1/2 acre in area. (Separate uses) 0.006 of water for domestic use 0.004 of water for irrigation use

4. The point of diversion is located 1100 ft. S and 70 ft. W from the NW corner of Section 25

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of NE 1/4 of Sec. 26, Tp. 19 S, R. 12 W, W. M., in the county of LANE

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1/4 HP PISTON Pump w. Press Tank MONTGOMERY WARD 1" INTAKE 1/2" OUTLET

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

36726

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
19S	12W	25	NW 1/4 of NW 1/4	Domestic + <sup>irrigation</sup> 0.4 Acres
19S	12W	26	NE 1/4 of NE 1/4	Domestic + <sup>irrigation</sup> 0.1 Acres
(See Remarks)				total 0.5 acres

(If more space required, attach separate sheet)

(a) Character of soil ..... clay and porous muck

(b) Kind of crops raised ..... lawn & shrubs

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150.00

12. Construction work will begin on or before Oct. 1, 1972

13. Construction work will be completed on or before Oct. 1, 1973

14. The water will be completely applied to the proposed use on or before Oct. 1, 1974

*Ray G. Carnes*  
(Signature of applicant)

*Marcella M. Carnes*

Remarks: House sets on section line

Square with X marks house

Legal Description of property to receive water  
South half (1/2) of lot three (3) block seven (7) .35 acres  
South half (1/2) of lot six (6) Block seven (7) the bottom .15 acres

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 29, 19 72  
November 13, 72  
November 27, 72

WITNESSED my hand this 30<sup>th</sup> day of June, 19 72  
14<sup>th</sup>, September, 72  
27<sup>th</sup>, September, 72

STATE ENGINEER  
SALEM OREGON  
RECEIVED  
OCT 20 1972  
STATE ENGINEER  
SALEM, OREGON  
AUG 18 1972

RECEIVED  
SEP 21 1972 CHRIS L. WHEELER  
STATE ENGINEER  
SALEM, OREGON  
By *Wayne J. Overcash*  
Wayne J. Overcash ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Siltcoos Lake

The use to which this water is to be applied is domestic use for 1 family and irrigation of lawn and garden not to exceed 1/2 acre in area

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 9, 1972

Actual construction work shall begin on or before May 29, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975.

Complete application of the water to the proposed use shall be made on or before October 1, 1976.

WITNESS my hand this 29th day of May, 1973

*Chris L. Wheeler*  
STATE ENGINEER

Application No. 49325  
Permit No. 36726

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of June, 1972, at 8:00 o'clock P. M.

Returned to applicant:

Approved: May 29, 1973  
Recorded in book No. 36726 of  
Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 18 page 6P  
Fee 30.00