SALEM OREGON

ASSIGNED, See Misc. Rec., Vol. 6 Page 8/2

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1, mis mary & Goldsbury
of P.P. Box 5-50 Coop Bay
State of Orlgon 97420, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
· · · · · · · · · · · · · · · · · · ·
1. The source of the proposed appropriation is Juling (Name of stream)
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. O. O. I. C. E. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Loxxestic succession for mining, manufacturing, sometic supplies, etc.)
1/2 acre lawn, and garden (hon-commorane)
4. The point of diversion is located 320 ft. M and 780 ft. from the Center
corner of Sec (Section or subdivision)
(Section of Subdivision)
•

(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar,)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEAN MA of Sec. Tp. 275 (Give smallest legal subdivision) (N. or S.)
being within the SEA (Give smallest legal subdivision) R. 13 W. M., in the county of
being within the SEA (Give smallest legal subdivision) R. 13 W. M., in the county of
being within the SEA (Give smallest legal subdivision) R. 13 W. M., in the county of
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEA WA of Sec. Tp. 275 (Give smallest legal subdivision) R. 13 W. M., in the county of Sec. (N. or 8.) 5. The Ripe Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the SE4-WA of Sec. Tp. 275 (Smallest legal subdivision)
being within the SEA (Give smallest legal subdivision) R. 13 W. M., in the county of
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEU NW of Sec. 7p. 275 (Give smallest legal subdivision) R. 13 W N. M., in the county of Sec. (N. or S.) 5. The Pipe Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the SEU NW of Sec. (N. or S.) (Smallest legal subdivision) R. P 13 M N. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEANN of Sec. Tp. 275 (Give smallest legal subdivision) R. 13 W., W. M., in the county of (N. or S.) 5. The Right Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the SEANN of Sec. Tp. 275 (Smallest legal subdivision) R. R. N. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEM MA of Sec. Tp. 275 (Give smallest legal subdivision) R. 13 W., W. M., in the county of (N. or S.) 5. The Right Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) R. R. M., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEANN of Sec. Tp. 275 (Give smallest legal subdivision) R. 13 W., W. M., in the county of (N. or S.) 5. The Right Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the SEANN of Sec. Tp. 275 (Smallest legal subdivision) R. R. N. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEANN (Give smallest legal subdivision) of Sec. 7p. 275 (N. or S.) R. /3 W , W. M., in the county of (S. or W.) 5. The Release of the County of (Miles or feet) in length, terminating in the SEANN (Smallest legal subdivision) of Sec. 7p. 275 (N. or S.) R. /3 N , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry, rock and brush, timber crib, etc., wasteway over or around dam)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEM No. (Give smallest legal subdivision) R. 13 No. No. M., in the country of (No. or 8.) 5. The Research of the No. (Main ditch, canal or pipe line) (Milles or feet) in length, terminating in the SEM No. (Smallest legal subdivision) R. 13 No. No. or 8.) (Smallest legal subdivision) Of Sec. (Milles or feet) (Smallest legal subdivision) R. 13 No. No. or 8.) (R. or W.) DESCRIPTION OF WORKS Diversion Works— DESCRIPTION OF WORKS Diversion Works— feet; material to be used and character of construction (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEANN (Give smallest legal subdivision) of Sec. 7. Tp. 275 (N. or E.) R. /3 W. M., in the county of (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SEANN (Smallest legal subdivision) of Sec. 7. Tp. 275 (N. or E.) R. /3 W. M. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., westeway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessar.) being within the SEANN (Give smallest legal subdivision) of Sec. 7p. 275 (N. or S.) R. /3 W , W. M., in the county of (S. or W.) 5. The Release of the County of (Miles or feet) in length, terminating in the SEANN (Smallest legal subdivision) of Sec. 7p. 275 (N. or S.) R. /3 N , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry, rock and brush, timber crib, etc., wasteway over or around dam)
being within the SEANN (Give smallest legal subdivision) of Sec. (N. or E.) R. (3 W. M., in the county of (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the SEANN (Smallest legal subdivision) R. (2 or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)

[°]A different form of application is provided where storage works ere contemplated.

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

•	Pipe Line—	anch noint of	agnal subana matanialla, ab	rad in eiga stating miles for
	é	•	canal where materially chang	· · · · · · · · · · · · · · · · · · ·
		feet; width on botto		
isand feet.	-		feet; gradeeadgate: width on top (at wat	
•••••	feet; width on bo	ottom	feet; depth of 1	water fe
de	feet fall	per one thou	sand feet.	
(c) Length	r of pipe,	ft.;	size at intake,	in.; size at
n intake	in.;	size at place	of use in.; di	fference in elevation betwe
ike and place	of use,	ft. I	's grade uniform?	Estimated capaci
	sec. ft.	4.		·.
8. Locatio	n of area to be ir	rigated, or p	lace of use	
Township North or South	Range E. or W. of Withmette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
275	13 W		SFUNWA	domestic
			-	
	<u> </u>			
	 			
				•
				-
				
			required, attach separate sheet)	· ·
(a) Ch	aracter of soil			
(b) Ki	nd of crops raised	d		·
wer or Mining	-	4. 1. 1	veloped	th counting! home
				_
			powers	ec. ft.
(c) To	tal fall to be util	ized	(Head)	
(d) T	ne nature of the v	vorks by mea	ns of which the power is to be	e developed
(e) St	ıch works to be lo	ocated in	(Legal subdivision)	of Sec.
'	, R			
•		•	tream? (Yes se No)	
			oint of return	
(9/ 4)	•	•	•	
		, Sec	, Tp	, R W
			, Tp(No. N. or S.) applied is	

(Nama of)	a present population of
and an estimated population of	
(b) If for domestic use state nun	nber of families to be supplied. Ohe Low
(Angrer ou	partians 11 .19 19 and 14 in all asses)
11. Estimated cost of proposed works,	s Completed 200-300
12. Construction work will begin on o	or before complicted
	ted on or before Completed
	ied to the proposed use on or before CO721/2 Le Le d
have used this spr	ing since 1937
	Mus Mary J. Holchbury
	R. P. Box 1550 Coos 13
Para auton	,
Remarks:	
•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••
·····	······································
	·
	•
•••••••••••••••••••••••••••••••••••••••	
STATE OF OREGON, \{\}ss.	
STATE OF OREGON, County of Marion, ss.	
County of Marion,	ned the foregoing application, together with the accomp
County of Marion, ss. This is to certify that I have examin	
County of Marion, ss. This is to certify that I have examin	ned the foregoing application, together with the accomp
County of Marion, ss. This is to certify that I have examin	
County of Marion, ss. This is to certify that I have examinate maps and data, and return the same for	correction and completion
County of Marion, This is to certify that I have examine maps and data, and return the same for In order to retain its priority, this a	pplication must be returned to the State Engineer, with
County of Marion, ss. This is to certify that I have examinate maps and data, and return the same for	pplication must be returned to the State Engineer, with
County of Marion, This is to certify that I have examine maps and data, and return the same for In order to retain its priority, this a	pplication must be returned to the State Engineer, with
County of Marion, This is to certify that I have examinate maps and data, and return the same for In order to retain its priority, this a tions on or beforeJuly14	pplication must be returned to the State Engineer, with
County of Marion, This is to certify that I have examinate maps and data, and return the same for In order to retain its priority, this a tions on or beforeJuly14	pplication must be returned to the State Engineer, with
County of Marion, This is to certify that I have examinate maps and data, and return the same for In order to retain its priority, this a tions on or beforeJuly14	pplication must be returned to the State Engineer, with
County of Marion, This is to certify that I have examinate maps and data, and return the same for In order to retain its priority, this a tions on or beforeJuly14	pplication must be returned to the State Engineer, with
County of Marion, This is to certify that I have examinate maps and data, and return the same for In order to retain its priority, this a tions on or beforeJuly14	pplication must be returned to the State Engineer, with

PERMIT

STATE OF OREGON, County of Marion,

SUBJECT	TO EXISTING	it I have examined the RIGHTS and the follor nted is limited to the a	ving limitat	tions and condi	tions:		·
		01 cubic feet p	t				
stream, or	r its equivalent in	case of rotation with	other water	users, from	an unname	d spring	•••••
		s water is to be applied d garden not to ex					
If fo	or irrigation, this	appropriation shall be l	imited to		of a	ne cubic fo	ot per
second or	its equivalent for	each acre irrigated			•••••	·	
•••••					•••••	·	
***************************************							*********
•••••					•••••	·····	**********
				•••••••	***************************************		······································
	. 0						, Said
***************************************				•••••			
	•	reasonable rotation sy			• •		
		his permit iswork shall begin on or	•				
		ith reasonable diligence					
Con	nplete application	of the water to the pro	posed use s	hall be made o	n or before (October 1, 1	97.6
WI:	TNESS my hand t	this 27th day	of	July	, 19.73	7	المام
. •					~~~	STATE ENGI	VEER
	 	''' '''	:	1	. 2	<u></u>	
	PUBLIC	strument was first received in the se State Engineer at Salem, Oregon, 24.6. day of ACIL 3.00. o'clock A. M.	:			ENGINEER	,
350		receive Salem,	!		(<u>)</u>	STATE	. page
36	ERMIT TATE THE OF THE ST OREGON	s first neer at		1973	36850	WHEELER STA	
on No. Io.		ent was f e Enginee day of	licant:	y 27,	ed in book No	CHRIS L.	No.
pplication No rmit No	P]	This instrument was first office of the State Engineer at on the ACH. day of A.19.72, at P.100.0'clock	to applicant.				basin No
Apj Per	TO A)	This ine office of the AD on the AD 1972, at C	Returned t	Approved:	Record Permits o		Fees Fees
		on 1	Ret	Ap.	Per		Fee

State Printing 98137