*APPLICATION FOR PERMIT

CERTIFICATE NO._53G79

To Appropriate the Public Waters of the State of Oregon

1, Virgil Hines + Hazel Hines								
of Rt / Box 322 Coos BAy (Mailing address)								
State of QRC 60 n 97420, do hereby make application for a permit to appropriate the								
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:								
If the applicant is a corporation, give date and place of incorporation								
1. The source of the proposed appropriation is NONAME Stream)								
, a tributary of CAtching Inlet								
2. The amount of water which the applicant intends to apply to beneficial use is QOI CFS								
cubic feet per second								
**3. The use to which the water is to be applied is								
irrigation of not more than facre								
4. The point of diversion is located 5 6 5 ft. 50 and 223 ft. WRST from the NE								
corner of the SEHNWA of Sec. 18.								
<u> </u>								
(If preferable, give distance and bearing to section corner)								
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)								
being within the SE4 NW4 of Sec. 18, Tp. 265 (Give smallest legal subdivision)								
being within the SEA NW4 of Sec. 18, Tp. 265 (Give smallest legal subdivision) R. 12 W., W. M., in the county of COOS								
being within the SEA NW4 of Sec. 18 Tp. 268 (Give smallest legal subdivision) R. 12 W , W. M., in the county of COOS (E. or W.) 5 The 170 ft PIPE 1 ne to be 170 ft								
being within the SEA NW4 of Sec. 18 Tp. 268 (Give smallest legal subdivision) R. 12 W , W. M., in the county of COOS (E. or W.) 5 The 170 ft PIPE 1 ne to be 170 ft								
being within the SEA NW4 of Sec. 18, Tp. 265 (Give smallest legal subdivision) R. 12 W., W. M., in the county of COOS								
being within the SEH NW 4 of Sec. 18 , Tp. 265 R. 12 W , W. M., in the county of COOS (E. or W.) 5. The PIPCLIME to be 170 ft (Main ditch, canal or pipe line) in length, terminating in the SEH MW 4 of Sec. 18 , Tp. 265 (Smallest legal subdivision) R. 12 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS								
being within the SEH NW4 of Sec. 18 Tp. 268 R. 12 W., W. M., in the county of COOS 5. The PIPC I TR to be 170 ft (Main ditch, canal or pipe line) in length, terminating in the SEH NW4 of Sec. 18 Tp. 268 (Smallest legal subdivision) R. 12 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—								
being within the SEH NW4 of Sec. 18, Tp. 268 R. 12 W, W. M., in the county of C.005 5. The HALL ditch, canal or pipe line) in length, terminating in the SE4 N W Grand of Sec. 18, Tp. 265 (Smallest legal subdivision) R. 12 W, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom								
being within the SEH NW4 of Sec. 18 Tp. 268 R. 12 W., W. M., in the county of COOS 5. The PIPC I TR to be 170 ft (Main ditch, canal or pipe line) in length, terminating in the SEH NW4 of Sec. 18 Tp. 268 (Smallest legal subdivision) R. 12 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works—								
being within the SEH NN # of Sec. /8 , Tp. 268 R. /2 W , W. M., in the county of C. 005 5. The H70 + PIPE INE to be /70 ft (Malles or feet) in length, terminating in the SE M NU M of Sec. /8 , Tp. 268 (Smallest legal subdivision) R. /2 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry, rock and brush, timber crib, etc., wasteway over or around dam)								
being within the SET NW 4 of Sec. 18 Tp. 268 R. 12 W., W. M., in the county of Coos 5. The 170 + PIPP I'me to be 170 ft (Main ditch. canal or pipe line) of Sec. 18 Tp. 268 (Smallert legal subdivision) of Sec. 18 Tp. 268 (Smallert legal subdivision) of Sec. 18 Tp. 268 (R. or W.) R. 12 W., W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,								
being within the SEH NN # of Sec. /8 , Tp. 268 R. /2 W , W. M., in the county of C. 005 5. The H70 + PIPE INE to be /70 ft (Malles or feet) in length, terminating in the SE M NU M of Sec. /8 , Tp. 268 (Smallest legal subdivision) R. /2 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, massonry, rock and brush, timber crib, etc., wasteway over or around dam)								
being within the SEH NW 4 of Sec. 18 Tp. 26S R. 12W , W. M., in the county of COOS (R. or W.) 5. The HOFF PIPE I' Ne to be 170 ft (Main ditch, canal or pipe line) in length, terminating in the SEH NW 4 of Sec. 18 Tp. 26S (Manalest legal subdivision) R. 12W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonity, concrete, etc., number and size of openings)								

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or	Pipe Line			
7. (a) Gir	ve dimensions at e	each point of	canal where materially chang	ed in size, stating miles from
headgate. At hea	dgate: width on t	op (at water	line)	feet; width on bottom
thousand feet.	-		eadgate: width on top (at wate	
<u></u>	feet; width on bo	ttom	feet; depth of u	pater feet;
grade	feet fall	per one thou	sand feet.	
(c) Lengt	h of pipe,	ft.;	size at intake,	. in.; size at ft.
from intake	in.;	size at place o	of use in.; dij	ference in elevation between
intake and place	of use,	ft. I	s grade uniform?	Estimated capacity,
8. Locatio	•	rigated, or pl	ace of, use	
Township North or South	Range 2. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
268	12 W	18	SEL NWL	Domestic
	•			
·				
· · · · · · · · · · · · · · · · · · ·				
	<u> </u>	•		
•	 			
, .	 			
	 			
	· ·	· ·		
				<u> </u>
		(7)		
(a) Ch	aracter of soil		required, attach separate sheet)	
(b) Ki	nd of crops raised	La	wh & Garde	70
Power or Mining			i i	•
9. (a) To	tal amount of po	wer to be dev	eloped	theoretical horsepower.
(b) Q1	uantity of water t	o be used for	powerse	c. ft.
(c) To	tal fall to be util	ized	feet.	•
(d) T7	he nature of the u	orks by mean	ns of which the power is to be	developed
(e) Si	ıch works to be lo	cated in	(Legal subdivision)	of Sec.
	, R			
(f) Is	water to be retur	ned to any st	ream?(Yes or No)	
			oint of return	
		Sec	, Tp	, R, W. M.
				(NO. E. OT W.)
(a) m	he nature of the n	nines to be se	rved	

		4000A
10. (a) To supply the city of		
	esent population of	
d an estimated population of		
		~ ~ ~ ~ ~ ~ ~ ~ ~ ~
(b) If for domestic use state number	of families to be supplied	One
(Answer question	us 11, 42, 13, and 14 in all cases)	-
11. Estimated cost of proposed works, \$	35000	
		4
12. Construction work will begin on or be	efore Comple	1 = 4
13. Construction work will be completed	on or before COMF	leted
14. The water will be completely applied t		
	Virgil E K	nes-Hazel Hi
	(Signatur	e of applicant)
		•••••••••••••••••••••••••••••••••••••••
Remarks:		

	••••••	

· · · · · · · · · · · · · · · · · · ·		
	•	
	·	······································
TATE OF OREGON, \{\}ss.		
TATE OF OREGON, Sss. County of Marion,		
TATE OF OREGON, ss. County of Marion, This is to certify that I have examined	the foregoing application, toge	ether with the accompanyin
This is to certify that I have examined		
This is to certify that I have examined		
This is to certify that I have examined		
This is to certify that I have examined naps and data, and return the same for		
This is to certify that I have examined haps and data, and return the same for In order to retain its priority, this applies	ication must be returned to the	
This is to certify that I have examined naps and data, and return the same for In order to retain its priority, this applies	ication must be returned to the	
This is to certify that I have examined naps and data, and return the same for In order to retain its priority, this applies	ication must be returned to the	
This is to certify that I have examined naps and data, and return the same for In order to retain its priority, this appliance on or before	ication must be returned to the	State Engineer, with corre
This is to certify that I have examined haps and data, and return the same for In order to retain its priority, this applies	ication must be returned to the	State Engineer, with corre
This is to certify that I have examined naps and data, and return the same for In order to retain its priority, this appliance on or before	ication must be returned to the	State Engineer, with corre
This is to certify that I have examined naps and data, and return the same for In order to retain its priority, this appliance on or before	ication must be returned to the	State Engineer, with corre
This is to certify that I have examined naps and data, and return the same for In order to retain its priority, this applications on or before	ication must be returned to the	State Engineer, with correct
This is to certify that I have examined naps and data, and return the same for In order to retain its priority, this appliance on or before	ication must be returned to the	State Engineer, with correc

PERMIT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT	TO EXISTING	RIGHTS and the follow	ving limitat	ions and cond	itions:	
The	e right herein gra	nted is limited to the a	mount of w	ater which co	n be applied t	o beneficial use
and shall	not exceed0.	01 cubic feet p	er second m	reasured at th	e point of div	ersion from the
		case of rotation with o				
The	use to which this	s water is to be applied	is domest	tic use for	l family in	cluding the
irrigat	ion of lawn an	d garden not to exc	ceed ½ acr	re in area	••••••	
T			,			
		appropriation shall be l each acre irrigated			•	
		euch ucre irrigateu				
***************************************			***************			
••••••			·····		·	
***************************************	······································		 ;			
					•••••••••••••••••••••••••••••••••••••••	
***************************************	•••••				••••••	***************************************
and shall	be subject to such	reasonable rotation sy	stem as may) be ordered b	y the proper st	ate officer.
		his permit is				
		work shall begin on or			:	
·	-	ith reasonable diligence				_
		of the water to the pro				ctober 1, 19.49
W1	TNESS my nana i	his 27th day	ر د		araele	
				***************************************		STATE ENGINEER
ı	i i	92 e° ;	;	i i	% :	
	ıc	instrument was first received in the the State Engineer at Salem, Oregon, 2.45. day of APLI M.	. :			/oJ
54	E PUBL STATE	ceived Ilem, (1	·	<u>بن</u> س	eg e
777	HE ST	rst re	;	į,	Ω	WHEELER STA
0	ا ۱۹۲۲ قست ا	t was fi Engineei y of	÷i.	July 27, 1973	۳. پ	HHM.
pplication No ermit No	PERM APPROPRIATE WATERS OF TI OF OREC	nstrument wo the State Engi 2.45 day of t.11.1.5 o'cu	to applicant:	v 27	ded in book No on page	CHRIS. L. asin No.
pplication ermit No.	APPR(WATE	ustrumen he State 2.45 da 11.1.5	to api	: fuf	ded in b on page	CHRIS Basin No.
Ap Pe	TO A	This in office of the Canon the Cano	Returned -	Approved	Record Permits o	Drainage Fees
		offix on t	Reti	App	I Per	Dra