

RECEIVED
MAY 8 1972
STATE ENGINEER
SALEM, OREGON

Permit No. 36393

CERTIFICATE NO. 50725

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Bruce J. MATTHIS
(Name of applicant)

of P.O. Box 884
(Mailing address) MEHAMA
(City)

State of Oregon, 97384, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed drainageway & pond.
(Name of stream)

....., a tributary of North Santiam River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.04.
cubic feet per second

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is waterfowl & fish culture.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 620 ft. S. and 2740 ft. E. from the NW.
corner of Section 18 T9S R2E W11.
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 NE 1/4 of Sec. 18, Tp. 95,
(Give smallest legal subdivision) (N. or S.)

R. 2E, W. M., in the county of M Marion.
(E. or W.)

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.,
(Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry, etc.)

Rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
..... feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft.
from intake in.; size at place of use in.; difference in elevation between
intake and place of use, ft. Is grade uniform? Estimated capacity,
..... sec. ft.

8. Location of area to be irrigated, or place of use

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp.; **R.**; **W. M.**
(No. N. or S.) (No. E. or W.)

(g) If so, name stream and locate point of return

, Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

10. (a) To supply the city of

..... County, having a present population of

(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before May 1972.....

13. Construction work will be completed on or before May 1972.....

14. The water will be completely applied to the proposed use on or before Oct 1972.....


(Signature of applicant)

Remarks: about 200 trout.....

25 {
Canadian Geese
Swans
Wood duckSTATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed .0.01 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from unnamed drainageway and
reservoir to be constructed under application No. R-49226, permit No. R-5990

The use to which this water is to be applied is water fowl and fish culture

If for irrigation, this appropriation shall be limited to of one cubic foot per
second or its equivalent for each acre irrigated


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 8, 1972

Actual construction work shall begin on or before July 27, 1974 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975...

Complete application of the water to the proposed use shall be made on or before October 1, 1976...

WITNESS my hand this 27th day of July, 1973.



STATE ENGINEER

guf
A

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 24th day of May,

1972, at 3:13 o'clock P.M.

Returned to applicant:

Approved:

July 27, 1973

Recorded in book No. of
Permits on page 33303

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 50N

Fees \$5.00