

RECEIVED RECEIVED
MAY 18 1972
MAY 8 1972 STATE ENGINEER
STATE ENGINEER SALEM, OREGON APPLICATION FOR PERMIT
SALEM, OREGON

To Appropriate the Public Waters of the State of Oregon

I, J. Arlie Bryant, Inc. (Name of applicant)
of 802 W. Sixth Street, The Dalles,
(Mailing address) (City)
State of Oregon, 97156, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 1956 State of
Washington

1. The source of the proposed appropriation is Koberg Slough
(Name of stream)
N/A, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.20
cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Polution control devices on
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
asphalt and crushing plants.

4. The point of diversion is located 1175 ft. N and 480 ft. E from the West 1/4
(N. or S.) (E. or W.)
corner of Sec 32 Township 3 North Range 11 East W.M. See attached. plat.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the ~~NW 1/4 of NW 1/4~~ S.W. 1/4 NW 1/4 of Sec. 32, Tp. 3N,
(Give smallest legal subdivision) (N. or S.)

R. 11E, W. M., in the county of Hood River
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____,
(Smallest legal subdivision) (N. or S.)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____
feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch pump with 25 h.p.
(Size and type of pump)
electric motor 250 foot head
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1,000 ft.; size at intake, 3" in.; size at 1,000 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 220 ft. ft. Is grade uniform? Yes Estimated capacity, 0.20 sec. ft.

8. Location of area to be irrigated, or place of use Asphalt & Crushing Plant

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 N	11 E	31	SE ¹ / ₄ NE ¹ / ₄ 11. May 30, 1972 NE¹/₄ of NE¹/₄	N/A

(If more space required, attach separate sheet)

(a) Character of soil N/A

(b) Kind of crops raised N/A

Power or Mining Purposes—

9. (a) Total amount of power to be developed N/A theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W: M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of N/A

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ \$2,000.00

12. Construction work will begin on or before Immediately upon Receiving Permit

13. Construction work will be completed on or before June 1, 1973

14. The water will be completely applied to the proposed use on or before June 1, 1973

J. Arlie Bryant, Inc. by

(Signature of applicant)

John C Bryant May 4, 1972

Remarks: The water will be picked up by a 2 inch, 25 h.p. pump located at pond site. Water will be pumped to the south into storage tanks with an electric float switch for automatic control. We will discharge from a 2 inch pump into a 3inch line to help reduce the friction loss.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.2 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Koberg Slough

The use to which this water is to be applied is pollution abatement on asphalt and crushing plant

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 16, 1972

Actual construction work shall begin on or before July 27, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975

Complete application of the water to the proposed use shall be made on or before October 1, 1976

WITNESS my hand this 27th day of July, 1973

Chris L. Wheeler
STATE ENGINEER

Application No. 49255
Permit No. 35015

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of May, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 27, 1973

Recorded in book No. _____ of _____

Permits on page 35015

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 61

Fees \$25.00