

*Permit No. 3695

CERTIFICATE NO. 2349

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, B F Smith (Name of Applicant) of Ontario, R F D (Postoffice), County of Malheur State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation.

1. The source of the proposed appropriation is from the waste and drainage ditch of the Nyssa-Arcadia Drainage District (Name of stream), tributary of

2. The amount of water which the applicant intends to apply to beneficial use is One (1) & 1/2 cubic feet per second.

3. The use to which the water is to be applied is Irrigation, and Domestic use in watering stock, on the NE 1/4 NE 1/4 and N 1/2 SE 1/4 NE 1/4 Sec. 30, T 19 S R 47 E.W.M., Malheur County, Oregon (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located about ten (10) feet North of the SW corner of the NE 1/4 of the NE 1/4 of Sec. 30 T 19 S R 47 E.W.M. (Give distance and bearing to section corner)

being within the said NE 1/4 NE 1/4 of Sec. 30, Tp. 19 S (Give smallest legal subdivision) (No. N. or S.)

R. 47 E W. M., in the county of Malheur, Oregon (No. E. or W.)

5. The pipe line to be 1/4 (Main ditch, canal or pipe line)

miles in length, terminating in the NE 1/4 NE 1/4 of Sec. 30, Tp. 19 S (Smallest legal subdivision) (No. N. or S.)

R. 47 E W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is Smith-Kimball Pipe Line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

*A different form of application is provided where storage works are contemplated. These forms can be secured without charge together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

(b) At.....miles from headgate. Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per one thousand feet.

Pipe line will be twelve inches in diameter.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of Sixty (60).....acres, located in each smallest legal subdivision, as follows:.....

NE 1/4 NE 1/4 and

N 1/2 SE 1/4 NE 1/4 Sec. 30 T 19 S R 47 E.W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed.....theoretical horsepower.

(b) Total fall to be utilized.....feet.

(Head)

(c) The nature of the works by means of which the power is to be developed.....

(d) Such works to be located in.....of Sec.....

(Legal subdivision)

Tp....., R....., W. M.

(No. N. or S.)

(No. E. or W.)

(e) Is water to be returned to any stream?.....

(Yes or No)

(f) If so, name stream and locate point of return.....

....., Sec....., Tp....., R....., W. M.

(No. N. or S.)

(No. E. or W.)

(g) The use to which power is to be applied is.....

(h) The nature of the mines to be served.....

MUNICIPAL SUPPLY—

11. To supply the city of.....
.....County, having a present population of....., and an
(Name of)
estimated population of.....in 191....

(Answer questions 12, 13, 14, and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before.....
- 14. Construction work will be completed on or before.....
- 15. The water will be completely applied to the proposed use on or before.....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

B F Smith
.....
(Name of applicant)
.....
.....

Signed in the presence of us as witnesses:

- (1) Frank D Hall, Nyssa, Ore.
(Name) (Address of Witness)
- (2) C C Wilson, Nyssa, Ore.
(Name) (Address of Witness)

Remarks: The water will be pumped from the waste or drainage ditch of the Nyssa-Arcadia Drainage District, probably with centrifugal pump and electric power, of the design and size that will be found most efficient. No maps are attached as it is deemed unnecessary in view of the description of works given above.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

For maps

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before Feb., 191 7

WITNESS my hand this 6th day of Jan., 191 8

John H Lewis,
RJS State Engineer.

Application No. 5753

Permit No. 3695

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 2 District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of Sept., 1917, at 8:30 o'clock A.M.

Returned to applicant for correction Jan. 8, 1918

Corrected application received January 25, 1918

Approved: Feb. 20, 1918

Recorded in Book No. 13 of Permits, on Page 3695

John H Lewis

1 map RS

State Engineer.

\$17.00

NOTE: Attention is called to a certain resolution of the Board of Directors of the Nysa-Arcadia Drainage District under date of October 20, 1917, in regard to appropriating drainage water.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The right to the use of water herein granted is limited to irrigation purposes, and for domestic purposes including stock water.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.65 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is Sept. 19, 1917

Actual construction work shall begin on or before February 20, 1919 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1920

Complete application of the water to the proposed use shall be made on or before October 1, 1921

WITNESS my hand this 20th day of February, 1918

John H Lewis

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 7056, Code of Oregon Laws, and the provisions of Chapter 117, Session Laws of 1918.