

RECEIVED  
JUN 16 1972

STATE ENGINEER  
SALEM OREGON

RECEIVED  
JUN 27 1972

STATE ENGINEER  
SALEM OREGON  
APPLICATION FOR PERMIT

Permit No. 3115

CERTIFICATE NO. 43203

# To appropriate the Public Waters of the State of Oregon

I, Fish Commission of Oregon

(Name of applicant)

of 307 State Office Building, 1400 S. W. Fifth, Portland, 97201  
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream  
(Name of stream)

, a tributary of East Fork of the South Fork Trask River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the  
(N. or S.) (E. or W.)  
corner of N 89° 19' E 2300' from the NE Corner of Sec 12 T2S R8W WM  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE ¼ NW ¼ of Sec. 7, Tp. 2S  
(Give smallest legal subdivision) (N. or S.)

R. 7W, W. M., in the county of Tillamook  
(E. or W.)

5. The pipe line to be 1,000 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the SE ¼ NW ¼ of Sec. 7, Tp. 2S  
(Smallest legal subdivision) (N. or S.)

R. 7W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam 3 feet, length on top 20 feet, length at bottom  
20 feet; material to be used and character of construction log and timber,  
(Loose rock, concrete, masonry,  
waste over dam  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



**Municipal or Domestic Supply—**

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied 1, .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1,200 .....

12. Construction work will begin on or before ..... June 1, 1972

13. Construction work will be completed on or before ..... June 9, 1972

14. The water will be completely applied to the proposed use on or before June 9, 1972 .....

*Ray W. McElhose*  
(Signature of applicant)  
*Project Engineer*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use for 1 family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 27, 1972

Actual construction work shall begin on or before August 27, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975.

Complete application of the water to the proposed use shall be made on or before October 1, 1976.

WITNESS my hand this 27th day of August, 1973

*Chris L. Wheeler*

STATE ENGINEER

769  
5

Application No. 49383

Permit No. 37015

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of June, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 27, 1973

Recorded in book No. of

Permits on page 37015

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 1 page 208

Fees