

RECEIVED
JUL 12 1972

STATE ENGINEER
SALEM, OREGON

Permit No. 37028

ASSIGNED, See Misc. Rec., Vol. 5

CERTIFICATE NO. 43886

Page 682

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Richard L. and Patricia A. Schoof
(Name of applicant)

of Summit Star Route, Blodgett
(Mailing address) (City)

State of Oregon, 97326, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Not applicable - N.A.

1. The source of the proposed appropriation is Unnamed spring
(Name of stream)

a tributary of Marys River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second 5 gal. per minute
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic household and lawn including
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
the irrigation of lawn not exceeding 1/2 acre in area

4. The point of diversion is located 835 ft. N. and 1245 ft. W. from the SE
(N. or S.) (E. or W.)
corner of Section 8
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of the SE 1/4 of Sec. 8, Tp. 11 S,
(Give smallest legal subdivision) (N. or S.)

R. 7 W., W. M., in the county of Benton

5. The Pipe line is 500 ft.
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 of the SE 1/4 of Sec. 8, Tp. 11 S,
(Smallest legal subdivision) (N. or S.)

R. 7 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam N.A. feet, length on top N.A. feet, length at bottom
N.A. feet; material to be used and character of construction N.A.
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate N.A.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description N.A.
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

AS

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One family.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Established & existing since 1964

12. Construction work will begin on or before Existing.....

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

Application date

X *Richard L. Schoof*
(Signature of applicant)
Patricia A. Schoof

Remarks: This spring has supplied water to the existing home since 1964.

..... We have been told that the old homestead that existed on this

..... site also used this spring source.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use for 1 family including the irrigation of lawn and garden not to exceed 1/2 acre in area

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 12, 1972

Actual construction work shall begin on or before August 27, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975...

Complete application of the water to the proposed use shall be made on or before October 1, 1976...

WITNESS my hand this 27th day of August, 1973.

Chris L. Wheeler

STATE ENGINEER

July 5

Application No. 19439
Permit No. 3708

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of July, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 27, 1973

Recorded in book No. _____ of _____ Permits on page 3708

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. R page 221

Fees \$25.00