

RECEIVED

AUG 2 1972

STATE ENGINEER
SALEM, OREGON

Permit No. 53130

ASSIGNED. See Misc. Reg., Vol. 6 page 1291

*APPLICATION FOR PERMIT

CERTIFICATE NO. 53130

To appropriate the Public Waters of the State of Oregon

I, DONALD MAC ARTHUR (Name of applicant)

of P.O. BOX 1575 (Mailing address), ROSEBURG (City)

State of OREGON, 97470 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is NORTH UMPQUA RIVER (Name of stream)

, a tributary of UMPQUA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cfs. cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is IRRIGATION (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 520 ft. S. and 33 ft. W. from the NE corner of SW 1/4 of NW 1/4 SEC 23 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of NW 1/4 of Sec. 23, Tp. 26S (N. or S.)

R. SW (E. or W.), W. M., in the county of DOUGLAS

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 HP ELECTRIC PUMP (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 012

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.00

12. Construction work will begin on or before 10-1-72

13. Construction work will be completed on or before 10-1-73

14. The water will be completely applied to the proposed use on or before 10-1-74

Donald MacArthur
(Signature of applicant)

Remarks: Legal Description: Lot 1 and 2 of Echo Bend Estates,
Second Addition located in Douglas County, Oregon, Township 26
South, Range 5 W. W.M.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 17, 1972

WITNESS my hand this 18th day of September, 1972

RECEIVED
NOV 18 1972
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

By Wayne J. Overcash
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. August 2, 1972 for 0.0125 cfs, and The priority date of this permit is November 13, 1972 for 0.0125 cfs

Actual construction work shall begin on or before August 27, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975...

Complete application of the water to the proposed use shall be made on or before October 1, 1976...

WITNESS my hand this 27th day of August, 1973.

Chris L. Wheeler

STATE ENGINEER

2nd
A

Application No. 49537
Permit No. 37077

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of August, 1973, at 5:00 o'clock A. M.

Returned to applicant:

Approved:

August 27, 1973
Recorded in book No. 37077 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 265
Fees \$200