

RECEIVED

AUG 10 1972

STATE ENGINEER  
SALEM, OREGON

Permit No. 37100

CERTIFICATE NO. 42777

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, LEVI W. BUTLER  
(Name of applicant)  
of Rt 2 Box 229, Dayton  
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

1. The source of the proposed appropriation is unnamed stream  
(Name of stream)  
+ 8 Springs adjacent to stream, a tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0825  
cubic feet per second unnamed stream - 0.25 CFS unnamed Springs - 0.2 CFS  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation 0.0625 CFS  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
Domestic 0.02 CFS

4. The point of diversion is located 1240 ft. N and 1870 ft. W from the SE  
(N. or S.) (E. or W.)  
corner of Section 4  
(Section or subdivision)  
"See remarks"

\* Domestic - SEE REMARKS

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 4, Tp. 4S  
(Give smallest legal subdivision) (N. or S.)

R. 3W, W. M., in the county of Yamhill  
(E. or W.)

5. The Pipeline (Irrigation) to be  
(Main ditch, canal or pipe line) 1400' - NE 1/4 NW 1/4 SE 1/4  
900'  
(Miles or feet)

in length, terminating in the NW 1/4 SE 1/4 of Sec. 4, Tp. 4S  
(Smallest legal subdivision) (N. or S.)

R. 3W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3' feet, length on top 50' feet, length at bottom 45' feet; material to be used and character of construction DIRT FILL  
(Loose rock, concrete, masonry)

WITH ROCK OVERFLOW COVERED WITH PLASTIC  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 H SUBMER-  
(Size and type of pump)  
ISIBLE 125' LIFT  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 800<sup>00</sup>

12. Construction work will begin on or before June 1, 1972

13. Construction work will be completed on or before October 1, 1972

14. The water will be completely applied to the proposed use on or before Sept. 1, 1973

Signature of applicant

\* Remarks: Domestic supply - water is collected by a 4" tile line on springs 1, 2, 3, 4 piped to a collection box 5' deep and 9" diameter. The water is then piped to the storage tank through 1" pipe. Springs 6, 7, 8 are piped directly to the storage tank. ESTIMATED FLOWS ARE:

Spring No. 1 - 2.9 gpm, Spring No. 2 - 1.9 gpm, Spring No. 3 - 2.9 gpm

Spring No. 4 - 1.9 gpm, Spring No. 5 - 1.9 gpm, No. 6 - .5 gpm, No. 7 - .5 gpm, No. 8 - 1.9 gpm

The holding tank on Division Road, is located 1070' North and 1870' West from the SE corner of Section 4, T4S, R3W

Spring location - #1 1420' N, 1910' W; #2 1370' N, 1890' W,

#3 - 1320' N, 1890' W, #4 - 1270' N, 1890' W, #5 - 1195' N, 1885' W.

#6 - 1210' N, 1830' W, #7 - 1370' N, 1855' W, #8 - 1410' N, 1855' W from

S.E. Cor. Sec. 4 Twp 4 S, R 3 W, W. W. Yamhill Co.

Springs 1, 2, 7 & 8 are located in the SE 1/4 NW 1/4 of section 4, T4S, R3W. Springs 3, 4, 5 & 6 are located in the NE 1/4 SW 1/4 of section 4, T4S, R3W.

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 13, 1972, December 9, 72, January 22, 73

Witness my hand this September 13, 1972 day of September, 1972

RECEIVED STATE ENGINEER SALEM, OREGON SEP 22 1972

CHRIS L. WHEELER STATE ENGINEER By Thomas E. Shook ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.065 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and 8 springs, being 0.06 cfs from unnamed stream for irrigation and 0.005 from springs for domestic

The use to which this water is to be applied is domestic use for one family and irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 10, 1972

Actual construction work shall begin on or before August 27, 1974 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975.

Complete application of the water to the proposed use shall be made on or before October 1, 1976.

WITNESS my hand this 27th day of August, 1973.

*Chris J. Wheeler*  
STATE ENGINEER

July 3

Application No. 49574  
Permit No. 37100

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of August, 1972, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

August 27, 1973 of  
Recorded in book No. 37100  
Permits on page

CHRIS J. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 908/3  
Fees \$30.00