*APPLICATION FOR PERMIT

4.30.00

To Appropriate the Public Waters of the State of Oregon

(Mailing address)	•••••		••••••	
tate of Oregon do hereby manufactures,	ake application	for a ner	mit to an	propriate tl
		,		
lowing described public waters of the State of Oregon, S	SUBJECT TO E	EXISTIN	G RIGHT	'S:
If the applicant is a corporation, give date and place	of incorporatio	n		
No.	th Ilmpaus	Divor	•••••••••••••••••••••••••••••••••••••••	
1. The source of the proposed appropriation is Nor	's O	Name of street	nm)	
, a tributary o	f Umpqua R	iver		•
2. The amount of water which the applicant intends to	to apply to bene	eficial us	0.01 0.35 0.36	-domesti -irrigat -total
bic feet per second. North Umpqua River				
(If water is to be used from m	domestic*a	nd irr	rom each)	n
**3. The use to which the water is to be applied is Domestic use to include use for such a	Irrigation, power, mini	ing, manufaci	turing, domest	ic supplies, etc.)
sustenance and irrigation of lawn and/	ornoncomm	erciai	garue	nno.tt.c
4. The point of diversion is located 1480 ft. S	or s .)	ft	from	n the $^{N_{4}}$
rner of Section 20, T26S, R5W.W.M., Do	ouglas Coun	ty, Or	egon.	· · · · · · · · · · · · · · · · · · ·
(Section or su	ubdivision)			
······································		· • • • • • • • • • • • • • • • • • • •		·
			·····	
······································			·····	
(If preferable, give distance and bearin	ng to section corner)			
(If there is more than one point of diversion, each must be de	escribed. Use separate			26 S
(If there is more than one point of diversion, each must be dering within the $\frac{SE_{A}^{1}}{NW_{d}^{1}}$ (Give smallest legal subdivision)	escribed. Use separate of Sec2	20		26 S (N. or S.)
(If there is more than one point of diversion, each must be de ring within the SEA NWd (Give smallest legal subdivision) 5W, W. M., in the county of Douglas	scribed. Use separate	20	, Tp	
(If there is more than one point of diversion, each must be de eing within the SEA NWA (Give smallest legal subdivision) 5W, W. M., in the county of Douglas	scribed. Use separate	20	, Tp	
(If there is more than one point of diversion, each must be de sing within the SEA NWd (Give smallest legal subdivision) 5W, W. M., in the county of Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line)	of Sec	1,000	feet	
(If there is more than one point of diversion, each must be de eing within the SEA NWA (Give smallest legal subdivision) 5W, W. M., in the county of	of Sec	1,000	feet	
(If there is more than one point of diversion, each must be de seing within the SEA NWA (Give smallest legal subdivision) 5W, W. M., in the county of	of Sec	1,000 20	feet (Miles or fee	26 S (N. or S.)
(If there is more than one point of diversion, each must be de seing within the SEA NWA (Give smallest legal subdivision) 5W, W. M., in the county of Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NEA NWA (Smallest legal subdivision)	of Sec	1,000 20	feet (Miles or fee	26 S (N. or S.)
(If there is more than one point of diversion, each must be defing within the SEA NWA (Give smallest legal subdivision) 5W (Give smallest legal subdivision) E. or W.) 5. The pipeline (Main ditch, canal or pipe line) length, terminating in the NEA NWA (Smallest legal subdivision)	of Sec	1,000 20	feet (Miles or fee	26 S (N. or S.)
(If there is more than one point of diversion, each must be decing within the SEA NW Give smallest legal subdivision) 5W Give smallest legal subdivision) E. or W.) 5. The pipeline (Main ditch, canal or pipe line) clength, terminating in the NEA NW (Smallest legal subdivision) 5W (Smallest legal subdivision) CE. or W.) DESCRIPTION OF	of Sec	1,000 20	feet (Miles or fee	26 S (N. or S.)
(If there is more than one point of diversion, each must be defing within the SEA NW (Give smallest legal subdivision) 5W (Give smallest legal subdivision) 5W Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) (In the county of Smallest legal subdivision) (Smallest legal subdivision) 5W (Smallest legal subdivision) (E. or W.) DESCRIPTION OF	of Sec	20 1,000 20 on the ac	feet (Miles or fee, Tp	26 S (N. or S.) ing map.
(If there is more than one point of diversion, each must be defing within the SEA NW (Give smallest legal subdivision) 5W (Give smallest legal subdivision) 5W Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) (Smallest legal subdivision) 5W (Smallest legal subdivision) 5W (Smallest legal subdivision) DESCRIPTION OF iversion Works— 6. (a) Height of dam feet, length	of Sec	20 20 on the ac	feet (Miles or fee, Tp company	26S (N. or S.) ing map.
(If there is more than one point of diversion, each must be defing within the SEA NWA (Give smallest legal subdivision) 5W , W. M., in the county of Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) length, terminating in the NEA NWA (Smallest legal subdivision) 5W , W. M., the proposed location being shown (E. or W.) DESCRIPTION OF version Works—	of Sec	20 20 on the ac	feet (Miles or fee, Tp company	26S (N. or S.) ing map.
(If there is more than one point of diversion, each must be defing within the SEA NWA (Give smallest legal subdivision) 5W (Give smallest legal subdivision) 5W Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) length, terminating in the NEA NWA (Smallest legal subdivision) 5W (Smallest legal subdivision) DESCRIPTION OF version Works— 6. (a) Height of dam feet, length feet; material to be used and character of the state of the stat	of Sec	20 20 on the ac	feet (Miles or fee, Tp company	26S (N. or S.) ing map.
(If there is more than one point of diversion, each must be de ing within the SEA NWA (Give smallest legal subdivision) 5W (Give smallest legal subdivision) 5W Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) (Smallest legal subdivision) 5W (Smallest legal subdivision) 5W (Smallest legal subdivision) DESCRIPTION OF iversion Works— 6. (a) Height of dam feet, length feet; material to be used and character of the company of t	of Sec	20 20 on the ac	feet (Miles or fee, Tp company	26 S (N. or S.) ing map. gth at botto
(If there is more than one point of diversion, each must be defing within the SEA NWA (Give smallest legal subdivision) 5W , W. M., in the county of Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) (Smallest legal subdivision) 5W , W. M., the proposed location being shown (E. or W.) DESCRIPTION OF iversion Works— 6. (a) Height of dam feet, length feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet; material to be used and character of the sing shown feet, length feet; material to be used and character of the sing shown feet in the sing shown feet i	of Sec	20 20 on the ac	feet (Miles or fee, Tp company	26 S (N. or S.) ing map. gth at botto
(If there is more than one point of diversion, each must be decing within the SEA NW (Give smallest legal subdivision) 5W (Give smallest legal subdivision) 5W Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NEA NW (Smallest legal subdivision) 5W (Smallest legal subdivision) 5W (E. or W.) DESCRIPTION OF diversion Works— 6. (a) Height of dam feet, length feet; material to be used and character of content of the standard cont	of Sec	20 20 on the ac	feet (Miles or fee, Tp company	26 S (N. or S.) ing map. gth at botto
(If there is more than one point of diversion, each must be decing within the SEA NWA (Give smallest legal subdivision) 5W , W. M., in the county of Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) a length, terminating in the NEA NWA (Smallest legal subdivision) 5W , W. M., the proposed location being shown (E. or W.) DESCRIPTION OF diversion Works— 6. (a) Height of dam feet, length feet; material to be used and character of each must be determined by the subdivision (Timber, CTimber, CTimber)	of Sec	20 20 on the ac	feet (Miles or fee, Tp company feet, len (Loose rock	26 S (N. or S.) ing map.
(If there is more than one point of diversion, each must be decing within the SEA NWA (Give smallest legal subdivision) 5W (Give smallest legal subdivision) 5W Douglas (E. or W.) 5. The pipeline (Main ditch, canal or pipe line) (Smallest legal subdivision) 5W (Smallest legal subdivision) 5W (Smallest legal subdivision) DESCRIPTION OF iversion Works— 6. (a) Height of dam feet, length feet; material to be used and character of content of the standard or pipe line)	of Sec	1,000 20 on the ac	feet (Miles or fee, Tp company feet, len (Loose rock	26 S (N. or S.) ing map.

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

idgate. At head	lgate: width on	top (at water	line)			feet; width on b	ottom
	fect; depth of u	oater		feet; g	rade	feet fall pe	er one
usand feet.						r line)	
	feet; width on b	ottom	1	fe	et; depth of w	ater	feet;
ıde	feet fal	l per one thou	ısand feet	•			
(c) Length	of pipe,	ft.;	; size at ir	ıtake,		in.; size at	ft.
m intake	in.;	size at place	of use		in.; dif	ference in elevation be	tween
take and place	of use,	ft. 1	Is grade u	niform?		Estimated cap	oacity,
8. Locatio	•	rrigated, or p	lace of ,us	e			· · · · · · · · · · · · · · · · · · ·
Township North or South	Range E. or W. of Willemette Meridian	Section		Forty-acre	Tract 1/9/73	Number Acres To Be Irriga	ted
26S	5W	20	NW4	NE ¹ / ₄	Oon May	to T GOMESTA	
26S	5 W	20	NE4	NW¼			
26S	5W	20	SE4	NW3		1.5 + abmest	ic garde
26S	5 W	20	NW ¹ / ₄	NW1		0.5	
26S	5 W	20	SW 1/4	NW4	4) on Ma	2.0 + domest	ic orcha
					au	Joseph 27	
· · · · · · · · · · · · · · · · · · ·	.:						
				,			
•							 . · ·
							· ·
(n) (l)		(If more space clay/loa		ach separat	e sheet)		· ·
	aracter of soil	••••••••••	• • • • • • • • • • • • • • • • • • • •	nard a	nd garden	(domestic), an	d yariou
(b) $Kiower or Mining$		α	····crop	s, in	eluding-a	lfalfa, etc. (ro	rated).
	_	ower to be dev	veloped	· · · · · · · · · · · · · · · · · · ·		theoretical horse	power.
(b) Q1	antity of water	to be used for	power		se	c. ft.	
(c) To	tal fall to be uti	lized	(Head)		feet.		
(d) Th	e nature of the	works by mea	ns of whi	ch the p	ower is to be	developed	·
			······································				
(e) Su	ch works to be l	ocated in			Abeled N	of Sec	.
	, R			(Legal sub	division)		
	water to be retu				·····		
	so, name stream						
(g) If		4	•				
(g) If		., Sec		, To.	,	, R(No. E. or W.)	W M

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	e right herein gra			•			
	not exceed 0.		- '	:	-		٠.
	its equivalent in	case of rotation	with other w	iter users, fro	m North Umpq	ua niver	
The	use to which this	s water is to be a	pplied isd	omestic use	for 1 family	including	
	ing 0.005 cfs						
If fo	or irrigation, this	appropriation sh	all b e limited t	o1/80	of o	ne cubic foot per	
	its equivalent for to exceed $2\frac{1}{3}$ a						
	ason of each y				reaven during.	<u>, , , , , , , , , , , , , , , , , , , </u>	,
X#.V44XX	400						
					•••••		•
				·····			
			····				
ınd shall	be subject to such	reasonable rota	tion system as	may be ordere	ed by the proper s	tate officer.	
	priority date of t						• ,
						and shall	
hereafter	· be prosecuted w	ith reasonable d	iligence and be	completed on		1418	
Con	nplete application	of the water to	the proposed u	se shall be ma	de on or before (Extended to Oct. 1. 1974 October 1, 1976	
WI	TNESS my hand t	his 31st	day of	January	, 197 4	•)	. (1
			********	alis	X 3/000	STATE ENGINEER	juj
·.						STATE ENGINEER	17
		, n, ne	· ·		ं द		
. :	ıc	in the Correction				ENGINEER	
7 60	PUBLI	eived lem, (M.		ඩ	TE ENG	
	E]	at Sa	P		7 22	STA STA STA	
65		us firmineer	0ck		E E	HEEL 66 / 200	•
on No 0	PERM PRIATE SS OF TH	rent wa te Engi day of	o'clock cant:		y 31	L. W	
Application No Permit No	PERM APPROPRIATE WATERS OF TH	rume State	//:/5 to applic		anuary d in bo page	CHRIS GASIN	
Appu	V AP	This instrument was first received in the ice of the State Engineer at Salem, Oregon the 18th day of September	at 11.1.5 o'cl	oved:	January 31, Recorded in book N rmits on page	E CE	
	Ä	This office o	19.72, Return	Approv	Reco	Draina	
, ,	l	g of	19 R.		i. ŭ		,