

RECEIVED

Permit No. 37265

SEP 26 1972
STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

"CERTIFICATE NO. 1010573"

To Appropriate the Public Waters of the State of Oregon

I, Stuart B. & Laura S. Slattery (Husband & wife)
(Name of applicant)
of 715 St. Francis St. Klamath Falls,
(Mailing address) (City)

State of Oregon, 97601, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Salmon Creek
(Name of stream)

, a tributary of South Fork Cogwille River

2. The amount of water which the applicant intends to apply to beneficial use is .0557
cubic feet per second

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic excluding Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
drinking water and household irrigation (lawn, etc., garden)

4. The point of diversion is located 462.75 ft. S. and 505.60 ft. E. from the N.W.
(N. or S.) (E. or W.)
corner of Section 24 T 31 S, R 12 W, Coos County, ORE.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the Nw 1/4 of Nw 1/4 of Sec. 24, Tp. 31 S.,
(Give smallest legal subdivision) (N. or S.)
R. 12 W, W. M., in the county of Coos

5. The Pipe line to be 290 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Nw 1/4 of Nw 1/4 of Sec. 24, Tp. 31 S.,
(Smallest legal subdivision) (N. or S.)
R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/2 H.P. Reda
(Size and type of pump)

Submersible Pump - 30 ft Head
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
..... feet; width on bottom+..... feet; depth of water feet;
grade feet fall per one thousand feet.

(c) Length of pipe, 290 ft.; size at intake, 1 in.; size at ft.
from intake in.; size at place of use 3/4 in.; difference in elevation between
intake and place of use, 25 ft. Is grade uniform? immediate
Estimated capacity,
• 0557 sec. ft. (25 gpm)

8. Location of area to be irrigated, or place of use

(If more space required, attach separate sheet)

(a) Character of soil SILT at sand overlaying gravel

(b) Kind of crops raised Lawn & garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec., (Legal subdivision)

Tp. , *R.* , *W. M.*
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

, Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) *The nature of the mines to be served*

Municipal or Domestic Supply—

37253

10. (a) To supply the city of NA.....

NA..... County, having a present population of NA.....
(Name of)

and an estimated population of NA..... in 19.....

(b) If for domestic use state number of families to be supplied ONE.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 200

12. Construction work will begin on or before OCT 1, 1972

13. Construction work will be completed on or before JAN 1, 1973

14. The water will be completely applied to the proposed use on or before JAN. 1, 1973

David J. Hall
Laura S. Slattery
(Signature of applicant)

Remarks: This water right is being filed for the protected right to use the waters of Salmon Creek. A well has been attempted on this property and search for underground water abandoned upon advise of the well driller. Waters of the creek are non objectionable for household uses other than drinking. Further attempts at well drilling will be made hopefully to augment this supply.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 26, 1972.....

WITNESS my hand this 25th day of October , 19..... 72.

CHRIS L. WHEELER

STATE ENGINEER

By

Wayne J. Overcash

ASSISTANT

REC'D NOV 2 1972
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON,
County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Salmon Creek

The use to which this water is to be applied is domestic use for 1 family excluding drinking water, and irrigation being 0.005 cfs for domestic use and 0.01 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 25, 1972

Actual construction work shall begin on or before January 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975.

Complete application of the water to the proposed use shall be made on or before October 1, 1976

WITNESS my hand this 31st day of January, 1974.

Chris L. Wheeler
STATE ENGINEER

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of September, 1972, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

January 31, 1974

Recorded in book No. 37255
Permits on page 37255

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 222
Fees \$30.00

Application No. 49759
Permit No. 37255