

RECEIVED
JUN 8 1972
STATE ENGINEER
SALEM OREGON

Permit No. 37280

*APPLICATION FOR PERMIT

"CERTIFICATE NO. 64448"

To appropriate the Public Waters of the State of Oregon

I, Donna Lee Grace (Name of applicant)
of 11323 N.E. Wygant, Portland (Mailing address),
State of Oregon 97220, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring (Name of stream),
a tributary of Catherine Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.0 gal. per minute
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Domestic 6 gallon per minute, Irrigation 4 gallon per minute.

4. The point of diversion is located ft. and ft. from the
corner of (Section or subdivision)

From the Southwest corner of section 12
1690 feet North 14° 30' E
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 SW 1/4 of Sec. 12, Tp. 5 South
R. 40 E, W. M., in the county of Union

5. The pipeline to be 2000'
in length, terminating in the NW 1/4 NW 1/4 of Sec. 12, Tp. 5 South,
R. 40 East, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description no
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,500.⁰⁰.....

12. Construction work will begin on or before work has been started.....

13. Construction work will be completed on or before 9 years Aug 1974.....

14. The water will be completely applied to the proposed use on or before 2 years Aug 1974.....

Donna L. Groce

(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 28 19 72.....

WITNESS my hand this 23rd day of July 1973

June 19 72
September 72
December 72
March 73
May 73

STATE ENGINEER SALEM OREGON
RECEIVED
AUG 31 1972
STATE ENGINEER SALEM OREGON
RECEIVED
MAY 13 1973

STATE ENGINEER SALEM OREGON
RECEIVED
JUL 1 1973
STATE ENGINEER SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

Wayne J. Overcash
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring

The use to which this water is to be applied is domestic use for 3 families and irrigation being 0.01 cfs for domestic and 0.01 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 20, 1972

Actual construction work shall begin on or before March 11, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975

Extended to Oct. 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1976

WITNESS my hand this 11th day of March, 1974

Extended to Oct. 1977

Chris J. Wheeler

STATE ENGINEER

Application No. 49327
Permit No. 37280

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of June, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 11, 1974

Recorded in book No. of
Permits on page 37280

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 8A

Fees 30.00