

RECEIVED
FEB 2 1973
STATE ENGINEER
SALEM, OREGON

Permit No. 37281

CERTIFICATE NO. 42597

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, ARCHIE H. RICE
(Name of applicant)
of 1909 BECA ST. CORVALLIS, OREGON 97330
(Mailing address)
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is MUDDY CREEK
(Name of stream)
a tributary of MARYS RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.55
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is IRRIGATION
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. N and 410 ft. E from the center
(N. or S.) (E. or W.)
corner of Sec. 8 T13S R5W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 8, Tp. 13S,
(Give smallest legal subdivision) (N. or S.)
R. 5W, W. M., in the county of BENTON
(E. or W.)

5. The PIPE LINE to be 1400 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 OF THE SW 1/4 of Sec. 8, Tp. 13S,
(Smallest legal subdivision) (N. or S.)
R. 5W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 250 gpm centrifugal
(Size and type of pump)
15 HP electric motor - discharge pressure 75 p.s.i.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T13S	R5W	8	SW 1/4 NE 1/4	7.54
✓	✓	✓	NW 1/4 SE 1/4	15.84
✓	✓	✓	SE 1/4 NE 1/4	2.25
✓	✓	✓	NE 1/4 SE 1/4	20.02
✓	✓	✓	SE 1/4 SE 1/4	2.63
				42.28

(If more space required, attach separate sheet)

(a) Character of soil DAYTON

(b) Kind of crops raised PASTURE AND CORN

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.55 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Muddy Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 21, 1973

Actual construction work shall begin on or before March 11, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1975...

Complete application of the water to the proposed use shall be made on or before October 1, 1976...

WITNESS my hand this 11th day of March, 1974.

Chris L. Wheeler

STATE ENGINEER

v. B.
A.

Application No. 50062
Permit No. 37281

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of February, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 11, 1974

Recorded in book No. of

Permits on page 27801

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 221

Fees \$20.85