

STATE ENGINEER  
SALEM OREGON

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, William & Hazel Kennedy  
(Name of applicant)  
of Route 2, Box 47  
(Mailing address), Seaside  
(City)  
State of Oregon, 97056, do hereby make application for a permit to appropriate the  
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 unnamed streams & unnamed spring  
(Name of stream)  
a tributary of Sly Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.04  
cubic feet per second 0.03 from spring and 0.01 from 2 unnamed creeks.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation, domestic use, water stock  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
being 0.005 cfs from unnamed stream for irrigation, 0.005 cfs from 2nd unnamed stream for  
irrigation, 0.03 from spring being 0.02 domestic  
(see below) 0.003 shop & 0.007 from spring for stock water

4. The point of diversion is located (see below) ft. and ft. from the  
(N. or S.) (E. or W.)  
corner of sec remarks  
(Section or subdivision)  
(Spring) is located 1120 feet North & 18ft South 89°20' East from Southwest corner of  
Section 30 Township 4N Range 1W; #1 unnamed creek is located 7,334 feet North & 329 feet  
East 89°20' East from Southwest corner of Section 30 Township 4N Range 1W; #2 unnamed  
creek is located 1,115 feet North & 244 feet North 89°20' west from Southwest corner of  
Section 25 Township 4N Range 2W  
(If preferable, give distance and bearing to section corner)

(see remarks) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the S 1/4 of S 1/4 of Sec. 25, Tp. 4N  
(Give smallest legal subdivision) (see remarks) (N. or S.)  
R. 2, W. M., in the county of Columbia  
(E. or W.)

5. The pipeline to be 215 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the S 1/4 of S 1/4 of Sec. 30, Tp. 4N  
(Smallest legal subdivision) (N. or S.)  
R. 1, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom  
feet; material to be used and character of construction  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 1/2 H.P. Electric Pump from spring  
(Size and type of pump)  
for domestic use and 3 H.P. Portable Gas pump from both unnamed creeks for irrigation  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
For stock watering from both unnamed creeks, see remarks.

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 358 ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... 1 ..... in.; size at place of use ..... 1 ..... in.; difference in elevation between intake and place of use, ..... +30 ..... ft. Is grade uniform? more or less Estimated capacity, ..... 0.3 ..... sec. ft.

8. Location of area to be irrigated, or place of use is in the Philip 1st 1st 116

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	2W	25	SE 1/4 SE 1/4	1.5
4N	1W	30	SW 1/4 SW 1/4	1.5
4N	2W	25	SE 1/4 SE 1/4	shop
4N	1W	30	SW 1/4 SW 1/4	shop
4N	2W	25	SE 1/4 SE 1/4	stock watering
4N	1W	30	SW 1/4 SW 1/4	stock watering
4N	1W	30	SW 1/4 SW 1/4	domestic

(If more space required, attach separate sheet)

(a) Character of soil ..... sandy loam

(b) Kind of crops raised ..... lawn, garden & pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

(Name of) County, having a present population of .....

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... one .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00 .....

12. Construction work will begin on or before ..... started .....

13. Construction work will be completed on or before ..... October 1973 .....

14. The water will be completely applied to the proposed use on or before ..... October 1974 .....

*William Kennedy*  
(Signature of applicant)  
*Ray J. Kennedy*

Remarks: The stock will take water from the creek at any point along said creek between the following two points of diversion:

1. Point which is North 1115 feet and North 89°20' West 244 feet from the Southeast corner of Section 25, Township 4N, Range 1 West.

1. Point which is North 1334 feet and South 89°20' East 329 feet from the Southwest corner of Section 30, Township 4N, Range 1 West.

Line 7 of Item #4

The spring and #1 unnamed creek and point of diversion is located in the SW 1/4 of the SW 1/4 of Section 30, Township 4 North, Range 1 West.

#2 unnamed creek and point of diversion is located in the SE 1/4 of the SE 1/4 of Section 25, Township 4 North, Range 2 West

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction and completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~October 24~~ <sup>July 5</sup> ~~September 5~~ <sup>March 18</sup> 19 ~~72~~ <sup>73</sup> ~~73~~ <sup>74</sup>

WITNESS my hand this ~~22nd~~ <sup>4th</sup> ~~5th~~ <sup>16th</sup> day of ~~August~~ <sup>May</sup> ~~July~~ <sup>January</sup> 19 ~~72~~ <sup>73</sup> ~~73~~ <sup>74</sup>

RECEIVED  
AUG 2 9 1973  
STATE ENGINEER  
SALEM, OREGON  
APR 12 1974  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By *Thomas E. Shook*  
Thomas E. Shook  
ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.027 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring and two creeks.

The use to which this water is to be applied is domestic use for 1 family, shop use, stock use and irrigation being 0.005 cfs for domestic use, 0.005 cfs for shop use, 0.007 cfs for stock use from the spring and 0.005 cfs from stream No. 1 and 0.005 cfs from stream No. 2 for irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 12, 1974

Actual construction work shall begin on or before May 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 31st day of May, 1974.

*Chris J. Wheeler*  
STATE ENGINEER

Application No. 49466  
Permit No. 37302

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of April, 1977, at 8:00 o'clock A. M.

Returned to applicant:  
*Edith Ann Kennedy*  
*Elizabeth Kennedy*

Approved:

May 31, 1974

Recorded in book No. 37302 of Permits on page

CHRIS J. WHEELER  
STATE ENGINEER

Drainage Basin No. 3 page 4F

Fees 532