

\*APPLICATION FOR PERMIT CERTIFICATE NO. 42296

To Appropriate the Public Waters of the State of Oregon

I, Ernest W. Wecks (Name of applicant) of Route 1 Box 384-2 (Mailing address), Myrtle Creek (City), State of Oregon, 97457 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River (Name of stream)

a tributary of Main Umpqua

2. The amount of water which the applicant intends to apply to beneficial use is 0.016 cfs (0.016 cfs) cubic feet per second 7 gallons per Min House - 7 Gallons per Minute - irrigation (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic & Irrigation of (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

family garden and family orchard

4. The point of diversion is located 25 ft. N. and 1337 ft. E. from the xxxxxxxx (N. or S.) (E. or W.)

xxxxxxx on west bank of South Umpqua River - SE 1/4 Sec 35 TWP28S R6W (Section or subdivision) from the South 1/4 corner of Sec. 35 T28S R6W W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of Sec. 35, Tp. 28S (Give smallest legal subdivision) (N. or S.)

R. 6W, W. M., in the county of Douglas (E. or W.)

5. The Pipe (Main ditch, canal or pipe line) to be 300 Feet (Miles or feet)

in length, terminating in the SE 1/4 of Sec. 35, Tp. 28S (Smallest legal subdivision) (N. or S.)

R. 6W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS NA

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3/4 HP Centrifugal & 1/3 HP Centrifugal 40 ft. (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 2,500.00

12. Construction work will begin on or before ..... completed in 1965

13. Construction work will be completed on or before ..... completed in 1965

14. The water will be completely applied to the proposed use on or before .....

Was in operation October 1965

Ernest W. Wehler  
(Signature of applicant)

Remarks: One (1) pump (3/4 HP) is used for the house water supply -  
the 1/3 HP pump is used for irrigation of small garden and small family orchard.  
They are both from the same foundation.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.018 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is domestic use for 1 family and irrigation being 0.005 cfs for domestic and 0.013 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 9, 1973

Actual construction work shall begin on or before May 31, 1975 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 31st day of May, 1974.

*[Signature]*  
STATE ENGINEER

Application No. 51048  
Permit No. 37322

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of August, 1973, at 2:55 o'clock P. M.

Returned to applicant:

Approved:

May 31, 1974

Recorded in book No. 37322 of

permits on page 37322

CHRIS L. Wheeler  
STATE ENGINEER

Drainage Basin No. 16 page 30A

ees 30.02

TP